



Chevron Phillips Chemical Company Issued Sales Specification

Name of Product

DIESEL SECONDARY REFERENCE FUEL T-30

Revision Date

5/18/2017

Chevron Phillips Chemical Company LP
10001 Six Pines Drive
The Woodlands, TX 77380
800-858-4327
Technical Service: 832-813-4862

Chevron Phillips Chemical International N.V.
Airport Plaza- Stockholm Building
Leonardo Da Vincilaan 19
1831 Diegem, Belgium
+32 2 6891211

Chevron Phillips Chemicals Asia PTE Ltd.
1 Harbour Front Avenue
#09-01 Keppel Bay Tower
Singapore 098632
+65 6517 3100

Property	Round Robin Results ⁽¹⁾	Test Method
Specific Gravity at 60/60 °F	0.7864	Calculated
API Gravity	48.4	ASTM D 4052
Sulfur, ppm	2.1	ASTM D 5453, 2622, 7039
Flash Point, °F	187.9	ASTM D 93
Viscosity at 40 °C, cSt	2.355	ASTM D 445, 7042
Aniline Point, °C	86.69	ASTM D 611
Peroxides, mg/kg	None Detected	ASTM D 3703
Distillation Range at 760 mmHg, °F		ASTM D 86
Initial Boiling Point	406.8	
10 %	442.4	
50 %	486.9	
90 %	558.1	
End Point	657.1	
Recovery, %	97.8	
Residue, %	1.4	
Loss, %	0.7	
Cetane Number	74.87	ASTM D 613
Hydrocarbon Type, vol %		ASTM D 1319
Aromatics	4.2	
Olefins	1.0	
Saturates	95.2	

⁽¹⁾ This product is manufactured and packaged by Chevron Phillips Chemical Company, LP. The data presented herein is from the ASTM Subcommittee D02.01 Section E on Reference Materials and is based on round-robin certification tests performed by the Diesel National Exchange Group.

**ASTM Subcommittee D02.01 on Combustion Characteristics
Cetane Number Calibration for Diesel Secondary Reference Fuels T-30 Blended with U-30 by Volume**

Vol % T-30	Cetane Number	Vol % T-30	Cetane Number	Vol % T-30	Cetane Number
0	20.3	34	38.9	68	57.4
1	20.9	35	39.4	69	58.0
2	21.4	36	40.0	70	58.5
3	22.0	37	40.5	71	59.1
4	22.5	38	41.1	72	59.6
5	23.1	39	41.6	73	60.1
6	23.6	40	42.1	74	60.7
7	24.1	41	42.7	75	61.2
8	24.7	42	43.2	76	61.8
9	25.2	43	43.8	77	62.3
10	25.8	44	44.3	78	62.9
11	26.3	45	44.9	79	63.4
12	26.9	46	45.4	80	64.0
13	27.4	47	46.0	81	64.5
14	28.0	48	46.5	82	65.0
15	28.5	49	47.1	83	65.6
16	29.1	50	47.6	84	66.1
17	29.6	51	48.1	85	66.7
18	30.1	52	48.7	86	67.2
19	30.7	53	49.2	87	67.8
20	31.2	54	49.8	88	68.3
21	31.8	55	50.3	89	68.9
22	32.3	56	50.9	90	69.4
23	32.9	57	51.4	91	70.0
24	33.4	58	52.0	92	70.5
25	34.0	59	52.5	93	71.0
26	34.5	60	53.1	94	71.6
27	35.1	61	53.6	95	72.1
28	35.6	62	54.1	96	72.7
29	36.1	63	54.7	97	73.2
30	36.7	64	55.2	98	73.8
31	37.2	65	55.8	99	74.3
32	37.8	66	56.3	100	74.9
33	38.3	67	56.9		

Note: Secondary Reference Fuels T-30 and U-30 are available from Chevron Phillips Chemical Company LP. These two secondary reference fuels are used in preparing reference cetane number blends in testing diesel fuels by ASTM D-613. Secondary reference fuel blends must be only from these two fuels. Do not blend either of these fuels with an earlier batch of T or U. The data presented herein is from the ASTM Subcommittee D02.01 Section E on Reference Materials and is based on round-robin certification tests performed by the Diesel National Exchange Group.

Printed Versions of this document are uncontrolled

Notice: Before using this product, the user is advised and cautioned to make its own determination and assessment of the safety and suitability of the product for the specific use in question and is further advised against relying on the information contained herein as it may relate to any specific use or application. It is the ultimate responsibility of the user to ensure that the product is suited and the information is applicable to the user's specific application. Chevron Phillips Chemical Company LP does not make and expressly disclaims, all warranties, including warranties of merchantability or fitness for a particular purpose, regardless of whether oral or written, express or implied, or allegedly arising from any usage of any trade or from any course of dealing in connection with the use of the information contained herein or the product itself. The user expressly assumes all risk and liability, whether based in contract, or otherwise, in connection with the use of the information contained herein or the product itself. Further, information contained herein is given without reference to any intellectual property issues, as well as federal, state or local laws which may be encountered in the use thereof. Such questions should be investigated by the user.