

Marlex® 7308DL Polyethylene

Version 3.4

Revision Date 2019-10-10

TION 1: Identification of	of the substance/	mixture and of the company/undertaking
Product information		
Product Name Material		97308DL Polyethylene 4, 1093762, 1093766, 1093751, 1093763, 1093765,)
Company	10001 Si	n Phillips Chemical Company LP bix Pines Drive odlands, TX 77380
Emergency telephone:		
EUROPE: BIG +32.1 Mexico CHEMTREC	rnational) 1.9300 or 703.527. (+612 9186 1132) 4.584545 (phone) 01-800-681-9531 Cotec Inside Brazi) China: 0532 8388 9090) or +32.14583516 (telefax)
Responsible Departmen E-mail address Website		Safety and Toxicology Group PChem.com PChem.com
		not use this material in medical applications involving y or permanent contact with internal body fluids or tissues
human body or contact v	with internal body f nillips Chemical Co	ations involving brief or temporary implantation in the fluids or tissues unless the material has been provided ompany LP or its legal affiliates under an agreement which d use.
express warranty or imp	lied warranty conc	and its legal affiliates makes no representation, promise, cerning the suitability of this material for use in implantation nal body fluids or tissues.
Number:100000000582		1/12

Marlex® 7308DL Polyethylene

Version 3.4

Revision Date 2019-10-10

SECTION 2: Hazards identification

Classification	: Combustible dust
Labeling	
Signal Word	: Warning
Hazard Statements	: May form combustible dust concentrations in air. While this product may not be a combustible dust as sold, further processing or handling may form combustible dust concentration in air.
Potential Health Effects	
Physical Hazards	: Pellets may cause a slip hazard on hard surfaces. Mechanical processing may form combustible dust concentrations in air and thermal processing at elevated temperatures may generate formaldehyde.
Inhalation	 Repeated exposure to dust from this material may cause respiratory irritation. Fumes generated during thermal processing may cause irritation of the upper respiratory tract.
Skin	 Contact with the skin is not expected to cause prolonged or significant irritation. Contact with the skin is not expected to cause an allergic response. If this material is heated, thermal burns may result from contact Thermal burns may include pain or feeling of heat, discolorations, swelling, and blistering.
Eyes	 Contact with the eyes may cause irritation due to the abrasive action. Not expected to cause prolonged or significant eye irritation. Thermal burns may result if heated material contacts eye.
Ingestion	: Ingestion of this product is not a likely route of exposure.
Carcinogenicity:	
IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SAFETY DATA SHEET

Version 3.4

Revision Date 2019-10-10

-					
Component			CAS-No.	Weight %	
Polyethylene Hexene Copoly	me	ſ	25213-02-9	99 - 100	
TION 4: First aid measures					
If inhaled	:	fumes f		accidental inhalation o ombustion. If symptor	
In case of skin contact	:	immedi	ate medical attentior	n skin, quickly cool in v . Do not try to peel the solvents or thinners to	e solidified
In case of eye contact	:		ase of contact with e r and seek medical a	yes, rinse immediately dvice.	with plenty
If swallowed	:	Do not	induce vomiting with	out medical advice.	
TION 5: Firefighting measu	res				
Flash point	:	No data	available		
Autoignition temperature	:	No data	available		
Suitable extinguishing media	:	Foam. fogging applica surface create a extingu	If possible, water sh nozzle since this is tion of high velocity v layer. Avoid the use a dust cloud and the ishing measures tha	emical. Carbon dioxide build be applied as a sp a surface burning mate vater will spread the bu e of straight streams th risk of a dust explosion are appropriate to loc bunding environment.	bray from a brial. The urning at may n. Use
Specific hazards during fire fighting	:	explosi		flame propagation or s y the accumulation of a	
Special protective equipment for fire-fighters	:		rsonal protective equing apparatus for firef	ipment. Wear self-cor ghting if necessary.	ntained
Further information	:	This ma	aterial will burn altho	ugh it is not easily ignit	ed.
Fire and explosion protection	:	dispers	ed in air in sufficient ce of an ignition sour	n. Avoid generating d concentrations, and in ce is a potential dust e	the
Hazardous decomposition products	:	produce	e carbon monoxide,	arbon dioxide, water va other hydrocarbons and ucts (ketones, aldehydd	d

SAFETY DATA SHEET

Version 3.4

Revision Date 2019-10-10

acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.

SECTION 6: Accidental release measures

Personal precautions	:	Sweep up to prevent slipping hazard. Avoid breathing dust. Avoid dust formation.
Environmental precautions	:	Do not contaminate surface water. Prevent product from entering drains.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum.
Additional advice	:	Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

SECTION 7: Handling and storage

Handling

	Advice on safe handling	:	Use good housekeeping for safe handling of the product. Keep out of water sources and sewers.
			Spilled pellets and powders may create a slipping hazard.
			Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient. At elevated temperatures (>350°F, >177°C), polyethylene can release vapors and gases, which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. These substances may include acetaldehyde, acetone, acetic acid, formic acid, formaldehyde and acrolein. Based on animal data and limited epidemiological evidence, formaldehyde has been listed as a carcinogen. Following all recommendations within this SDS should minimize exposure to thermal processing emissions.
	Advice on protection against fire and explosion	:	Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
	Storage		
	Requirements for storage areas and containers	:	Keep in a dry place. Keep in a well-ventilated place.
	Advice on common storage	:	Do not store together with oxidizing and self-igniting products.
S	DS Number:100000000582		4/12

Marlex® 7308DL Polyethylene

Version 3.4

Revision Date 2019-10-10

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

US

Components	Basis	Value	Control parameters	Note
Nuisance Dust	OSHA Z-3	TWA	15 mg/m3	Total dust
	OSHA Z-3	TWA	5 mg/m3	(respirable dust)

Control as Particulate Not Otherwise Classified (PNOC). The ACGIH Guideline* for respirable dust is 3.0 mg/m3 and 10.0 mg/m3 for total dust. The OSHA PEL for respirable dust is 5.0 mg/m3 and 15.0 mg/m3 for total dust. * This value is for inhalable (total) particulate matter containing no asbestos and < 1.0% crystalline silica.

Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

	Respiratory protection	:	No respiratory protection is normally required. If heated material generates vapor or fumes that are not adequately controlled by ventilation, wear an appropriate respirator. Use the following elements for air-purifying respirators: Organic Vapor and Formaldehyde. Use a positive pressure, air- supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection. Dust safety masks are recommended when the dust concentration is excessive.
	Eye protection	:	Use of safety glasses with side shields for solid handling is good industrial practice. If this material is heated, wear chemical goggles or safety glasses with side shields or a face shield. If there is potential for dust, use chemical goggles.
	Skin and body protection	:	At ambient temperatures use of clean and protective clothing is good industrial practice. If the material is heated or molten, wear thermally insulated, heat-resistant gloves that are able to withstand the temperature of the molten product. If this material is heated, wear insulated clothing to prevent skin contact if engineering controls or work practices are not adequate.
	SECTION 9: Physical and cher	nica	l properties
17			

Appearance	
Form Physical state Color Odor Odor Threshold	 Pellets Solid Opaque Mild to no odor No data available
Safety data	

sion 3.4		Revision Date 2019-10
Flash point	:	No data available
Lower explosion limit	:	Not applicable
Upper explosion limit	:	Not applicable
Autoignition temperature	:	No data available
Thermal decomposition	:	Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
рН	:	Not applicable
Melting point/range	:	90 - 140 °C (194 - 284 °F)
Freezing point		Not applicable
Initial boiling point and boiling range	:	Not applicable
Vapor pressure	:	Not applicable
Relative density	:	Not applicable
Density	:	0.91 - 0.97 g/cm3 Please refer to the Technical Data Sheet (TDS) for more detailed information relating to the nominal physical properties, including density, of this polyethylene resin grade.
Water solubility	:	Negligible
Partition coefficient: n- octanol/water	:	No data available
Solubility in other solvents	:	No data available
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Relative vapor density	:	Not applicable
Evaporation rate	:	Not applicable
TION 10: Stability and reactiv		

Reactivity

: This material is considered non-reactive under normal ambient and anticipated storage and handling conditions of temperature and pressure.

SDS Number:10000000582

arlex® 7308DL Polyet	SAFETY DATA SHE
rsion 3.4	Revision Date 2019-10-
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous rea	ctions
Conditions to avoid	: Avoid prolonged storage at elevated temperature.
Materials to avoid	: Avoid contact with strong oxidizing agents.
Thermal decomposition	: Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
Hazardous decomposition products	: Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
Other data	: No decomposition if stored and applied as directed.
CTION 11: Toxicological infor	nation
Marlex® 7308DL Polyethyler Acute oral toxicity	ne : Presumed Not Toxic
Marlex® 7308DL Polyethyler Acute inhalation toxicity	
Marlex® 7308DL Polyethyler Acute dermal toxicity	
Marlex® 7308DL Polyethyler Skin irritation	e : No skin irritation
Marlex® 7308DL Polyethyler Eye irritation	e : No eye irritation
Marlex® 7308DL Polyethyler Sensitization	e : Did not cause sensitization on laboratory animals.
Marlex® 7308DL Polyethyler Further information	 This product contains POLYMERIZED OLEFINS. During thermal processing (>350°F, >177°C) polyolefins can release vapors and gases (aldehydes,ketones and organic acids) which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. Generally these irritant effects are all transitory. However, prolonged exposure to irritating off-gases can lead to pulmonary edema. Formaldehyde (an aldehyde) has been classified as a carcinogen based on animal data and limited epidemiological evidence.

Version 3.4

SECTION 12: Ecological information

Ecotoxicity effects

Biodegradability: This material is not expected to be readily biodegradable.Elimination information (persistence and degradability)Bioaccumulation: Does not bioaccumulate.Mobility: The product is insoluble and floats on water.Additional ecological
information: This material is not expected to be harmful to aquatic
organisms., Fish or birds may eat pellets which may obstruct
their digestive tracts.

Ecotoxicology Assessment

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR

TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

SDS Number:10000000582

8/12

arlex® 7308DL Poly	SAFETY DATA SHEE ethylene
ersion 3.4	Revision Date 2019-10-1
NOT REGULATED AS A TRANSPORTATION BY	A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
	ANGEROUS GOODS BY ROAD (EUROPE)) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
DANGEROUS GOODS (EL	A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR
OF DANGEROUS GOODS	MENT CONCERNING THE INTERNATIONAL CARRIAGE BY INLAND WATERWAYS) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR
ansport in bulk according to	Annex II of MARPOL 73/78 and the IBC Code
CTION 15: Regulatory infor	mation
CTION 15: Regulatory inform	mation
	mation : Combustible dust
National legislation	
National legislation SARA 311/312 Hazards CERCLA Reportable	: Combustible dust : This material does not contain any components with a CERCLA
National legislation SARA 311/312 Hazards CERCLA Reportable Quantity SARA 302 Reportable	 Combustible dust This material does not contain any components with a CERCLA RQ. This material does not contain any components with a SARA
National legislation SARA 311/312 Hazards CERCLA Reportable Quantity SARA 302 Reportable Quantity SARA 302 Threshold	 Combustible dust This material does not contain any components with a CERCLA RQ. This material does not contain any components with a SARA 302 RQ. No chemicals in this material are subject to the reporting
National legislation SARA 311/312 Hazards CERCLA Reportable Quantity SARA 302 Reportable Quantity SARA 302 Threshold Planning Quantity SARA 304 Reportable	 Combustible dust This material does not contain any components with a CERCLA RQ. This material does not contain any components with a SARA 302 RQ. No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. This material does not contain any components with a section

Marlex® 7308DL Polyethylene

Version 3.4

Revision Date 2019-10-10

Clean Air Act						
Potential Class II						
This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).						
This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).						
	This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).					
US State Regulations						
Pennsylvania Right To Know	: No components are subject to the Pennsylvania Right to Know Act.					
New Jersey Right To Know	: No components are subject to the New Jersey Right to Know Act.					
California Prop. 65 Components	: This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.					
Notification status Europe REACH	: A substance or substances in this product is not registered or notified to be registered. Importation or manufacture of this product is still permitted provided that it does not exceed the REACH minimum threshold					
Switzerland CH INV United States of America (USA TSCA Canada DSL	 quantity of the non-regulated substances. On the inventory, or in compliance with the inventory On or in compliance with the active portion of the TSCA inventory All components of this product are on the Canadian DSL 					
Australia AICS New Zealand NZIoC Japan ENCS Korea KECI	 On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. 					
SDS Number:10000000582	10/12					

Marlex® 7308DL Polyethylene

Version 3.4


Revision Date 2019-10-10

Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance.

SECTION 16: Other information

NFPA Classification

: Health Hazard: 0 Fire Hazard: 1 Reactivity Hazard: 0



Further information

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ACGIH	American Conference of	LD50	Lethal Dose 50%
	Government Industrial Hygienists		
AICS	Australia, Inventory of Chemical	LOAEL	Lowest Observed Adverse Effect
	Substances		Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic	NIOSH	National Institute for Occupational
	Substances List		Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect
	F ((,)) O () () F (0)	1050	Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and

SDS Number:10000000582

Marlex® 7308DL Polyethylene

Version 3.4

Revision Date 2019-10-10

			Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

SDS Number:10000000582

12/12