AlphaPlus® C30+, Pastille

Version 1.15

Revision Date 2020-10-09

ALPHAPLUS

NORMAL ALPHA OLEFINS

Product information	
Product Name Material	: AlphaPlus® C30+, Pastille : 1037079, 1037078, 1037077, 1037076
Company	 Chevron Phillips Chemical Company LP Normal Alpha Olefins (NAO) 10001 Six Pines Drive The Woodlands, TX 77380
Local	 CHEVRON PHILLIPS CHEMICALS ASIA PTE. LTD. C/O DONG WOO CORPORATION #B-2601, JEONGJAIL-RO, BUNDANG-GU, SEONGNAMI-SI, GYEONGGI-DO, 13557 SOUTH KOREA Telephone no.: +612-9186-1132
Emergency telephone Health: 866.442.9628 (North	
1.832.813.4984 (Inte Transport: CHEMTREC 800.42 Asia: CHEMWATCH	
Mexico CHEMTREC	C 01-800-681-9531 (24 hours) S-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600
Responsible Departme E-mail address Website	ent : Product Safety and Toxicology Group : SDS@CPChem.com : www.CPChem.com
TION 2: Hazards ident	tification
Classification of the substance or mixture Standards for classification and labeling of chemical substances and material safety data sheet (ministry of employment and labor public notice No. 2013-37) (GHS 2009)	

Version 1.15

Revision Date 2020-10-09

This material is not classified as hazardous under the Article 39 Paragraph 1 of the Industrial Safety and Health Act (ISHA). It is not regulated for the MSDS creation and labeling by the provision of Article 41 Paragraph 1 of the ISHA.

Labeling

This material is not classified as hazardous under the Article 39 Paragraph 1 of the Industrial Safety and Health Act (ISHA). It is not regulated for the MSDS creation and labeling by the provision of Article 41 Paragraph 1 of the ISHA.

SECTION 3: Composition/information on ingredients

Synonyms	:	C30+ Alpha Olefin Fraction NAO C30+
		Alpha Olefin 30+ Pastilles

Molecular formula : Polymer			
Chemical name	CAS-No.	Concentration	KECI
			Number
Alkenes, C24-54 Branched & Linear, Alpha	131459-42-2	100%	KE-00611

SECTION 4: First aid measures

General advice	:	Do not leave the victim unattended. Consult a physician.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If the molten material gets on skin, quickly cool in water. Seek immediate medical attention. Do not try to peel the solidified material from the skin or use solvents or thinners to dissolve it. Thermal burns to the skin: may include pain or feeling of heat, discoloration, swelling, and blistering.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

SECTION 5: Firefighting measured		
Flash point	232°C (450°F) Method: PMCC	
Autoignition temperature	368°C (694°F)	
Suitable extinguishing media	Use water spray, alcohol-resistant foam, d carbon dioxide.	ry chemical or
SDS Number:100000066561	2/11	

ohaPlus® C30+, Pas	till	SAFETY DATA SHE
sion 1.15		Revision Date 2020-10
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
		In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Fire and explosion protection	:	Provide appropriate exhaust ventilation at places where dust is formed.
Hazardous decomposition products	:	No data available.
TION 6: Accidental release	me	asures
Personal precautions	:	Avoid dust formation. Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas.
Environmental precautions	:	Local authorities should be advised if significant spillages cannot be contained. No special environmental precautions required.
Methods for cleaning up	:	Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
		Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.
Additional advice	:	No conditions to be specially mentioned.
TION 7: Handling and stora	ge	
Handling		
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed.
Storage		
Requirements for storage areas and containers	:	Electrical installations / working materials must comply with the technological safety standards.
Advice on common storage	:	No materials to be especially mentioned.

Version 1.15

Revision Date 2020-10-09

SECTION 8: Exposure controls/personal protection

Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection	:	Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure.
Hand protection	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Eye protection	:	Safety glasses. Eye wash bottle with pure water.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Lightweight protective clothing.
Hygiene measures	:	General industrial hygiene practice. Wash hands before breaks and immediately after handling the product. Remove contaminated clothing and protective equipment before entering eating areas.
Protective measures	:	Wear suitable protective equipment. When using do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

and chemical properties
Wax., solid solid White
232°C (450°F) Method: PMCC
No data available
4/11

sion 1.15	Revision Date 2020-10
Upper explosion limit	: No data available
Oxidizing properties	: no
Autoignition temperature	: 368°C (694°F)
Thermal decomposition	: No data available
Molecular formula	: Polymer
Molecular weight	: Not applicable
рН	: Not applicable
Pour point	: No data available
Boiling point/boiling range	: Not applicable
Vapor pressure	: No data available
Relative density	: 0.79 at 15.6 °C (60.1 °F)
Density	: 0.8 g/cm3
Water solubility	: Soluble in hydrocarbon solvents; insoluble in water.
Partition coefficient: n- octanol/water	: No data available
Viscosity, kinematic	: 9 cSt at 99°C (210°F)
Relative vapor density	: Not applicable
Evaporation rate	: 1

SECTION 10: Stability and reactivity

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous re	eactions
Hazardous reactions	: Hazardous reactions: Hazardous polymerization does not occur.
	Further information: No decomposition if stored and applied as
SDS Number:100000066561	5/11

AlphaPlus® C30+, Pastille

Version 1.15

Revision Date 2020-10-09

Version 1.15	Revision Date 2020-10-09
	directed.
Conditions to avoid	: No data available.
Materials to avoid	: May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
Thermal decomposition	: No data available
Hazardous decomposition products	: No data available
Other data	: No decomposition if stored and applied as directed.
SECTION 11: Toxicological infor	mation
AlphaPlus® C30+, Pastille Acute oral toxicity	: LD50 Oral: > 2,000 mg/kg Species: Rat
AlphaPlus® C30+, Pastille Acute inhalation toxicity	: LC50: PNT
AlphaPlus® C30+, Pastille Acute dermal toxicity	 LD50: > 2,000 mg/kg Species: Rat Information given is based on data obtained from similar substances.
AlphaPlus® C30+, Pastille Skin irritation	 No skin irritation Information given is based on data obtained from similar substances.
AlphaPlus® C30+, Pastille Eye irritation	 No eye irritation Information given is based on data obtained from similar substances.
AlphaPlus® C30+, Pastille Sensitization	 Classification: Did not cause sensitization on laboratory animals. Information given is based on data obtained from similar substances.
SECTION 12: Ecological informa	tion
Ecotoxicity effects	
Toxicity to fish	: Aquatic toxicity is unlikely due to low solubility.

Toxicity to daphnia and : Aquatic toxicity is unlikely due to low solubility.

SDS Number:100000066561

6/11

bhaPlus® C30+, Past sion 1.15	
	Revision Date 2020-1
other aquatic invertebrates	
Toxicity to algae	: Aquatic toxicity is unlikely due to low solubility.
Biodegradability	: Expected to be inherently biodegradable.
Elimination information (persis	tence and degradability)
Bioaccumulation	: This material is not expected to bioaccumulate.
Mobility	: No data available
Results of PBT assessment	: This substance is not considered to be persistent, bioaccumulating and toxic (PBT)., This substance is not considered to be very persistent and very bioaccumulating (vPvB).
Additional ecological information	: This material is not expected to be harmful to aquatic organisms., Information given is based on data on the ingredients and the ecotoxicology of similar products.
	No information on ecology is available.
Ecotoxicology Assessment	
Short-term (acute) aquatic hazard	: This product has no known ecotoxicological effects.
Long-term (chronic) aquatic hazard	: This product has no known ecotoxicological effects.
TION 13: Disposal considera	tions
The information in this SDS pe	ertains only to the product as shipped.
Use material for its intended p may meet the criteria of a haz other State and local regulatio regulated components may be	
Use material for its intended p may meet the criteria of a haz other State and local regulatio regulated components may be classified as a hazardous was	ertains only to the product as shipped. urpose or recycle if possible. This material, if it must be discarded ardous waste as defined by US EPA under RCRA (40 CFR 261) o ns. Measurement of certain physical properties and analysis for a necessary to make a correct determination. If this material is
Use material for its intended p may meet the criteria of a haz other State and local regulatio regulated components may be classified as a hazardous was disposal facility.	ertains only to the product as shipped. urpose or recycle if possible. This material, if it must be discarded ardous waste as defined by US EPA under RCRA (40 CFR 261) o ns. Measurement of certain physical properties and analysis for a necessary to make a correct determination. If this material is te, federal law requires disposal at a licensed hazardous waste
Use material for its intended p may meet the criteria of a haz other State and local regulatio regulated components may be classified as a hazardous was disposal facility. Product	 ertains only to the product as shipped. urpose or recycle if possible. This material, if it must be discarded ardous waste as defined by US EPA under RCRA (40 CFR 261) ons. Measurement of certain physical properties and analysis for enecessary to make a correct determination. If this material is te, federal law requires disposal at a licensed hazardous waste Dispose of wastes in an approved waste disposal facility. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Use material for its intended p may meet the criteria of a haz other State and local regulatio regulated components may be classified as a hazardous was disposal facility. Product Contaminated packaging TION 14: Transport informat The shipping descriptions s	 ertains only to the product as shipped. urpose or recycle if possible. This material, if it must be discarded ardous waste as defined by US EPA under RCRA (40 CFR 261) ons. Measurement of certain physical properties and analysis for enecessary to make a correct determination. If this material is te, federal law requires disposal at a licensed hazardous waste Dispose of wastes in an approved waste disposal facility. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Use material for its intended p may meet the criteria of a haz other State and local regulatio regulated components may be classified as a hazardous was disposal facility. Product Contaminated packaging TION 14: Transport informat The shipping descriptions s shipments in non-bulk pack Consult the appropriate dome Goods Regulations for additio etc.) Therefore, the informatic	ertains only to the product as shipped. urpose or recycle if possible. This material, if it must be discarded ardous waste as defined by US EPA under RCRA (40 CFR 261) o ns. Measurement of certain physical properties and analysis for e necessary to make a correct determination. If this material is te, federal law requires disposal at a licensed hazardous waste : Dispose of wastes in an approved waste disposal facility. : Empty containers should be taken to an approved waste handling site for recycling or disposal. ion hown here are for bulk shipments only, and may not apply to

AlphaPlus® C30+, Pastille

Version 1.15

Revision Date 2020-10-09

 When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+PASTILLE) , 9, III IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+PASTILLE) , 9, III (232°C) IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, 9: NOT PERMITTED FOR TRANSPORT ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+, PASTILLE) , 9, III , (D) RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+, PASTILLE) , 9, III , (D) 	TRANSPORTATION	AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR I BY THIS AGENCY.	
 PASTILLE), 9, III IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C304 PASTILLE), 9, III (232°C) IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, 9: NOT PERMITTED FOR TRANSPORT ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, 9: NOT PERMITTED FOR TRANSPORT ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+, PASTILLE), 9, III , (D) RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TAS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+ 	When shipment is of	fered for transport at or above 100°C it is regulated as:	
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C304 PASTILLE) , 9, III (232°C) IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, 9: NOT PERMITTED FOR TRANSPORT ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+, PASTILLE) , 9, III , (D) RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORT OF DAS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+, PASTILLE) , 9, III , (D)		D TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30	+,
 UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C304 PASTILLE), 9, III (232°C) IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, 9: NOT PERMITTED FOR TRANSPORT ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+, PASTILLE), 9, III, (D) RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+, PASTILLE), 9, III, (D) RID (REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+, TRANSPORTATION BY THIS AGENCY. 	NOT REGULATED A	AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR	
 PASTILLE), 9, III (232°C) IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, 9: NOT PERMITTED FOR TRANSPORT ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+, PASTILLE), 9, III, (D) RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+, PASTILLE), 9, III, (D) RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+ 	When shipment is of	fered for transport at or above 100°C it is regulated as:	
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, 9: NOT PERMITTED FOR TRANSPORT ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+, PASTILLE) , 9, III , (D) RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+, PASTILON BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+			+,
UN3257, 9: NOT PERMITTED FOR TRANSPORT ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+, PASTILLE) , 9, III , (D) RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C304)	NOT REGULATED A	AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR	
 ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+, PASTILLE) , 9, III , (D) RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+ 	When shipment is of	fered for transport at or above 100°C it is regulated as:	
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+, PASTILLE) , 9, III , (D) RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+	UN3257, 9: NOT PE	RMITTED FOR TRANSPORT	
UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+, PASTILLE), 9, III, (D) RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C304	NOT REGULATED A	AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR	
C30+, PASTILLE) , 9, III , (D) RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C304)	When shipment is of	fered for transport at or above 100°C it is regulated as:	
 DANGEROUS GOODS (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. When shipment is offered for transport at or above 100°C it is regulated as: UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C304) 			
UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30-	DANGEROUS GOODS NOT REGULATED A	(EUROPE)) AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR	
	When shipment is of	fered for transport at or above 100°C it is regulated as:	
		D TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30	+,
ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR			

Version 1.15

Revision Date 2020-10-09

TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+, PASTILLE) , 9, III

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National legislation

Regulation under the Occupational Safety and Health Act

A Material Safety Datasheet (MSDS) for this product is not required according to article 41 of the ISHA.

Regulation		Chemical name	Threshold limits
Harmful Substances Prohibited from Manufacturing	••	Not relevant	
Harmful Substances Required Permission for Manufacture	•	Not relevant	

Act on the Registration and Evaluation, etc. of Chemical Substances, Chemicals Control Act

Regulation		Chemical name	Threshold limits
Toxic Chemicals	•••	Not relevant	
Prohibited Chemicals	•••	Not relevant	
Observational chemicals	•••	Not relevant	
Restricted Chemicals	: Not relevant		
Toxic Release Inventory	: Not relevant		

Dangerous Substances Safety Management Act

Dangerous Substances Safety Management Act : Not relevant

Notification status

Europe REACH

Switzerland CH INV United States of America (USA) TSCA Canada DSL

Australia AICS New Zealand NZIoC Japan ENCS Korea KECI This product is in full compliance according to REACH regulation 1907/2006/EC.
Not in compliance with the inventory
On or in compliance with the active portion of the

- TSCA inventoryAll components of this product are on the Canadian DSL
- : Not in compliance with the inventory
- : On the inventory, or in compliance with the inventory
- : On the inventory, or in compliance with the inventory
 - : A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations.

SDS Number:100000066561

	SAFETY DATA SHEET
AlphaPlus® C30+, Pastille	
Version 1.15	Revision Date 2020-10-09
	Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance.
Philippines PICCS	: On the inventory, or in compliance with the inventory
China IECSC	: On the inventory, or in compliance with the inventory
Taiwan TCSI	: On the inventory, or in compliance with the inventory
SECTION 16: Other information	

SECTION 16: Other information

Further information

Г

Legacy SDS Number :	:	CPC00031
---------------------	---	----------

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ACGIH	American Conference of	LD50	Lethal Dose 50%
	Government Industrial Hygienists		
AICS	Australia, Inventory of Chemical	LOAEL	Lowest Observed Adverse Effe
	Substances		Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agenc
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupation Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentra
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substar
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recov
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical	UVCB	Unknown or Variable Composi

AlphaPlus® C30+, Pastille

Version 1.15

Revision Date 2020-10-09

	Inventory		Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

SDS Number:100000066561