

Marlex® 1007 Polyethylene

Version 3.2

Revision Date 2021-09-08

CTION 1: Identification o	f the substance/r	mixture and of the company/undertaking
Product information		
Product Name Material	: 1042065	9 1007 Polyethylene 5, 1044075, 1044073, 1044072, 1042063, 1044076, 4, 1040025, 1040022, 1042064, 1042062, 1042061
Company	10001 Si	n Phillips Chemical Company LP ix Pines Drive odlands, TX 77380
Emergency telephone:		
EUROPE: BIG +32.14 Mexico CHEMTREC (national) .9300 or 703.527. (+612 9186 1132) 4.584545 (phone) 01-800-681-9531 Cotec Inside Brazi) China: 0532 8388 9090 or +32.14583516 (telefax)
Responsible Department E-mail address Website		Safety and Toxicology Group PChem.com PChem.com
		not use this material in medical applications involving y or permanent contact with internal body fluids or tissue
human body or contact w	vith internal body f illips Chemical Co	ations involving brief or temporary implantation in the fluids or tissues unless the material has been provided ompany LP or its legal affiliates under an agreement wh d use.
express warranty or impl	ied warranty conc	and its legal affiliates makes no representation, promise, cerning the suitability of this material for use in implantat nal body fluids or tissues.
Number:100000000526		1/12

Marlex® 1007 Polyethylene

Version 3.2

Revision Date 2021-09-08

SECTION 2: Hazards identification

ions in air. ustible dust as sold, m combustible dust
surfaces. stible dust sing at elevated e.
erial may cause sing may cause
ause prolonged or ause an allergic nay result from contac g of heat,
n due to the abrasive ificant eye irritation. rial contacts eye.
ute of exposure.
vels greater than or ssible or confirmed
vels greater than or anticipated carcinogen
/

Marlex® 1007 Polyethylene

SDS Number:10000000526

SAFETY DATA SHEET

Version 3.2

Revision Date 2021-09-08

SECTION 3: Composition/information on ingredients Component CAS-No. Weight % Polyethylene 9002-88-4 100 **SECTION 4: First aid measures** If inhaled Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician. In case of skin contact If the molten material gets on skin, quickly cool in water. Seek ÷ immediate medical attention. Do not try to peel the solidified material from the skin or use solvents or thinners to dissolve it. : In the case of contact with eyes, rinse immediately with plenty In case of eye contact of water and seek medical advice. If swallowed : Do not induce vomiting without medical advice. **SECTION 5: Firefighting measures** Flash point No data available : Autoignition temperature : No data available Suitable extinguishing : Water. Water mist. Dry chemical. Carbon dioxide (CO2). Foam. If possible, water should be applied as a spray from a media fogging nozzle since this is a surface burning material. The application of high velocity water will spread the burning surface layer. Avoid the use of straight streams that may create a dust cloud and the risk of a dust explosion. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Specific hazards during fire Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on fighting floors and ledges. Use personal protective equipment. Wear self-contained Special protective : equipment for fire-fighters breathing apparatus for firefighting if necessary. Further information : This material will burn although it is not easily ignited. Fire and explosion Treat as a solid that can burn. Avoid generating dust; fine dust : protection dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Hazardous decomposition : Normal combustion forms carbon dioxide, water vapor and may products produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic

3/12

Marlex® 1007 Polyethylene

SAFETY DATA SHEET

Version 3.2

Revision Date 2021-09-08

acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.

SECTION 6: Accidental release measures

Personal precautions	:	Sweep up to prevent slipping hazard. Avoid breathing dust. Avoid dust formation.
Environmental precautions	:	Do not contaminate surface water. Prevent product from entering drains.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum.
Additional advice	:	Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

SECTION 7: Handling and storage

Handling

Advice on safe handling	:	Use good housekeeping for safe handling of the product. Keep out of water sources and sewers. Spilled pellets may create a slipping hazard. Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient. At elevated temperatures (>350°F, >177°C), polyethylene can release vapors and gases, which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. These substances may include acetaldehyde, acetone, acetic acid, formic acid, formaldehyde and acrolein. Based on animal data and limited epidemiological evidence, formaldehyde has been listed as a carcinogen. Following all recommendations within this SDS should minimize exposure to thermal processing emissions.
Advice on protection against fire and explosion	:	Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Storage		
Requirements for storage areas and containers	:	Keep in a dry place. Keep in a well-ventilated place.
Advice on common storage	:	Do not store together with oxidizing and self-igniting products.

SDS Number:10000000526

Marlex® 1007 Polyethylene

Version 3.2

Revision Date 2021-09-08

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

US

Components	Basis	Value	Control parameters	Note
Nuisance Dust	OSHA Z-3	TWA	15 mg/m3	Total dust
	OSHA Z-3	TWA	5 mg/m3	(respirable dust)

Control as Particulate Not Otherwise Classified (PNOC). The ACGIH Guideline* for respirable dust is 3.0 mg/m3 and 10.0 mg/m3 for total dust. The OSHA PEL for respirable dust is 5.0 mg/m3 and 15.0 mg/m3 for total dust. * This value is for inhalable (total) particulate matter containing no asbestos and < 1.0% crystalline silica.

Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection	:	No respiratory protection is normally required. If heated material generates vapor or fumes that are not adequately controlled by ventilation, wear an appropriate respirator. Use the following elements for air-purifying respirators: Organic Vapor and Formaldehyde. Use a positive pressure, air- supplying respirator if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection. Dust safety masks are recommended when the dust concentration is excessive.
Eye protection	:	Use of safety glasses with side shields for solid handling is good industrial practice. If this material is heated, wear chemical goggles or safety glasses with side shields or a face shield. If there is potential for dust, use chemical goggles.
Skin and body protection	:	At ambient temperatures use of clean and protective clothing is good industrial practice. If the material is heated or molten, wear thermally insulated, heat-resistant gloves that are able to withstand the temperature of the molten product. If this material is heated, wear insulated clothing to prevent skin contact if engineering controls or work practices are not adequate.

SECTION 9: Physical and chemical properties

Appearance		
Form	: Pellets	
Physical state	: solid	
Color	: Opaque	
Odor	: Mild to no odor	
Odor Threshold	: No data available	

Marlex® 1007 Polyethylene

sion 3.2	Revision Date 2021-0
Safety data	
Flash point	: No data available
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Autoignition temperature	: No data available
Thermal decomposition	: Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
рН	: Not applicable
Melting point/range	: 90-140°C (194-284°F)
Freezing point	Not applicable
Initial boiling point and boiling range	: Not applicable
Vapor pressure	: Not applicable
Relative density	: Not applicable
Density	: 0.91 - 0.97 g/cm3 Please refer to the Technical Data Sheet (TDS) for more detailed information relating to the nominal physical properties, including density, of this polyethylene resin grade.
Water solubility	: negligible
Partition coefficient: n-	: No data available
octanol/water Solubility in other solvents	: No data available
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Relative vapor density	: Not applicable
Evaporation rate	: Not applicable

Reactivity	 This material is considered non-reactive under normal ambient and anticipated storage and handling conditions of temperature and pressure.
SDS Number:10000000526	6/12

 Revision Date 2021-09- This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure. tions Hazardous reactions: None known.
: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
: Hazardous reactions: None known.
: Avoid prolonged storage at elevated temperature.
: Avoid contact with strong oxidizing agents.
: Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
: Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
: No decomposition if stored and applied as directed.
nation
: Presumed Not Toxic
: Presumed Not Toxic
: Presumed Not Toxic
: No skin irritation
: No eye irritation
: Did not cause sensitization on laboratory animals.
: This product contains POLYMERIZED OLEFINS. During thermal processing (>350°F, >177°C) polyolefins can release vapors and gases (aldehydes,ketones and organic acids) which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. Generally these irritant effects are all transitory. However, prolonged exposure to irritating off-gases

Marlex® 1007 Polyethylene

Version 3.2

Revision Date 2021-09-08

can lead to pulmonary edema. Formaldehyde (an aldehyde) has been classified as a carcinogen based on animal data and limited epidemiological evidence.

ECTION 12: Ecological information		
Ecotoxicity effects		
Toxicity to fish	: Not applicable	
Toxicity to daphnia and other aquatic invertebrates	: No data available	
Biodegradability	: This material is not expected to be readily biodegradable.	
Elimination information (persis	stence and degradability)	
Bioaccumulation	: Does not bioaccumulate.	
Mobility	: The product is insoluble and floats on water.	
Results of PBT assessment	: Non-classified vPvB substance	
Additional ecological information	: This material is not expected to be harmful to aquatic organisms., Fish or birds may eat pellets which may obstruct their digestive tracts.	
Ecotoxicology Assessment		
Short-term (acute) aquatic hazard	: This product has no known ecotoxicological effects.	
Long-term (chronic) aquatic hazard	: This product has no known ecotoxicological effects.	
ECTION 13: Disposal consideration	ations	
The information in this SDS p	ertains only to the product as shipped.	
may meet the criteria of a haz other State and local regulation regulated components may be	burpose or recycle if possible. This material, if it must be discarded, cardous waste as defined by US EPA under RCRA (40 CFR 261) or ons. Measurement of certain physical properties and analysis for e necessary to make a correct determination. If this material is ste, federal law requires disposal at a licensed hazardous waste	

SECTION 14: Transport information

disposal facility.

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the

SDS Number:10000000526

Marlex® 1007 Polyethylene

SAFETY DATA SHEET

Version 3.2

Revision Date 2021-09-08

bill of lading.

	DEPARTMENT OF TRANSPORTATION) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
	NAL MARITIME DANGEROUS GOODS) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
	IR TRANSPORT ASSOCIATION) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
	ANGEROUS GOODS BY ROAD (EUROPE)) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
DANGEROUS GOODS (EL	A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR
OF DANGEROUS GOODS	MENT CONCERNING THE INTERNATIONAL CARRIAGE BY INLAND WATERWAYS) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
Maritime transport in bulk	c according to IMO instruments
SECTION 15: Regulatory inform	mation
National legislation	
SARA 311/312 Hazards	: Combustible dust
CERCLA Reportable Quantity	: This material does not contain any components with a CERCLA RQ.
SARA 302 Reportable Quantity	: This material does not contain any components with a SARA 302 RQ.
SARA 302 Threshold	: No chemicals in this material are subject to the reporting
SDS Number:10000000526	9/12


rlex® 1007 Polyethyle				
sion 3.2	Revision Date 2021-09-			
Planning Quantity	requirements of SARA Title III, Section 302.			
SARA 304 Reportable	This material does not contain any components with a section 304 EHS RQ.			
SARA 313 Components	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.			
Clean Air Act				
Potential Class II	duct neither contains, nor was manufactured with a Class I or ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR ot. A, App.A + B).			
This product does not contain a Act Section 112 (40 CFR 61).	any hazardous air pollutants (HAP), as defined by the U.S. Clean A			
This product does not contain a Accidental Release Prevention	any chemicals listed under the U.S. Clean Air Act Section 112(r) for (40 CFR 68.130, Subpart F).			
Intermediate or Final VOC's (40				
US State Regulations Pennsylvania Right To Know	CFR 60.489).			
US State Regulations Pennsylvania Right To Know	No components are subject to the Pennsylvania Right to Know Act. This product, as shipped, does not contain any carcinogens or reproductive toxins presently known by the State of California to cause cancer or reproductive toxicity at a level of exposure subject to the requirements of California Proposition 65.			

	SAFETY DATA SHEE
Marlex® 1007 Polyethyle	ene
Version 3.2	Revision Date 2021-09-0
New Zealand NZIoC Japan ENCS Korea KECI	 On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance or the exported amount does not exceed the minimum threshold quantity of the non-registered substance(s).
Philippines PICCS China IECSC Taiwan TCSI	 On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory

SECTION 16: Other information

NFPA Classification

: Health Hazard: 0 Fire Hazard: 1 Reactivity Hazard: 0



Further information

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ACGIH	American Conference of	LD50	Lethal Dose 50%
	Government Industrial Hygienists		
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effe
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupation Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZloC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentrat
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing	PICCS	Philippines Inventory of

Marlex® 1007 Polyethylene

Version 3.2

Revision Date 2021-09-08

	Chemical Substances		Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

SDS Number:10000000526