### SAFETY DATA SHEET



## **Tertiary Butyl Mercaptan**

Version 1.6

Revision Date 2022-07-19

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information		
Product Name Material	:	Tertiary Butyl Mercaptan 1069500, 1086416, 1086415, 1070007, 1064730, 1021473, 1021470, 1017940, 1036143, 1024807, 1021472, 1021471, 1024806, 1021469, 1028495, 1021474, 1027458, 1029711, 1017329, 1021468
Use	:	Chemical intermediate, Odorant
Company	:	Chevron Phillips Chemical Company LP Specialty Chemicals 10001 Six Pines Drive The Woodlands, TX 77380
Emergency telephone:		
Mexico CHEMTREC 0 South America SOS-C Argentina: +(54)-11598 EUROPE: BIG +32.14 Austria: VIZ +43 1 406 Belgium: 070 245 245 Bulgaria: +359 2 9154 Croatia: +3851 2348 3 Cyprus: 1401 Czech Republic: Toxic Denmark: Danish Pois Estonia: BIG +32.14.58 Finland: 0800 147 111 France: ORFILA numb Germany: BIG +32.14. Greece: (0030) 210775 Hungary: +36-80-201- Iceland: 543 2222 (24 Ireland: BIG +32.14.588 Italy: BIG +32.14.585	ational 9300 or +612 91 1-800-6 otec In 339431 .584549 43 43 (24 hou 233 42 (24 ologica on Cen 84545 ( 09 47 eer (INR 584545 93777 ( 199 (24 hours/c) 4545 (	) 703.527.3887(int'l) 186 1132) China: 0532 8388 9090 581-9531 (24 hours) side Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600 5 (phone) or +32.14583516 (telefax) (24 hours/day, 7 days/week) urs/day, 7 days/week) hours/day, 7 days/week) hours/day, 7 days/week) 1 Information Center +420 224 919 293, +420 224 915 402 ter (Giftlinjen): +45 8212 1212 (phone) or +32.14583516 (telefax) 1 977 (24 hours/day) (S): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) 5 (phone) or +32.14583516 (telefax) 24 hours/day, 7 days/week) hours/day, 7 days/week) hours/day, 7 days/week) one) or +32.14583516 (telefax) 25 (phone) or +32.14583516 (telefax) 1 977 (24 hours/day, 7 days/week) 1 977 (24 hours
S Number:100000013356		1/16

SDS Number:100000013356

Version 1.6

Revision Date 2022-07-19

Version 1.6	Revision Date 2022-07-19
Poisoning and Drug Infor 67042473. (24 hours.) Liechtenstein: BIG +32.14 Lithuania: +370 (85) 2362 Luxembourg: (+352) 8002 Malta: +356 2395 2000 The Netherlands: NVIC: + Norway: 22 59 13 00 (24 I Poland: BIG +32.14.5845 Portugal: CIAV phone nur Romania: +40213183606 Slovakia: +421 2 5477 41 Slovenia: Phone number:	2 5500 (24 hours/day, 7 days/week) -31 (0)88 755 8000 hours/day, 7 days/week) 45 (phone) or +32.14583516 (telefax) mber: +351 800 250 250 66 112 cy Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24
Responsible Department E-mail address Website	<ul> <li>Product Safety and Toxicology Group</li> <li>SDS@CPChem.com</li> <li>www.CPChem.com</li> </ul>
<b>SECTION 2: Hazards identificat</b>	ion
	<ul> <li>fied in accordance with the hazard communication standard 29 CFR els contain all the information as required by the standard.</li> <li>Flammable liquids, Category 2 Eye irritation, Category 2B Skin sensitization, Category 1</li> </ul>
Labeling	
Symbol(s)	
Signal Word	: Danger
Hazard Statements	<ul> <li>H225: Highly flammable liquid and vapor.</li> <li>H317: May cause an allergic skin reaction.</li> <li>H320: Causes eye irritation.</li> </ul>
Precautionary Statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P240 Ground/bond container and receiving equipment.</li> <li>P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.</li> <li>P242 Use only non-sparking tools.</li> <li>P243 Take precautionary measures against static discharge.</li> <li>P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.</li> <li>P264 Wash skin thoroughly after handling.</li> </ul>

2/16

Fertiary Butyl Mercap	otan	SAFETY DATA SHEET
/ersion 1.6		Revision Date 2022-07-19
	P272 Contaminated w	ork clothing must not be allowed out of
	the workplace.	gloves/ eye protection/ face protection.
		IF ON SKIN (or hair): Take off ated clothing. Rinse skin with water/
	water for several minutes and easy to do. Continue P333 + P313 If skin irr advice/ attention. P337 + P313 If eye irri attention. P363 Wash contamina P370 + P378 In case of alcohol-resistant foam to <b>Storage:</b> P403 + P235 Store in a <b>Disposal:</b>	itation or rash occurs: Get medical tation persists: Get medical advice/ ted clothing before reuse. of fire: Use dry sand, dry chemical or
Carcinogenicity:		
IARC		ct present at levels greater than or
NTP	human carcinogen by IARC No ingredient of this produ	as probable, possible or confirmed C. ct present at levels greater than or as a known or anticipated carcinogen
ECTION 3: Composition/info	ormation on ingredients	
Synonyms	: t-Butyl Mercaptan tert-Butanethiol 2-Methyl Propane-2-Thio TBM TC4SH tert-Butyl Mercaptan	l
	: C4H10S	
Molecular formula	. 041100	
	CAS-No.	Weight %
Molecular formula           Component           t-Butyl Mercaptan		Weight % 99 - 100
Component	CAS-No. 75-66-1	
Component t-Butyl Mercaptan	CAS-No. 75-66-1 es : Move out of dangerous a sheet to the doctor in atte	
Component t-Butyl Mercaptan ECTION 4: First aid measure	CAS-No. 75-66-1 es : Move out of dangerous a sheet to the doctor in atte serious, potentially fatal p	99 - 100 Irea. Show this material safety data endance. Material may produce a oneumonia if swallowed or vomited. ecovery position and seek medical

		SAFETY DATA SHEET
<b>Tertiary Butyl Merca</b>	otan	
Version 1.6		Revision Date 2022-07-19
In case of skin contact In case of eye contact		If on skin, rinse well with water. If on clothes, remove clothes. Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

### SECTION 5: Firefighting measures

Flash point	:	-26°C (-15°F) estimated
Autoignition temperature	:	No data available
Suitable extinguishing media	:	Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemical.
Unsuitable extinguishing media	:	High volume water jet.
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Fire and explosion protection	:	Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.
Hazardous decomposition products	:	Carbon oxides. Sulfur oxides.
CTION 6: Accidental release	me	asures
	me	

Personal precautions	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage
SDS Number:100000013356		4/16

Fertiary Butyl Mercap	tan				S	SAFETY DAT	A SHEET
Version 1.6	nan				Rev	vision Date 20	22-07-10
			ge if safe to d es or drains in		e product con	ntaminates riv	
Methods for cleaning up	:	absorbe vermicu		e.g. sand, e e in contain	er for dispos	ombustible aceous earth, al according t	
SECTION 7: Handling and stor	rage						
Handling							
Advice on safe handling	:	exposur contact section a in the ap static dis exhaust be unde local and sensitiza	e - obtain spe with skin and 8. Smoking, o pplication area scharges. Pro- in work room r pressure. E d national reg ation problem	ecial instruct eyes. For eating and a. Take pro- ovide suffic s. Open di Dispose of r julations. F s or asthma disease sho	tions before personal pro drinking sho ecautionary r ient air excharum carefully inse water in Persons susc a, allergies, could not be e	etection see uld be prohibi measures aga ange and/or v as content m accordance eptible to skir	ted iinst nay with า
Advice on protection against fire and explosion	:	Take ne (which n explosio	cessary actio	n to avoid s nition of or ment. Kee	static electric ganic vapors op away from		
Storage							
Requirements for storage areas and containers	:	ventilate carefully Observe	ed place. Cor / resealed and e label precau	ntainers wh d kept uprig itions. Elec	ich are open oht to preven ctrical installa		g
Use	:	Chemica	al intermediat	e. Odorant	-		
				,			
SECTION 8: Exposure controls	•	· · ·					
hevron Phillips Chemical Company	LP						
Components t-Butyl Mercaptan	Basi	S facturer	Value TWA		ntrol parameter	rs Note	
IS							
Components	Basi	S	Value	Co	ontrol parameter	rs Note	
Engineering measures Adequate ventilation to con	trol ai	rborned o	concentration	s below the	exposure g	uidelines/limit	S.
SDS Number:100000013356				5/16			

Version 1.6

Revision Date 2022-07-19

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

#### Personal protective equipment

Respiratory protection	:	Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Air-Purifying Respirator for Organic Vapors. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air- purifying respirators may not provide adequate protection.
Hand protection	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Eye protection	:	Eye wash bottle with pure water. Tightly fitting safety goggles.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Remove and wash contaminated clothing before re-use. Skin should be washed after contact. Footwear protecting against chemicals.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

#### **SECTION 9: Physical and chemical properties**

Information on basic phy	ysical and chemical properties
Appearance	
Form Physical state Color Odor	: liquid : liquid : clear : Repulsive
Safety data	
Flash point	: -26°C (-15°F) estimated
Lower explosion limit	: No data available
Number:100000013356	6/16

Version 1.6

Revision Date 2022-07-19

Upper explosion limit	: No data available	
Oxidizing properties	: No	
Autoignition temperature	: No data available	
Molecular formula	: C4H10S	
Molecular weight	: 90.2 g/mol	
рН	: Not applicable	
Pour point	: No data available	
Boiling point/boiling range	: 63-65°C (145-149°F)	
Vapor pressure	: 5.90 PSI at 38°C (100°F)	
Relative density	: 0.81 at 16 °C (61 °F)	
Water solubility	: negligible	
Partition coefficient: n- octanol/water	: No data available	
Relative vapor density	: 3 (Air = 1.0)	
Evaporation rate	: 1	
Percent volatile	: > 99 %	

### SECTION 10: Stability and reactivity

Reactivity	: Stable under recommended storage conditions.
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous re	actions
Hazardous reactions	: Hazardous reactions: Hazardous polymerization does not occur.
	Hazardous reactions: Vapors may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
SDS Number:100000013356	7/16

rtiary Butyl Mercapta	SAFETY DATA SHE
sion 1.6	Revision Date 2022-07
Hazardous decomposition products	: Carbon oxides Sulfur oxides
Other data	: No decomposition if stored and applied as directed.
CTION 11: Toxicological infor	mation
Acute oral toxicity	
t-Butyl Mercaptan	: LD50: 4,729 mg/kg Species: Rat Sex: male
Acute inhalation toxicity	
t-Butyl Mercaptan	: LC50: 98.3 mg/l Exposure time: 4 h Species: Rat Sex: male and female Test atmosphere: vapor Method: OECD Test Guideline 403
	LC50: 81.9 mg/l Exposure time: 4 h Species: Rat Sex: male Test atmosphere: vapor Method: OECD Test Guideline 403
	LC50: 60.9 mg/l Exposure time: 4 h Species: Mouse Sex: male Test atmosphere: vapor Method: OECD Test Guideline 403
Acute dermal toxicity	
t-Butyl Mercaptan	: LD50: > 2,000 mg/kg Species: Rabbit
Skin irritation	
t-Butyl Mercaptan	: No skin irritation
Eye irritation t-Butyl Mercaptan	: Mild eye irritation
Sensitization	
t-Butyl Mercaptan	: The product is a skin sensitizer, sub-category 1B.
Repeated dose toxicity	
S Number:100000013356	8/16

Version 1.6	Revision Date 2022-07-19
t-Butyl Mercaptan	<ul> <li>Species: Rat, Male and female Sex: Male and female Application Route: Inhalation Dose: 9, 97, 196 ppm Exposure time: 13 wks Number of exposures: 6 hrs/d, 5 d/wk NOEL: &gt; 196 ppm</li> </ul>
	Species: Rat, Male and female Sex: Male and female Application Route: oral gavage Dose: 10, 50, 200 mg/kg bw/day Exposure time: 42-53 days Number of exposures: Daily NOEL: 50 mg/kg bw/day Lowest observable effect level: 200 mg/kg bw/day Method: OECD Guideline 422
	Species: Rat, Male and female Sex: Male and female Application Route: Inhalation Dose: 25.1, 99.6, 403.4 ppm Exposure time: 13 wks Number of exposures: 6 hrs/d, 5 d/wk NOEL: 99.6 ppm Lowest observable effect level: 403.4 ppm Method: OECD Guideline 413 Target Organs: Liver, Kidney, Blood, Upper respiratory tract Information given is based on data obtained from similar substances.
Genotoxicity in vitro	
t-Butyl Mercaptan	: Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
	Test Type: Mouse lymphoma assay Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative
	Test Type: Sister Chromatid Exchange Assay Metabolic activation: with and without metabolic activation Result: negative
Genotoxicity in vivo	
t-Butyl Mercaptan	: Test Type: Mouse micronucleus assay Species: Mouse Dose: 1250, 2500, 5000 mg/kg Method: OECD Test Guideline 474 Result: negative
Reproductive toxicity	
t-Butyl Mercaptan	: Species: Rat
SDS Number:100000013356	9/16

	Revision Date 2022-0
	Sex: male and female Application Route: oral gavage Dose: 10, 50, 200 mg/kg bw/day Number of exposures: Daily Test period: 42 -53 days Method: OECD Guideline 422 NOAEL Parent: 200 mg/kg bw/day NOAEL F1: 50 mg/kg bw/day No adverse effects expected
Developmental Toxicity	
t-Butyl Mercaptan	<ul> <li>Species: Mouse Application Route: Inhalation Dose: 11, 99, 195 ppm Exposure time: GD 6-16 Number of exposures: 6 hrs/d NOAEL Teratogenicity: &gt; = 195 ppm NOAEL Maternal: &gt; = 195 ppm</li> <li>Species: Rat Application Route: Inhalation Dose: 11, 99, 195 ppm Exposure time: GD6-19 Number of exposures: 6 hrs/d NOAEL Teratogenicity: &gt; =195 ppm NOAEL Maternal: &gt; = 195 ppm</li> <li>Species: Rat Application Route: oral gavage Dose: 10, 50, 200 mg/kg bw/day Exposure time: 42-53 days Number of exposures: Daily NOAEL Teratogenicity: 50 mg/kg bw /day NOAEL Maternal: 200 mg/kg bw /day</li> </ul>
Tertiary Butyl Mercaptan Aspiration toxicity	: May be harmful if swallowed and enters airways.
CMR effects	
t-Butyl Mercaptan	<ul> <li>Carcinogenicity: Not available Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects., In vivo tests did not show mutagenic effects Reproductive toxicity: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.</li> </ul>
Tertiary Butyl Mercaptan Further information	: Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing. Solvents may degrease the skin.
TION 12: Ecological informa	ation
Number:100000013356	10/16

ertiary Butyl Mercaptan	SAFETY DATA SHEE
ersion 1.6	Revision Date 2022-07-1
Toxicity to fish	
t-Butyl Mercaptan :	LC50: 34 mg/l Exposure time: 96 h Species: Oncorhynchus mykiss (rainbow trout) semi-static test Method: OECD Test Guideline 203
Toxicity to daphnia and other a	aquatic invertebrates
t-Butyl Mercaptan :	EC50: 6.7 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea) static test Method: OECD Test Guideline 202
Toxicity to algae	
t-Butyl Mercaptan :	EC50: 24 mg/l Exposure time: 72 h Species: Pseudokirchneriella subcapitata (green algae) Method: OECD Test Guideline 201
Biodegradability	
t-Butyl Mercaptan :	aerobic Result: Not readily biodegradable. 6 % Testing period: 63 d Method: OECD Test Guideline 301
Bioaccumulation	
t-Butyl Mercaptan :	<ul> <li>Bioconcentration factor (BCF): 12</li> <li>Method: QSAR modeled data</li> <li>This material is not expected to bioaccumulate.</li> </ul>
Mobility	
t-Butyl Mercaptan :	Method: Calculation, Mackay Level III Fugacity Model The product will be dispersed amongst the various environmental compartments (soil/ water/ air).
Results of PBT assessment t-Butyl Mercaptan :	Non-classified PBT substance, Non-classified vPvB substance
Additional ecological : information Ecotoxicology Assessment	Toxic to aquatic life with long lasting effects.
Short-term (acute) aquatic hazar t-Butyl Mercaptan :	d Toxic to aquatic life.
DS Number:100000013356	11/16

Tertiary Butyl Mercapta	SAFETY DATA SHEET		
Version 1.6	Revision Date 2022-07-19		
Long-term (chronic) aquatic hazard t-Butyl Mercaptan : Toxic to aquatic life with long lasting effects.			
SECTION 13: Disposal consider	ations		
The information in this SDS p	pertains only to the product as shipped.		
may meet the criteria of a ha other State and local regulati regulated components may b	purpose or recycle if possible. This material, if it must be discarded, zardous waste as defined by US EPA under RCRA (40 CFR 261) or ons. Measurement of certain physical properties and analysis for be necessary to make a correct determination. If this material is ste, federal law requires disposal at a licensed hazardous waste		
Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.		
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.		
SECTION 14: Transport informa	tion		
Consult the appropriate dome	kages (see regulatory definition).		
Consult the appropriate dome Goods Regulations for addition etc.) Therefore, the information			
Consult the appropriate dome Goods Regulations for addition etc.) Therefore, the information description for the material. If bill of lading.	estic or international mode-specific and quantity-specific Dangerous onal shipping description requirements (e.g., technical name or names, ion shown here, may not always agree with the bill of lading shipping Flashpoints for the material may vary slightly between the SDS and the DEPARTMENT OF TRANSPORTATION)		
Consult the appropriate dome Goods Regulations for additionet.) Therefore, the information description for the material. If bill of lading. US DOT (UNITED STATES IN UN2347, BUTYL MERCA	estic or international mode-specific and quantity-specific Dangerous onal shipping description requirements (e.g., technical name or names, ion shown here, may not always agree with the bill of lading shipping Flashpoints for the material may vary slightly between the SDS and the DEPARTMENT OF TRANSPORTATION)		
Consult the appropriate dome Goods Regulations for additionet.) Therefore, the information description for the material. If bill of lading. <b>US DOT (UNITED STATES I</b> UN2347, BUTYL MERCA <b>IMO / IMDG (INTERNATION</b> UN2347, BUTYL MERCA MERCAPTAN)	estic or international mode-specific and quantity-specific Dangerous onal shipping description requirements (e.g., technical name or names, ion shown here, may not always agree with the bill of lading shipping Flashpoints for the material may vary slightly between the SDS and the <b>DEPARTMENT OF TRANSPORTATION)</b> PTAN, 3, II <b>AL MARITIME DANGEROUS GOODS)</b> PTAN, 3, II, (-26 °C c.c.), MARINE POLLUTANT, (TERTIARY BUTYL <b>R TRANSPORT ASSOCIATION)</b>		
Consult the appropriate dome Goods Regulations for additionet.) Therefore, the information description for the material. If bill of lading. US DOT (UNITED STATES IN UN2347, BUTYL MERCA IMO / IMDG (INTERNATION UN2347, BUTYL MERCA MERCAPTAN) IATA (INTERNATIONAL AIR UN2347, BUTYL MERCA ADR (AGREEMENT ON DAM	estic or international mode-specific and quantity-specific Dangerous onal shipping description requirements (e.g., technical name or names, ion shown here, may not always agree with the bill of lading shipping Flashpoints for the material may vary slightly between the SDS and the <b>DEPARTMENT OF TRANSPORTATION)</b> PTAN, 3, II <b>AL MARITIME DANGEROUS GOODS)</b> PTAN, 3, II, (-26 °C c.c.), MARINE POLLUTANT, (TERTIARY BUTYL <b>R TRANSPORT ASSOCIATION)</b> PTAN, 3, II, (-26 °C c.c.), MARINE POLLUTANT, (TERTIARY BUTYL <b>R TRANSPORT ASSOCIATION)</b> PTAN, 3, II		
Consult the appropriate dome Goods Regulations for additionetc.) Therefore, the information description for the material. If bill of lading. US DOT (UNITED STATES I UN2347, BUTYL MERCA IMO / IMDG (INTERNATION UN2347, BUTYL MERCA MERCAPTAN) IATA (INTERNATIONAL AIR UN2347, BUTYL MERCA ADR (AGREEMENT ON DAI UN2347, BUTYL MERCA (TERTIARY BUTYL MERCA (TERTIARY BUTYL MERCA	estic or international mode-specific and quantity-specific Dangerous onal shipping description requirements (e.g., technical name or names, ion shown here, may not always agree with the bill of lading shipping Flashpoints for the material may vary slightly between the SDS and the <b>DEPARTMENT OF TRANSPORTATION</b> PTAN, 3, II <b>AL MARITIME DANGEROUS GOODS</b> PTAN, 3, II, (-26 °C c.c.), MARINE POLLUTANT, (TERTIARY BUTYL <b>R TRANSPORT ASSOCIATION</b> PTAN, 3, II, (-26 °C c.c.), MARINE POLLUTANT, (TERTIARY BUTYL <b>R TRANSPORT ASSOCIATION</b> PTAN, 3, II <b>NGEROUS GOODS BY ROAD (EUROPE)</b> PTAN, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS, CAPTAN) <b>ERNING THE INTERNATIONAL TRANSPORT OF</b>		
Consult the appropriate dome Goods Regulations for additional etc.) Therefore, the informational description for the material. If bill of lading. US DOT (UNITED STATES IN UN2347, BUTYL MERCA IMO / IMDG (INTERNATION UN2347, BUTYL MERCA MERCAPTAN) IATA (INTERNATIONAL AIR UN2347, BUTYL MERCA ADR (AGREEMENT ON DAT UN2347, BUTYL MERCA (TERTIARY BUTYL MERCA (TERTIARY BUTYL MERCA RID (REGULATIONS CONC DANGEROUS GOODS (EUR 33,UN2347,BUTYL MERCA	estic or international mode-specific and quantity-specific Dangerous onal shipping description requirements (e.g., technical name or names, ion shown here, may not always agree with the bill of lading shipping Flashpoints for the material may vary slightly between the SDS and the <b>DEPARTMENT OF TRANSPORTATION</b> PTAN, 3, II <b>AL MARITIME DANGEROUS GOODS</b> PTAN, 3, II, (-26 °C c.c.), MARINE POLLUTANT, (TERTIARY BUTYL <b>R TRANSPORT ASSOCIATION</b> PTAN, 3, II <b>NGEROUS GOODS BY ROAD (EUROPE))</b> PTAN, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS, CAPTAN) <b>ERNING THE INTERNATIONAL TRANSPORT OF ROPE)</b>		

SAFETY DATA SHEET

# Tertiary Butyl Mercaptan

Version 1.6

Revision Date 2022-07-19

	<b>BY INLAND WATERWAYS)</b> APTAN, 3, II, ENVIRONMENTALLY HAZARDOUS, (TERTIARY BUT
Maritime transport in bul	k according to IMO instruments mation
National legislation	
SARA 311/312 Hazards	: Flammable (gases, aerosols, liquids, or solids) Respiratory or skin sensitization Serious eye damage or eye irritation
CERCLA Reportable Quantity	: This material does not contain any components with a CERCLA RQ.
SARA 302 Reportable Quantity	: This material does not contain any components with a SARA 302 RQ.
SARA 302 Threshold Planning Quantity	: This material does not contain any components with a section 302 EHS TPQ.
SARA 304 Reportable Quantity	: This material does not contain any components with a section 304 EHS RQ.
SARA 313 Components	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
Clean Air Act	
Potential Clas	product neither contains, nor was manufactured with a Class I or s II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR Subpt. A, App.A + B).
This product does not conta Act Section 112 (40 CFR 6	ain any hazardous air pollutants (HAP), as defined by the U.S. Clean <i>i</i> 1).
Number:100000013356	13/16

Version 1.6

Revision Date 2022-07-19

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **US State Regulations**

Pennsylvania Right To Know : t-Butyl Mercaptan - 75-66-1

California Prop. 65 Components : This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### Notification status

Europe REACH This product is in full compliance according to REACH : regulation 1907/2006/EC. Switzerland CH INV On the inventory, or in compliance with the inventory : United States of America (USA) On or in compliance with the active portion of the TSCA **TSCA** inventory Other AIIC On the inventory, or in compliance with the inventory New Zealand NZIoC On the inventory, or in compliance with the inventory : Japan ENCS : On the inventory, or in compliance with the inventory Korea KECI All substances in this product were registered, notified to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was included on CPChem's notifications or if the Importer of Record themselves notified the substances.

Philippines PICCS:On the inventory, or in compliance with the inventoryTaiwan TCSI:On the inventory, or in compliance with the inventoryChina IECSC:On the inventory, or in compliance with the inventory

Version 1.6

Revision Date 2022-07-19

#### **SECTION 16: Other information**

NFPA Classification	: Health Hazard: 2 Fire Hazard: 3 Reactivity Hazard: 0	2 0
Further information		
Legacy SDS Number	: 95900	

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ACGIH	American Conference of	LD50	Lethal Dose 50%
	Government Industrial Hygienists		
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effe
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agenc
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupatio Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentra
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substar
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recov Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act

#### SAFETY DATA SHEET

## Version 1.6

Revision Date 2022-07-19

	New Chemical Substances		
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		