

Version 1.3 Revision Date 2022-08-22

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : ETHANE PROPANE MIXTURE

Material : 1012531, 1012527

Company : Chevron Phillips Chemical Company LP

10001 Six Pines Drive The Woodlands, TX 77380

Emergency telephone:

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week) Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371

67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

SDS Number:100000002557 1/15

Version 1.3 Revision Date 2022-08-22

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000 Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24

hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

SECTION 2: Hazards identification

Classification of the substance or mixture

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Classification

: Flammable gases, Category 1

Gases under pressure, Liquefied gas

Labeling

Symbol(s) :



Signal Word : Danger

Hazard Statements : H220: Extremely flammable gas.

H280: Contains gas under pressure; may explode if heated.

Precautionary Statements : Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot

surfaces. No smoking.

Response:

P377 Leaking gas fire: Do not extinguish, unless leak can be

stopped safely.

P381 Eliminate all ignition sources if safe to do so.

Storage:

P410 + P403 Protect from sunlight. Store in a well-ventilated

place.

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

SDS Number:100000002557 2/15

Version 1.3 Revision Date 2022-08-22

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Dy IVII .

SECTION 3: Composition/information on ingredients

Synonyms : EP Mix

EP-Mix

Molecular formula : Mixture

Component	CAS-No.	Weight %
Ethane	74-84-0	70 - 90
Propane	74-98-6	10 - 30
Ethylene	74-85-1	0 - 4
Methane	74-82-8	0 - 1.5
Propylene	115-07-1	0 - 1
Butanes		0 - 1

SECTION 4: First aid measures

General advice : Move out of dangerous area. Show this material safety data

sheet to the doctor in attendance.

If inhaled : If unconscious, place in recovery position and seek medical

advice. If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water as a precaution. Remove contact

lenses. Protect unharmed eye. Keep eye wide open while

rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to

an unconscious person. If symptoms persist, call a physician.

SECTION 5: Firefighting measures

Flash point : -134°C (-209°F)

Suitable extinguishing

media

: Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemical.

Unsuitable extinguishing

media

: High volume water jet.

Special protective

equipment for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : For safety reasons in case of fire, cans should be stored

separately in closed containments. Use a water spray to cool

fully closed containers.

Fire and explosion

protection

: Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapors). Use only

SDS Number:100000002557 3/15

Version 1.3 Revision Date 2022-08-22

explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

SECTION 6: Accidental release measures

Personal precautions : Ensure adequate ventilation. Remove all sources of ignition.

Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can

accumulate in low areas.

Environmental precautions : Prevent product from entering drains. Prevent further leakage

or spillage if safe to do so. If the product contaminates rivers

and lakes or drains inform respective authorities.

SECTION 7: Handling and storage

Handling

Advice on safe handling : For personal protection see section 8. Smoking, eating and

drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion

Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot

surfaces and sources of ignition.

Storage

Requirements for storage areas and containers

Prevent unauthorized access. No smoking. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must

comply with the technological safety standards.

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

US

Components	Basis	Value	Control parameters	Note
Propane	OSHA Z-1	TWA	1,000 ppm, 1,800 mg/m3	
	OSHA Z-1-A	TWA	1,000 ppm, 1,800 mg/m3	
Ethylene	ACGIH	TWA	200 ppm,	A4,
Propylene	ACGIH	TWA	500 ppm,	A4,

A4 Not classifiable as a human carcinogen

Immediately Dangerous to Life or Health Concentrations (IDLH)

Substance name	CAS-No.	Control parameters	Update	
----------------	---------	--------------------	--------	--

SDS Number:100000002557 4/15

Version 1.3 Revision Date 2022-08-22

l	Propane	74-98-6	Immediately Dangerous to Life or Health	1995-03-01
l	•		Concentration Value	
l			2100 parts per million	

Engineering measures

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless

ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other

circumstances where air-purifying respirators may not provide

adequate protection.

Hand protection : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Safety glasses.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Flame retardant antistatic protective clothing. Workers should wear antistatic

footwear.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Form : Liquefied gas
Physical state : Gaseous
Color : Colorless
Odor : Slight

Odor Threshold : No data available

Safety data

SDS Number:100000002557 5/15

ETHANE PROPANE MIXTURE

Version 1.3 Revision Date 2022-08-22

Flash point : -134°C (-209°F)

Ignition temperature : 472°C (882°F)

Lower explosion limit : 2.9 %(V)

Upper explosion limit : 13 %(V)

Molecular formula : Mixture

Molecular weight : Not applicable

pH : Not applicable

Melting point/range : No data available

Freezing point -183°C (-297°F)

Pour point No data available

Boiling point/boiling range : -88°C (-126°F)

Vapor pressure : 620.00 PSlabs

at 37.8°C (100.0°F)

Water solubility : partly soluble

Viscosity, kinematic : No data available

SECTION 10: Stability and reactivity

Reactivity : Stable under recommended storage conditions.

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

Possibility of hazardous reactions

Hazardous reactions: Vapors may form explosive mixture with

air.

Conditions to avoid : Heat, flames and sparks.

Other data : No decomposition if stored and applied as directed.

SDS Number:100000002557 6/15

ETHANE PROPANE MIXTURE

Version 1.3 Revision Date 2022-08-22

SECTION 11: Toxicological information

ETHANE PROPANE MIXTURE

Acute oral toxicity : No data available

ETHANE PROPANE MIXTURE

Acute inhalation toxicity : No adverse effect has been observed in acute toxicity tests.

Information refers to the main ingredient.

ETHANE PROPANE MIXTURE

Acute dermal toxicity : No data available

ETHANE PROPANE MIXTURE

Skin irritation : No skin irritation

Contact with liquid or refrigerated gas can cause cold burns

and frostbite.

ETHANE PROPANE MIXTURE

Eye irritation : No eye irritation

Contact with liquid or refrigerated gas can cause cold burns

and frostbite.

ETHANE PROPANE MIXTURE

Sensitization : Contains no substance or substances classified as sensitizing.

Repeated dose toxicity

Ethane : Species: Rat, Male and female

Sex: Male and female Application Route: Inhalation Dose: 0, 1600, 5000, 16000 ppm

Exposure time: 6 weeks

Number of exposures: 6 hours/day, 7 days/week

NOEL: 16000 ppm Test substance: yes

Method: OECD Guideline 422

Propane Species: Monkey

Application Route: Inhalation

Dose: 0, 750 ppm Exposure time: 90 day Number of exposures: daily

NOEL: > 750 ppm

Propylene Species: Rat, Male and female

Sex: Male and female Application Route: Inhalation

Dose: 625,1250,2500,5000, 10000 ppm

Exposure time: 14 wk

Number of exposures: 6 Hr/d, 5 d/wk

NOEL: 10000 ppm

SDS Number:100000002557 7/15

Version 1.3 Revision Date 2022-08-22

Species: Mouse, Male and female

Sex: Male and female Application Route: Inhalation

Dose: 625,1250,2500,5000, 10000 ppm

Exposure time: 14 wk

Number of exposures: 6 Hr/d, 5 d/wk

NOEL: 10000 ppm

Species: Rat, Male and female

Sex: Male and female Application Route: Inhalation Dose: 0, 5000, 10000 ppm Exposure time: 103 wk

Number of exposures: 6 Hr/d, 5 d/wk Lowest observable effect level: 5000 ppm

Not classified due to data which are conclusive although

insufficient for classification.

Species: Mouse, Male and female

Sex: Male and female Application Route: Inhalation Dose: 0, 5000, 10000 ppm Exposure time: 103 wk

Number of exposures: 6 Hr/d, 5 d/wk Lowest observable effect level: 5000 ppm

Not classified due to data which are conclusive although

insufficient for classification.

Genotoxicity in vitro

Propane : Test Type: Ames test

Result: negative

Ethylene Test Type: Ames test

Test system: TA100

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Propylene Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mammalian cell gene mutation assay

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: Ambiguous

Genotoxicity in vivo

Ethylene : Test Type: Micronucleus test

Species: Rat

SDS Number:100000002557 8/15

Version 1.3 Revision Date 2022-08-22

Route of Application: inhalation (gas) Exposure time: 5 days and 13 weeks

Dose: 10000 ppm Result: negative

Test Type: Micronucleus test

Species: Rat

Route of Application: inhalation (gas)

Exposure time: 4 weeks Dose: 40, 1000, 3000 ppm

Method: OECD Test Guideline 474

Result: negative

Propylene Test Type: Micronucleus test

Species: Rat

Route of Application: inhalation (gas) Method: OECD Test Guideline 474

Result: negative

ETHANE PROPANE MIXTURE

Carcinogenicity : Remarks: This information is not available.

ETHANE PROPANE MIXTURE

Reproductive toxicity : This information is not available.

ETHANE PROPANE MIXTURE

Developmental Toxicity : This information is not available.

CMR effects

Ethane : Carcinogenicity: Weight of evidence does not support

classification as a carcinogen

Mutagenicity: In vitro tests did not show mutagenic effects Teratogenicity: No evidence of adverse effects on sexual function and fertility, or on development, based on animal

experiments.

Reproductive toxicity: Weight of evidence does not support

classification for reproductive toxicity

Propane Carcinogenicity: Weight of evidence does not support

classification as a carcinogen

Mutagenicity: In vitro tests did not show mutagenic effects Teratogenicity: No evidence of adverse effects on sexual function and fertility, or on development, based on animal

experiments.

Reproductive toxicity: Weight of evidence does not support

classification for reproductive toxicity

Propylene Carcinogenicity: Animal testing did not show any carcinogenic

effects.

Mutagenicity: Tests on bacterial or mammalian cell cultures

did not show mutagenic effects.

Teratogenicity: Animal testing did not show any effects on

fetal development.

Reproductive toxicity: Animal testing did not show any effects

on fertility.

SDS Number:100000002557 9/15

ETHANE PROPANE MIXTURE

Version 1.3 Revision Date 2022-08-22

ETHANE PROPANE MIXTURE

Further information : No data available.

SECTION 12: Ecological information

Ecotoxicity effects

Toxicity to fish : No data available

Biodegradability : No data available

Elimination information (persistence and degradability)

Bioaccumulation : This material is not expected to bioaccumulate.

This mixture contains no substance considered to be

persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Mobility : The product evaporates readily.

Results of PBT assessment

Ethane : This substance is not considered to be persistent,

bioaccumulating and toxic (PBT)., This substance is not considered to be very persistent and very bioaccumulating

(vPvB).

Propane : This substance is not considered to be persistent,

bioaccumulating and toxic (PBT)., This substance is not considered to be very persistent and very bioaccumulating

(vPvB).

Additional ecological

information

: No data available

Ecotoxicology Assessment

Short-term (acute) aquatic hazard

: This material is not expected to be harmful to aquatic

organisms.

Long-term (chronic) aquatic

hazard

This material is not expected to be harmful to aquatic

organisms.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

SDS Number:100000002557 10/15

Version 1.3 Revision Date 2022-08-22

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate

ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers. Do not burn, or use a cutting

torch on, the empty drum.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN1965, HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S., (ETHANE, PROPANE), 2.1 NON- ODORIZED

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN1965, HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S., (ETHANE, PROPANE), 2.1, (-134 °C c.c.)

NON- ODORIZED

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN1965, HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S., (ETHANE, PROPANE), 2.1 NON- ODORIZED

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN1965, HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S., (ETHANE, PROPANE), 2.1, (B/D)

NON-ODORIZED

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

23,UN1965,HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S., 2.1 (13) NON- ODORIZED

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN1965, HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S., (ETHANE, PROPANE), 2.1 NON- ODORIZED

SDS Number:100000002557 11/15

Version 1.3 Revision Date 2022-08-22

Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

National legislation

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Gases under pressure

CERCLA Reportable

Quantity

: Calculated RQ exceeds reasonably attainable upper limit.

1,3-Butadiene

SARA 302 Reportable

Quantity

: This material does not contain any components with a SARA

302 RQ.

SARA 302 Threshold

Planning Quantity

: This material does not contain any components with a section

302 EHS TPQ.

SARA 304 Reportable

Quantity

: This material does not contain any components with a section

304 EHS RQ.

SARA 313 Components : The following components are subject to reporting levels

established by SARA Title III, Section 313:

: Ethylene - 74-85-1 Propylene - 115-07-1

Clean Air Act

Ozone-Depletion

Potential

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

: Ethane - 74-84-0

SDS Number:100000002557 12/15

ETHANE PROPANE MIXTURE

Version 1.3 Revision Date 2022-08-22

Propane - 74-98-6 Ethylene - 74-85-1 Methane - 74-82-8 Propylene - 115-07-1

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

: Ethylene - 74-85-1 Propylene - 115-07-1

US State Regulations

Pennsylvania Right To Know

: Ethane - 74-84-0 Propane - 74-98-6 Ethylene - 74-85-1 Methane - 74-82-8 Propylene - 115-07-1

California Prop. 65

Components

: WARNING: This product can expose you to chemicals including [listed below], which is [are] known to the State of California to cause birth defects or other reproductive harm. For more

information go to www.P65Warnings.ca.gov.

1,3-Butadiene 106-99-0

Notification status

Europe REACH : Not in compliance with the inventory

Switzerland CH INV : On the inventory, or in compliance with the inventory United States of America (USA) : On or in compliance with the active portion of the

TSCA TSCA inventory

Canada DSL : All components of this product are on the Canadian

DSL

Other AIIC : On the inventory, or in compliance with the inventory

New Zealand NZIoC : Not in compliance with the inventory

Japan ENCS : On the inventory, or in compliance with the inventory Korea KECI : A substance(s) in this product was not registered,

notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance or the exported amount does not exceed the minimum threshold quantity of the non-registered substance(s).

Philippines PICCS : On the inventory, or in compliance with the inventory Taiwan TCSI : On the inventory, or in compliance with the inventory

SDS Number:100000002557 13/15


Version 1.3 Revision Date 2022-08-22

China IECSC : On the inventory, or in compliance with the inventory

SECTION 16: Other information

NFPA Classification : Health Hazard: 3

Fire Hazard: 1 Reactivity Hazard: 0



Further information

Legacy SDS Number : 1849

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical	TWA	Time Weighted Average

SDS Number:100000002557

14/15

ETHANE PROPANE MIXTURE

Version 1.3 Revision Date 2022-08-22

	Substances in China		
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

SDS Number:100000002557 15/15