

**Synfluid® PAO 8 cSt HVI**

Version 1.9

Revision Date 2022-09-09

MSDS number: AA00974-0000000111

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

Product Name : Synfluid® PAO 8 cSt HVI  
Material : 1116770, 1116769, 1079706, 10603520

Recommended use of the product : Synthetic Lubricants  
Restrictions on use : None known.

**Address** : Chevron Phillips Chemical Company LP  
10001 Six Pines Drive  
The Woodlands, TX 77380

Address : CHEVRON PHILLIPS CHEMICALS ASIA PTE. LTD.  
C/O DONG WOO CORPORATION  
#B-2601,JEONGJAIL-RO,  
BUNDANG-GU,SEONGNAMI-SI,  
GYEONGGI-DO,13557  
SOUTH KOREA  
Telephone no.: +612-9186-1132

**Emergency telephone:****Health:**

866.442.9628 (North America)  
1.832.813.4984 (International)

**Transport:**

CHEMTREC 800.424.9300 or 703.527.3887(int'l)  
Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090  
Mexico CHEMTREC 01-800-681-9531 (24 hours)  
South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600  
Argentina: +(54)-1159839431  
EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)  
Belgium: 070 245 245 (24 hours/day, 7 days/week)  
Bulgaria: +359 2 9154 233

**Synfluid® PAO 8 cSt HVI**

Version 1.9

Revision Date 2022-09-09

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)  
 Cyprus: 1401  
 Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402  
 Denmark: Danish Poison Center (Gifftlinjen): +45 8212 1212  
 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Finland: 0800 147 111 09 471 977 (24 hours/day)  
 France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)  
 Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Greece: (0030) 2107793777 (24 hours/day, 7 days/week)  
 Hungary: +36-80-201-199 (24 hours/day, 7 days/week)  
 Iceland: 543 2222 (24 hours/day, 7 days/week)  
 Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic  
 Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371  
 67042473. (24 hours.)  
 Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Lithuania: +370 (85) 2362052  
 Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)  
 Malta: +356 2395 2000  
 The Netherlands: NVIC: +31 (0)88 755 8000  
 Norway: 22 59 13 00 (24 hours/day, 7 days/week)  
 Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Portugal: CIAV phone number: +351 800 250 250  
 Romania: +40213183606  
 Slovakia: +421 2 5477 4166  
 Slovenia: Phone number: 112  
 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24  
 hours/day, 7 days/week)  
 Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group  
 E-mail address : SDS@CPChem.com  
 Website : www.CPChem.com  
 Appointees : 회사명: 리이치 24 시코리아(주).

주소: 서울시 서초구 현릉로 7,  
 외국기업창업지원연구센터  
 (IKP) 908-909호  
 전화: + 82-1067838981

**SECTION 2: Hazards identification****Hazard classification**

Standards for classification and labeling of chemical substances and material safety data sheet  
 (ministry of employment and labor public notice No. 2020-130)

**Synfluid® PAO 8 cSt HVI**

Version 1.9

Revision Date 2022-09-09

**Classification**

Not a hazardous substance or mixture.

**Warning label elements including precautionary statements**

Not a hazardous substance or mixture.

Other hazards which do not result in classification : None

**SECTION 3: Composition/information on ingredients**

Synonyms : PAO 8A  
Polyalphaolefin  
PAO  
PAO 8 cSt Blend

Molecular formula : Polymer

Common name	Synonyms	CAS-No.	Concentration	KECI Number
1-Dodecene, Homopolymer, Hydrogenated	1-Dodecene, homopolymer, hydrogenated	151006-63-2	100%	2003-3-2379

**SECTION 4: First aid measures**

General advice : No hazards which require special first aid measures. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Show this material safety data sheet to the doctor in attendance.

In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention. Wash off immediately with plenty of water.

If inhaled : Move to fresh air in case of accidental inhalation of vapors. Consult a physician after significant exposure.

If swallowed : If swallowed, DO NOT induce vomiting. Never give anything

**Synfluid® PAO 8 cSt HVI**

Version 1.9

Revision Date 2022-09-09

by mouth to an unconscious person. Consult a physician if necessary.

**Other cautions for Doctors**

Symptoms : No information available.

Risks : No information available.

Treatment : No information available.

**SECTION 5: Firefighting measures**

Flash point : 246-271°C (475-520°F)  
Method: Cleveland Open Cup

Autoignition temperature : 351°C (664°F)

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Fire and explosion protection : Normal measures for preventive fire protection.

Hazardous decomposition products : Carbon oxides.

**SECTION 6: Accidental release measures**

Personal precautions : Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.

Environmental precautions : No special environmental precautions required.

Methods for cleaning up : Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

**Synfluid® PAO 8 cSt HVI**

Version 1.9

Revision Date 2022-09-09

Additional advice : No conditions to be specially mentioned.

**SECTION 7: Handling and storage****Handling**

Advice on safe handling : Do not breathe vapors/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

**Secure storage**

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Uses advised against : None known.

Specific Use : Synthetic Lubricants

**SECTION 8: Exposure controls/personal protection****Chemical exposure standards, biological exposure standards, etc.**

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

**Synfluid® PAO 8 cSt HVI**

Version 1.9

Revision Date 2022-09-09

- contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate: Lightweight protective clothing.
- Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
- Protective measures : Wear suitable protective equipment. When using do not eat, drink or smoke.

**SECTION 9: Physical and chemical properties****Information on basic physical and chemical properties**

Appearance

- Physical state : liquid  
 Color : Colorless  
 Odor : Odorless  
 Odor Threshold : No data available

pH : Not applicable

Pour point : &lt;-50°C (&lt;-58°F)

Melting point/freezing point : No data available

Boiling point/boiling range : &gt;260°C (&gt;500°F)

Flash point : 246-271°C (475-520°F)  
Method: Cleveland Open Cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Lower explosion limit : No data available

Upper explosion limit : No data available

Vapor pressure : No data available

Solubility : Soluble in hydrocarbon solvents; insoluble in water.

Density : 6.87 - 6.96 L/G

Vapor density : No data available

**Synfluid® PAO 8 cSt HVI**

Version 1.9

Revision Date 2022-09-09

Autoignition temperature	: 351°C (664°F)
Decomposition temperature	: No data available
Viscosity, kinematic	: 46.2 cSt at 40°C (104°F) Method: ASTM D 445
Molecular weight	: Not applicable

**SECTION 10: Stability and reactivity**

<b>Reactivity</b>	: Stable at normal ambient temperature and pressure.
<b>Chemical stability</b>	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
<b>Possibility of hazardous reactions</b>	
<b>Hazardous reactions</b>	: Hazardous reactions: No dangerous reaction known under conditions of normal use.  Hazardous reactions: Hazardous polymerization does not occur.  Further information: No decomposition if stored and applied as directed.
<b>Conditions to avoid</b>	: No data available.
<b>Materials to avoid</b>	: May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
<b>Thermal decomposition</b>	: No data available
<b>Hazardous decomposition products</b>	: Carbon oxides
<b>Other data</b>	: No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information****Information on exposure routes****Synfluid® PAO 8 cSt HVI****Acute oral toxicity** : LD50: > 5,000 mg/kg

**Synfluid® PAO 8 cSt HVI**

Version 1.9

Revision Date 2022-09-09

- Species: Rat  
Information given is based on data obtained from similar substances.
- Synfluid® PAO 8 cSt HVI  
Acute inhalation toxicity** : LC50: > 5 mg/l  
Exposure time: 4 h  
Species: Rat  
Test atmosphere: dust/mist  
Information given is based on data obtained from similar substances.
- Synfluid® PAO 8 cSt HVI  
Acute dermal toxicity** : LD50: > 2,000 mg/kg  
Species: Rat  
Information given is based on data obtained from similar substances.
- Synfluid® PAO 8 cSt HVI  
Skin corrosion or irritation** : No skin irritation  
Information given is based on data obtained from similar substances.
- Synfluid® PAO 8 cSt HVI  
Eye corrosion or irritation** : No eye irritation  
Information given is based on data obtained from similar substances.
- Synfluid® PAO 8 cSt HVI  
Respiratory Sensitization** : No data available
- Synfluid® PAO 8 cSt HVI  
Skin sensitization** : Did not cause sensitization on laboratory animals.
- Synfluid® PAO 8 cSt HVI  
Repeated dose toxicity** : Species: Rat, Male and female  
Sex: Male and female  
Application Route: oral gavage  
Dose: 0, 1000 mg/kg/day  
Exposure time: 28 days  
NOEL: 1,000 mg/kg  
Method: OECD Test Guideline 407  
Information given is based on data obtained from similar substances.
- Synfluid® PAO 8 cSt HVI  
Germ cell mutagenicity (in vitro)** : Test Type: Ames test  
Result: negative  
Remarks: Information refers to the main ingredient.



**Synfluid® PAO 8 cSt HVI**

Version 1.9

Revision Date 2022-09-09

Test Type: Chromosome aberration test in vitro  
 Result: negative  
 Remarks: Information refers to the main ingredient.

**Synfluid® PAO 8 cSt HVI  
 Germ cell mutagenicity (in vivo)**

: Test Type: Mouse micronucleus assay  
 Result: negative  
 Remarks: Information refers to the main ingredient.

**Specific Target Organ  
 Toxicity (Single Exposure)**

Not classified due to data which are conclusive although insufficient for classification.

**Specific Target Organ  
 Toxicity (Repeated Exposure)**

Not classified due to data which are conclusive although insufficient for classification.

**Synfluid® PAO 8 cSt HVI  
 Aspiration toxicity  
 Toxicology Assessment**

: No aspiration toxicity classification.

**Synfluid® PAO 8 cSt HVI  
 CMR effects**

: Carcinogenicity:  
 Not classifiable as a human carcinogen.  
 Mutagenicity:  
 Animal testing did not show any mutagenic effects.  
 Teratogenicity:  
 Did not show teratogenic effects in animal experiments.  
 Reproductive toxicity:  
 No toxicity to reproduction

**SECTION 12: Ecological information**

Ecological Toxicity

**Toxicity to fish**

: LL50: > 1,000 mg/l  
 Exposure time: 96 h  
 Species: Oncorhynchus mykiss (rainbow trout)  
 static test Test substance: no  
 Method: OECD Test Guideline 203

**Synfluid® PAO 8 cSt HVI**

Version 1.9

Revision Date 2022-09-09

Information given is based on data obtained from similar substances.

**Toxicity to daphnia and other aquatic invertebrates** : EL50: > 1,000 mg/l  
Exposure time: 48 h  
Species: Daphnia magna (Water flea)  
static test Test substance: no  
Method: OECD Test Guideline 202  
Information given is based on data obtained from similar substances.

**Toxicity to algae** : NOEC: > 1,000 mg/l  
Exposure time: 96 h  
Species: Selenastrum capricornutum (algae)  
Method: OECD Test Guideline 201  
Information given is based on data obtained from similar substances.

**Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)** : NOEC: 125 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test substance: no  
The product has low solubility in the test medium. An aqueous dispersion was tested.  
Information given is based on data obtained from similar substances.

**Persistence and degradability**

Persistence and degradability : Result: This material is not expected to be readily biodegradable.  
Expected to be ultimately biodegradable

Bioaccumulative : No data available

Mobility : No data available

Results of PBT assessment : Not available

Other adverse effects : No data available

**Ecotoxicology Assessment**

Short-term (acute) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

Long-term (chronic) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

**Synfluid® PAO 8 cSt HVI**

Version 1.9

Revision Date 2022-09-09

**SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Disposal method : Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Disposal precaution : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

**SECTION 14: Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

UN Number	:	not regulated
UN Product Shipping Name	:	Not regulated as a dangerous good
Hazard Class	:	
Packing Group	:	Not applicable
Marine Pollutant	:	Not applicable
Special Safety Measures on Mode of Transport	:	No data available

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION

**Synfluid® PAO 8 cSt HVI**

Version 1.9

Revision Date 2022-09-09

BY THIS AGENCY.

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

<b>Other information</b>	:	<b>Not applicable</b>
--------------------------	---	-----------------------

**Maritime transport in bulk according to IMO instruments**

**SECTION 15: Regulatory information****National legislation**

**Regulation under the Occupational Safety and Health Act**

Number:100000014143

12/15

**Synfluid® PAO 8 cSt HVI**

Version 1.9

Revision Date 2022-09-09

A Material Safety Datasheet (MSDS) for this product is not required according to article 41 of the ISHA.

Regulation	Chemical name	Threshold limits
Harmful Substances Prohibited from Manufacturing	: Not applicable	
	Not relevant	
Harmful Substances Required Permission for Manufacture	: Not applicable	
	Not relevant	

**Act on the Registration and Evaluation, etc. of Chemical Substances, Chemicals Control Act**

Regulation	Chemical name	Threshold limits
Toxic Chemicals	: Not applicable	
	Not relevant	
Prohibited Chemicals	: Not applicable	
	Not relevant	
Observational chemicals	: Not relevant	
Restricted Chemicals	: Not applicable	
	Not relevant	
Toxic Release Inventory	: Not applicable	
	Not relevant	

**Dangerous Substances Safety Management Act**

Dangerous Substances : Not relevant  
Safety Management Act

**Regulations by the Waste Management Act** : Not applicable

**Regulations by other domestic and foreign laws**

Europe REACH : This mixture contains only ingredients which have been registered according to Regulation (EU) No. 1907/2006 (REACH).

Switzerland CH INV : Not in compliance with the inventory

United States of America (USA) TSCA : On or in compliance with the active portion of the TSCA inventory

Canada DSL : All components of this product are on the Canadian DSL

Australia AICS : On the inventory, or in compliance with the inventory

New Zealand NZIoC : On the inventory, or in compliance with the inventory

Japan ENCS : On the inventory, or in compliance with the inventory

Korea KECI : All substances in this product were registered, notified to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was

**Synfluid® PAO 8 cSt HVI**

Version 1.9

Revision Date 2022-09-09

included on CPCChem's notifications or if the Importer of Record themselves notified the substances.


Philippines PICCS : On the inventory, or in compliance with the inventory  
 China IECSC : On the inventory, or in compliance with the inventory  
 Taiwan TCSI : On the inventory, or in compliance with the inventory

**Other regulations** : No data available

**SECTION 16: Other information**

Source of data	:	Korea. GHS based classification
Date of initial writing	:	2020-11-03
Revision number	:	1
Last revision date	:	2022-09-08

**NFPA Classification** : Health Hazard: 0  
 Fire Hazard: 1  
 Reactivity Hazard: 0

**Other information**

NSF H1, HX-1 Registered, meets USDA 1998 H1 Guidelines

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level

**Synfluid® PAO 8 cSt HVI**

Version 1.9

Revision Date 2022-09-09

DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		