

HC-DCF[™] Low Flash Dry Cleaning Solvent

Version 2.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	: HC-DCF™ Low Flash Dry Cleaning Solvent
Material	: 1061427, 1061962, 1061429, 1079002, 1061964
Use	: Solvent
Company	 Chevron Phillips Chemical Company LP Specialty Chemicals 10001 Six Pines Drive The Woodlands, TX 77380
Emergency telephone	:
Asia: CHEMWATCH Mexico CHEMTREC South America SOS Argentina: +(54)-118 EUROPE: BIG +32. Austria: VIZ +43 1 4 Belgium: 070 245 24 Bulgaria: +359 2 918 Croatia: +3851 2348 Cyprus: 1401	14.584545 (phone) or +32.14583516 (telefax) 06 43 43 (24 hours/day, 7 days/week) 15 (24 hours/day, 7 days/week)

HC-DCF™ Low Flash Dry Cleaning Solvent

Version 2.2

ersion 2.2	Revision Date 2022-09-12
Lithuania: +370 (85) 2362 Luxembourg: (+352) 800 Malta: +356 2395 2000 The Netherlands: NVIC: - Norway: 22 59 13 00 (24 Poland: BIG +32.14.5845 Portugal: CIAV phone nu Romania: +40213183606 Slovakia: +421 2 5477 44 Slovenia: Phone number	2 5500 (24 hours/day, 7 days/week) +31 (0)88 755 8000 hours/day, 7 days/week) 545 (phone) or +32.14583516 (telefax) mber: +351 800 250 250 5 166 : 112 icy Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24
Responsible Department E-mail address Website	 Product Safety and Toxicology Group SDS@CPChem.com www.CPChem.com
ECTION 2: Hazards identification	tion
	 iffied in accordance with the hazard communication standard 29 CFR bels contain all the information as required by the standard. Flammable liquids, Category 3 Specific target organ toxicity - single exposure, Category 3, Central nervous system Aspiration hazard, Category 1
Labeling	
Symbol(s)	
Signal Word	: Danger
Hazard Statements	 H226: Flammable liquid and vapor. H304: May be fatal if swallowed and enters airways. H336: May cause drowsiness or dizziness.
Precautionary Statements	 Prevention: P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P280 Wear protective gloves/ eye protection/ face protection. Response: P301 + P310 IF SWALLOWED: Immediately call a POISON
DS Number:100000014200	2/15

HC-DCF™ Low Flash Dry Cleaning Solvent

Version	22
101011	<u> </u>

rsion 2.2		Revision Date 2022-09-	
	shower. P331 Do NOT induce P370 + P378 In case alcohol-resistant foam Storage: P403 + P233 Store i tightly closed. P403 + P235 Store i Disposal:	e of fire: Use dry sand, dry chemical or	
Carcinogenicity:			
IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed		
NTP	equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.		
CTION 3: Composition/info	rmation on ingredients		
Synonyms	: Isoparaffins Isoalkanes Aliphatic hydrocarbon Dry Cleaning Solvent		
Molecular formula	: UVCB, Mixture		
Component	CAS-No. 68551-16-6	Weight % 100	
C9-C11 Isoalkanes		100	
C9-C11 Isoalkanes			
	: Move out of dangerous sheet to the doctor in a	area. Show this material safety data ttendance. Material may produce a I pneumonia if swallowed or vomited.	
CTION 4: First aid measure	 Move out of dangerous sheet to the doctor in a serious, potentially fata Consult a physician after 	area. Show this material safety data ttendance. Material may produce a	
CTION 4: First aid measure General advice	 Move out of dangerous sheet to the doctor in a serious, potentially fata Consult a physician after place in recovery positi 	area. Show this material safety data ttendance. Material may produce a I pneumonia if swallowed or vomited. er significant exposure. If unconscious,	
CTION 4: First aid measure General advice If inhaled	 Move out of dangerous sheet to the doctor in a serious, potentially fata Consult a physician after place in recovery positi If on skin, rinse well wit Flush eyes with water a lenses. Protect unharm 	area. Show this material safety data ttendance. Material may produce a I pneumonia if swallowed or vomited. er significant exposure. If unconscious, on and seek medical advice.	
CTION 4: First aid measure General advice If inhaled In case of skin contact	 Move out of dangerous sheet to the doctor in a serious, potentially fata Consult a physician after place in recovery positi If on skin, rinse well wit Flush eyes with water a lenses. Protect unharm rinsing. If eye irritation Keep respiratory tract of 	area. Show this material safety data ttendance. Material may produce a I pneumonia if swallowed or vomited. er significant exposure. If unconscious, on and seek medical advice. h water. If on clothes, remove clothes. as a precaution. Remove contact ned eye. Keep eye wide open while persists, consult a specialist. clear. Never give anything by mouth to . If symptoms persist, call a physician.	

Version 2.2

CTION 5: Firefighting measures				
	63			
Flash point	:	39.4°C (102.9°F) Method: Tag closed cup		
Autoignition temperature	:	336°C (637°F)		
Suitable extinguishing media	:	Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemical.		
Unsuitable extinguishing media	:	High volume water jet.		
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.		
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.		
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.		
Fire and explosion protection	:	Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from open flames, hot surfaces and sources of ignition.		
Hazardous decomposition products	:	Carbon Dioxide. Carbon oxides.		
ECTION 6: Accidental release	me	asures		
Personal precautions	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.		
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.		
Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).		
ECTION 7: Handling and stora	ge			
Handling				
DS Number:100000014200		4/15		

C-DCF™ Low Flash	Drv (Cleani	na Solven		FETY DATA SHEE
ersion 2.2	JIY	Sieain	ng Solven		on Date 2022-09-1
151011 2.2				1/6/131	011 Date 2022-09-1
Advice on safe handling	: Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.				
Advice on protection against fire and explosion	: Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from open flames, hot surfaces and sources of ignition.				
Storage					
Requirements for storage areas and containers	v c C	entilated arefully r Observe la	place. Contain esealed and ke abel precaution	iner tightly closed in a ers which are opened pt upright to prevent le s. Electrical installation th the technological se	must be eakage. ons / working
Use	: 8	Solvent			
CTION 8: Exposure controls					
			neters		
evron Phillips Chemical Company I	Basis		Value	Control parameters	Note
mponents	Basis Manufad	cturer		Control parameters 1,200 mg/m3	Note RCP,
mponents I-C11 Isoalkanes	Basis Manufad	cturer	Value		
omponents D-C11 Isoalkanes RCP Reciprocal Calculation Proc omponents	Basis Manufad	cturer	Value		
omponents)-C11 Isoalkanes RCP Reciprocal Calculation Proc	Basis Manufac edure Basis rds of t inces in ent. If e of this n nould re	orned co his mater the work engineeri naterial, t ead and u	Value TWA Value Ncentrations be ial (see Section place when des ng controls or v he personal pro inderstand all ir	Control parameters Control parameters Control parameters Control parameters (a 2), applicable expose signing engineering co vork practices are not parameters and limitati	RCP, Note delines/limits. ure limits, job ontrols and selectir adequate to preve ed below is ons supplied with
Adequate ventilation to cont Consider the potential haza activities, and other substan personal protective equipme exposure to harmful levels of recommended. The user sh	Basis Manufac edure Basis trol airb rds of t aces in ent. If e of this n nould re ion is u	orned co his mater the work engineeri naterial, t ead and u	Value TWA Value Ncentrations be ial (see Section place when des ng controls or v he personal pro inderstand all ir	Control parameters Control parameters Control parameters Control parameters (a 2), applicable expose signing engineering co vork practices are not parameters and limitati	RCP, Note delines/limits. ure limits, job ontrols and selectir adequate to preve ed below is ons supplied with
Adequate ventilation to cont Consider the potential haza activities, and other substan personal protective equipme exposure to harmful levels of recommended. The user sh the equipment since protect	Basis Manufac edure Basis trol airb rds of t nces in ent. If e of this n nould re- ion is u ment : If n n re a F s u	orned co his mater the work engineeri naterial, t ead and u isually pro- tormal atr espirator irborne n orovides p Respirator upplying incontroll	Value TWA Value Ncentrations be rial (see Section place when des ng controls or v he personal pro- inderstand all ir ovided for a lim ovided for a lim for or other engination nospheric press may be approp- naterial may octor or otection may be r for Organic Va respirator may ed release, aer	Control parameters Control parameters Control parameters Control parameters (a 2), applicable expose signing engineering co vork practices are not parameters and limitati	Note delines/limits. ure limits, job ontrols and selectin adequate to preve ed below is ons supplied with cain circumstances of adequate to rolume under OSH approved armful levels of d respirator that s:. Air-Purifying sure, air- e is potential for levels are not

-DCF ™ Low Flash I	Dry Cleaning Solvent	
sion 2.2	Revision Date 2022-09	
	may not provide adequate protection.	
Hand protection	The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.	
Eye protection	: Eye wash bottle with pure water. Tightly fitting safety goggles.	
Skin and body protection	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Flame retardant antistatic protective clothing. Workers should wear antistatic footwear.	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.	
TION 9: Physical and chem	ical properties	
friend of the state of the stat		
	ical and chemical properties	
Appearance		
Form Physical state	: liquid : liquid	
Color	: Colorless at room temperature	
Odor	: Mild, Hydrocarbon	
Safety data		
Flash point	: 39.4°C (102.9°F) Method: Tag closed cup	
Lower explosion limit	: No data available	
Upper explosion limit	: No data available	
Oxidizing properties	: No	
Autoignition temperature	: 336°C (637°F)	
Molecular formula	: UVCB, Mixture	
Molecular weight	: Not applicable	
рН	: Not applicable	
Pour point	: No data available	
Boiling point/boiling range	: 148.8-176.7°C (299.8-350.1°F)	
Vapor pressure	: 6.18 MMHG at 38°C (100°F)	
	· · · · ·	

-DCF™ Low Flash	SAFETY DATA SH Dry Cleaning Solvent
ion 2.2	Revision Date 2022-0
Relative density	: 0.75 at 15.6 °C (60.1 °F)
Water solubility	: negligible
Partition coefficient: n- octanol/water	: No data available
Viscosity, kinematic	: 1.04 cSt at 40°C (104°F)
Relative vapor density	: 4.5 (Air = 1.0)
Evaporation rate	: 1
Percent volatile	: > 99 %
TION 10: Stability and read	ctivity
Reactivity	: Stable under recommended storage conditions.
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous re	eactions
Hazardous reactions	: Hazardous reactions: Hazardous polymerization does not occur.
	Hazardous reactions: Vapors may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Materials to avoid	: May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
Hazardous decomposition products	Carbon Dioxide Carbon oxides
Other data	: No decomposition if stored and applied as directed.

Acute oral toxicity		
C9-C11 Isoalkanes	: LD50: > 5,000 mg/kg Species: Rat Sex: male and female	
SDS Number:100000014200		7/15
SDS Number:100000014200		7/15

-DCF™ Low Flash	Dry Cleaning Solvent
sion 2.2	Revision Date 2022-09
	Method: OECD Test Guideline 401 Information given is based on data obtained from similar substances.
Acute inhalation toxicity	
C9-C11 Isoalkanes	 LC50: > 4.9 mg/l Exposure time: 4 h Species: Rat Sex: male and female Test atmosphere: vapor Method: OECD Test Guideline 403 An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration. Information given is based on data obtained from similar substances.
Acute dermal toxicity	
C9-C11 Isoalkanes	 LD50: > 5,000 mg/kg Species: Rabbit Sex: male and female Method: OECD Test Guideline 402 Information given is based on data obtained from similar substances.
Skin irritation	
C9-C11 Isoalkanes	: May irritate skin. Information given is based on data obtained from similar substances.
Eye irritation C9-C11 Isoalkanes	 No eye irritation Information given is based on data obtained from similar substances.
Sensitization	
C9-C11 Isoalkanes	 Not a skin sensitizer. Information given is based on data obtained from similar substances.
Repeated dose toxicity	
C9-C11 Isoalkanes	 Species: Rat, male and female Sex: male and female Application Route: Inhalation Dose: 0, 2600, 5200, 10400 mg/3 Exposure time: 13 wk Number of exposures: 6 h/d, 5 d/wk NOEL: > 10,400 mg/m3 Method: OECD Test Guideline 413 No significant adverse effects were reported Information given is based on data obtained from similar substances.
Genotoxicity in vitro	
Number:100000014200	8/15

HC-DCF™ Low Flash Dry Cleaning Solvent

/ersion 2.2	Revision Date 2022-09-
C9-C11 Isoalkanes	 Test Type: E. Coli bacterial reverse mutation assay Result: negative Remarks: Information given is based on data obtained from similar substances.
	Test Type: Ames test Metabolic activation: with and without metabolic activation Result: negative Remarks: Information given is based on data obtained from similar substances.
	Test Type: Bacterial DNA repair test Result: negative Remarks: Information given is based on data obtained from similar substances.
Genotoxicity in vivo	
C9-C11 Isoalkanes	: Test Type: Dominant lethal assay Result: negative Remarks: Information given is based on data obtained from similar substances.
	Test Type: Mouse micronucleus assay Result: negative Remarks: Information given is based on data obtained from similar substances.
Developmental Toxicity	
C9-C11 Isoalkanes	: Species: Rat Application Route: Inhalation Dose: 0, 291, 817 ppm Number of exposures: 6 h/d Test period: GD 6-15 NOAEL Teratogenicity: > 817 ppm NOAEL Maternal: > 817 ppm
HC-DCF™ Low Flash Dry Aspiration toxicity	Cleaning Solvent : May be fatal if swallowed and enters airways.
HC-DCF™ Low Flash Dry Further information	 Cleaning Solvent Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Concentrations substantially above the TLV value may cause narcotic effects. Solvents may degrease the skin.
ECTION 12: Ecological infor	mation
Toxicity to fish	
C9-C11 Isoalkanes	 LL50: 3.6 mg/l Exposure time: 96 h Species: Oncorhynchus mykiss (rainbow trout) semi-static test Method: OECD Test Guideline 203 Information given is based on data obtained from similar
DS Number:100000014200	9/15

HC-DCF™ Low Flash Dry Cleaning Solvent

sion 2.2	Revision Date 2022-0	
	substances.	
Toxicity to daphnia and o	ther aquatic invertebrates	
C9-C11 Isoalkanes	: EL50: 22 - 46 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea) static test Method: OECD Test Guideline 202 Information given is based on data obtained from similar substances.	
Toxicity to algae		
C9-C11 Isoalkanes	 ErL50: > 1,000 mg/l Exposure time: 72 h Species: Pseudokirchneriella subcapitata (algae) static test Method: OECD Test Guideline 201 Information given is based on data obtained from similar substances. 	
Toxicity to fish (Chronic t	oxicity)	
C9-C11 Isoalkanes	: NOELR: 0.132 mg/l Species: Oncorhynchus mykiss (rainbow trout) Method: QSAR modeled data	
Biodegradability		
C9-C11 Isoalkanes	 aerobic 53 % Testing period: 28 d Method: OECD Test Guideline 301F This material is not expected to be readily biodegradable. Expected to be inherently biodegradable. Information given is based on data obtained from similar substances. 	
Bioaccumulation		
C9-C11 Isoalkanes	: This material is not expected to bioaccumulate. Information given is based on data obtained from similar substances.	
Mobility		
C9-C11 Isoalkanes	: The product will be dispersed amongst the various environmental compartments (soil/ water/ air).	
Additional ecological information Ecotoxicology Assessme	: Toxic to aquatic life with long lasting effects.	
	10/15	

Version 2.2

Revision Date 2022-09-12

Short-term (acute) aquatic hazard C9-C11 Isoalkanes : Toxic to aquatic life.

Long-term (chronic) aquatic hazard C9-C11 Isoalkanes : Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Produ

Product	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers. Do not burn, or use a cutting

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

torch on, the empty drum.

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS) UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III, (39.4 °C c.c.), MARINE POLLUTANT, (C9-

C11 ISOALKANES)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE)) UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS, (C9-C11 ISOALKANES)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF

SDS Number:100000014200

11/15

HC-DCF™ Low Flash Dry Cleaning Solvent

Version 2.2

30,UN3295,HYDROCARE C11 ISOALKANES)	3ONS, LIQUID, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS, (C
OF DANGEROUS GOODS	MENT CONCERNING THE INTERNATIONAL CARRIAGE BY INLAND WATERWAYS) DNS, LIQUID, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS, (C9
Maritime transport in bulk	according to IMO instruments
National legislation	
SARA 311/312 Hazards	: Flammable (gases, aerosols, liquids, or solids) Aspiration hazard Specific target organ toxicity (single or repeated exposure)
CERCLA Reportable Quantity	: This material does not contain any components with a CERCLA RQ.
SARA 302 Reportable Quantity	: This material does not contain any components with a SARA 302 RQ.
SARA 302 Threshold Planning Quantity	: This material does not contain any components with a section 302 EHS TPQ.
SARA 304 Reportable Quantity	: This material does not contain any components with a section 304 EHS RQ.
SARA 313 Components	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
Clean Air Act	
Potential Class	product neither contains, nor was manufactured with a Class I or II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR ubpt. A, App.A + B).

Version 2.2 Revision Date 2022-09-12 This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489). **US State Regulations** Pennsylvania Right To Know : C9-C11 Isoalkanes - 68551-16-6 California Prop. 65 : This product does not contain any chemicals known to the State Components of California to cause cancer, birth, or any other reproductive defects. **Notification status** Europe REACH Not in compliance with the inventory Switzerland CH INV On the inventory, or in compliance with the inventory 5 United States of America (USA) On or in compliance with the active portion of the 5 TSCA **TSCA** inventory Canada DSL All components of this product are on the Canadian 2 DSL Other AIIC On the inventory, or in compliance with the inventory New Zealand NZIoC Not in compliance with the inventory 1 Japan ENCS On the inventory, or in compliance with the inventory 1 Korea KECI A substance(s) in this product was not registered, 2 notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance or the exported amount does not exceed the minimum threshold quantity of the non-registered substance(s). Philippines PICCS On the inventory, or in compliance with the inventory Taiwan TCSI On the inventory, or in compliance with the inventory 5 China IECSC On the inventory, or in compliance with the inventory •

SDS Number:100000014200

Version 2.2

Revision Date 2022-09-12

SECTION 16: Other information

NFPA Classification	: Health Hazard: 1 Fire Hazard: 2 Reactivity Hazard: 0	
Further information		
Legacy SDS Number	: 711630	

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ACGIH	American Conference of	LD50	Lethal Dose 50%
	Government Industrial Hygienists		
AICS	Australia, Inventory of Chemical	LOAEL	Lowest Observed Adverse Effe
	Substances		Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agenc
NDOL		NIOSH	
NDSL Canada, Non-Domestic Substances List		NIOSH	National Institute for Occupatio Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentra
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health
	Scenario Tool		Administration
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit
	Chemicals Association		
EINECS	European Inventory of Existing	PICCS	Philippines Inventory of
	Chemical Substances		Commercial Chemical Substan
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recov
			Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and
			Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical	TWA	Time Weighted Average
	Substances in China		
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act
Number:100	000011000	4	4/15

HC-DCF[™] Low Flash Dry Cleaning Solvent

Version 2.2

Revision Date 2022-09-12

	New Chemical Substances		
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

SDS Number:100000014200