

Version 1.13 Revision Date 2023-10-23

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : AlphaPlus® 1-Hexadecene

Material : 1128490, 1076762, 1037049, 1037048

Company : Chevron Phillips Chemical Company LP

Normal Alpha Olefins (NAO) 10001 Six Pines Drive The Woodlands, TX 77380

Emergency telephone:

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week) Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371

67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

SDS Number:100000065709 1/15

Version 1.13 Revision Date 2023-10-23

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000 Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24

hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

SECTION 2: Hazards identification

Classification of the substance or mixture

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Classification

: Aspiration hazard, Category 1

Labeling

Symbol(s) :

Signal Word : Danger

Hazard Statements : H304: May be fatal if swallowed and enters airways.

Precautionary Statements : Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/ doctor.

P331 Do NOT induce vomiting.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SDS Number:100000065709 2/15

Version 1.13 Revision Date 2023-10-23

SECTION 3: Composition/information on ingredients

Synonyms : NAO 16

1-Hexadecene (C16 H32)

Molecular formula : C16H32

Component	CAS-No.	Weight %
1-Hexadecene	629-73-2	93
2-Butyl-1-Dodecene	115146-98-0	2
2-Ethyl-1-Tetradecene	56919-55-2	2
2-Hexyl-1-Decene	13043-55-5	2

SECTION 4: First aid measures

General advice : Move out of dangerous area. Show this material safety data

sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : If unconscious, place in recovery position and seek medical

advice. If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician. If on skin, rinse well

with water. If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution. Remove contact

lenses. Protect unharmed eye. Keep eye wide open while

rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Do NOT induce vomiting. Never

give anything by mouth to an unconscious person. If

symptoms persist, call a physician. Take victim immediately to

hospital.

SECTION 5: Firefighting measures

Flash point : 132°C (270°F)

Method: PMCC

Autoignition temperature : 240°C (464°F)

Unsuitable extinguishing

media

: High volume water jet.

Specific hazards during fire

fighting

: Standard procedure for chemical fires.

Special protective

equipment for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

SDS Number:100000065709 3/15

AlphaPlus® 1-Hexadecene

Version 1.13 Revision Date 2023-10-23

Further information : Standard procedure for chemical fires. Use extinguishing

measures that are appropriate to local circumstances and the

surrounding environment.

Fire and explosion

protection

: Normal measures for preventive fire protection.

Hazardous decomposition

products

: No data available.

SECTION 6: Accidental release measures

Personal precautions : Use personal protective equipment. Ensure adequate

ventilation.

: Prevent product from entering drains. Prevent further leakage Environmental precautions

or spillage if safe to do so. If the product contaminates rivers

and lakes or drains inform respective authorities.

: Soak up with inert absorbent material (e.g. sand, silica gel, acid Methods for cleaning up

binder, universal binder, sawdust). Keep in suitable, closed

containers for disposal.

SECTION 7: Handling and storage

Handling

Advice on safe handling : Do not breathe vapors or spray mist. For personal protection

> see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in

accordance with local and national regulations.

Advice on protection against fire and explosion

: Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working

materials must comply with the technological safety standards.

SECTION 8: Exposure controls/personal protection

Engineering measures

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

SDS Number:100000065709 4/15

Version 1.13 Revision Date 2023-10-23

Respiratory protection : If ventilation or other engineering controls are not adequate to

maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:. Air-Purifying Respirator for Dusts and Mists / P100. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators

may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Protective suit.

Safety shoes.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state : liquid

Color : Clear, colorless

Safety data

Flash point : 132°C (270°F)

Method: PMCC

Lower explosion limit : 0.5 %(V)

Upper explosion limit : 5.8 %(V)

Oxidizing properties : no

Autoignition temperature : 240°C (464°F)

Molecular formula : C16H32

Molecular weight : 224.48 g/mol

pH : Not applicable

SDS Number:100000065709 5/15

Version 1.13 Revision Date 2023-10-23

Melting point/range : 4°C (39°F)

Freezing point 4°C (39°F)

Pour point No data available

Boiling point/boiling range : 285°C (545°F)

Vapor pressure : 0.00 MMHG

at 25°C (77°F)

< 0.01 kPa at 65°C (149°F)

Relative density : 0.78

at 15.6 °C (60.1 °F)

Density : 785 kg/m3

at 15°C (59°F)

780 kg/m3 at 20°C (68°F)

760 kg/m3 at 50°C (122°F)

Water solubility : Soluble in hydrocarbons; insoluble in water

Partition coefficient: n-

octanol/water

: No data available

Viscosity, kinematic : 3.83 cSt

at 20°C (68°F)

Relative vapor density : 7.72

(Air = 1.0)

Evaporation rate : No data available

SECTION 10: Stability and reactivity

Reactivity : Stable at normal ambient temperature and pressure.

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

Possibility of hazardous reactions

Hazardous reactions : Further information: No decomposition if stored and applied as

SDS Number:100000065709 6/15

AlphaPlus® 1-Hexadecene

Version 1.13 Revision Date 2023-10-23

directed.

Conditions to avoid : No data available.

Materials to avoid : May react with oxygen and strong oxidizing agents, such as

chlorates, nitrates, peroxides, etc.

Hazardous decomposition

products

: No data available

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Acute oral toxicity

1-Hexadecene : LD50: 10 g/kg

Species: Rat

Sex: male and female

Method: OECD Test Guideline 401

Test substance: yes

Acute inhalation toxicity

1-Hexadecene : LC50: > 8.5 mg/lExposure time: 1 h

Species: Rat Sex: male

Test atmosphere: dust/mist

Acute dermal toxicity

1-Hexadecene : LD50: > 2020 mg/kg

Species: Rabbit Sex: male and female

Information given is based on data obtained from similar

substances.

AlphaPlus® 1-Hexadecene

Skin irritation

: Mild skin irritation

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of

the skin.

AlphaPlus® 1-Hexadecene

Eye irritation

: Vapors may cause irritation to the eyes, respiratory system

and the skin.

Sensitization

1-Hexadecene : Did not cause sensitization on laboratory animals.

Repeated dose toxicity

1-Hexadecene : Species: Rat, Male and female

Sex: Male and female

Application Route: oral gavage Dose: 100, 500, or 1000 mg/kg/day

SDS Number:100000065709 7/15

Version 1.13 Revision Date 2023-10-23

Exposure time: 42- 51 days Number of exposures: Daily NOEL: 1000 mg/kg bw/day Method: OECD Guideline 422

Information given is based on data obtained from similar

substances.

Species: Rat, male

Sex: male

Application Route: oral gavage Dose: 10, 101, 1010, 3365 mg/kg/day

Exposure time: 4 weeks

Number of exposures: 7 days/week NOEL: 101 mg/kg bw/day

Method: OECD Test Guideline 407

Target Organs: Stomach

Information given is based on data obtained from similar

substances.

Species: Rat, female

Sex: female

Application Route: oral gavage Dose: 10, 101, 1010, 3365 mg/kg/day

Exposure time: 4 weeks

Number of exposures: 7 days/week NOEL: 1010 mg/kg bw/day Method: OECD Test Guideline 407

Information given is based on data obtained from similar

substances.

Species: Rat, Male and female

Sex: Male and female

Application Route: oral gavage Dose: 100, 500, 1000 mg/kg/day Exposure time: 13 weeks

Number of exposures: 7 days/week

NOEL: 1000 mg/kg bw/day Information given is based on data obtained from similar

substances.

Species: Rat. Male and female

Sex: Male and female Application Route: Inhalation Dose: 300, 1000, 3000 ppm Exposure time: 13 weeks

Number of exposures: 6 hrs/day, 5 days/week

NOEL: 3000 ppm

Information given is based on data obtained from similar

substances.

Genotoxicity in vitro

1-Hexadecene : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

SDS Number:100000065709

Version 1.13 Revision Date 2023-10-23

Test Type: Mammalian cell gene mutation assay

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo

1-Hexadecene : Test Type: Micronucleus test

Species: Mouse

Dose: 1,000, 10,000, 25,000 ppm

Result: negative

Reproductive toxicity

1-Hexadecene : Species: Rat

Sex: female

Application Route: oral gavage Dose: 100, 500, 1000 mg/kg/day Number of exposures: Daily Test period: 41 to 55 days Method: OECD Guideline 421 NOAEL Parent: 1000 mg/kg bw/day NOAEL F1: 1000 mg/kg bw/day

Information given is based on data obtained from similar

substances.

Species: Rat

Sex: male and female

Application Route: oral gavage Dose: 100, 500, 1000 mg/kg/day Number of exposures: Daily Test period: 42- 51days Method: OECD Guideline 422 NOAEL Parent: 1000 mg/kg bw/day NOAEL F1: 1000 mg/kg bw/day

Information given is based on data obtained from similar

substances.

AlphaPlus® 1-Hexadecene

Aspiration toxicity

May be fatal if swallowed and enters airways.

Substances known to cause human aspiration toxicity hazards or to be regarded as if they cause human aspiration toxicity

hazard.

CMR effects

1-Hexadecene : Carcinogenicity: Not classifiable as a human carcinogen.

Mutagenicity: Did not show mutagenic effects in animal

experiments.

Teratogenicity: Did not show teratogenic effects in animal

experiments.

Reproductive toxicity: No toxicity to reproduction

AlphaPlus® 1-Hexadecene

Further information : Solvents may degrease the skin.

SDS Number:100000065709 9/15

Version 1.13 Revision Date 2023-10-23

SECTION 12: Ecological information

Toxicity to fish

1-Hexadecene : LL50: > 1000 mg/L

Exposure time: 96 h

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 203

The product has low solubility in the test medium. An aqueous

dispersion was tested.

Toxicity to daphnia and other aquatic invertebrates

1-Hexadecene : EL50: < 1000 mg/L

Exposure time: 48 h

Species: Daphnia magna (Water flea) static test Method: OECD Test Guideline 202

The product has low solubility in the test medium. An aqueous

dispersion was tested.

Toxicity to algae

1-Hexadecene : EC50: > 1000 mg/L

Exposure time: 72 h

Species: Selenastrum capricornutum (algae) static test Method: OECD Test Guideline 201

The product has low solubility in the test medium. An aqueous

dispersion was tested.

Biodegradability

1-Hexadecene : According to the results of tests of biodegradability this

product is considered as being readily biodegradable.

Bioaccumulation

1-Hexadecene : Due to the distribution coefficient n-octanol/water,

accumulation in organisms is possible.

Mobility

1-Hexadecene : No data available

Results of PBT assessment

1-Hexadecene : Non-classified PBT substance, Non-classified vPvB substance

Additional ecological

information

: This material is not expected to be harmful to aquatic

organisms.

No data available

SDS Number:100000065709 10/15

AlphaPlus® 1-Hexadecene

Version 1.13 Revision Date 2023-10-23

Ecotoxicology Assessment

Short-term (acute) aquatic

: No toxicity at the limit of solubility.

hazard

Long-term (chronic) aquatic hazard

1-Hexadecene : This material is not expected to be harmful to aquatic

organisms.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate

ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

SDS Number:100000065709 11/15

AlphaPlus® 1-Hexadecene

Version 1.13 Revision Date 2023-10-23

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Other information : OLEFINS (C13 +, all isomers), S.T. 2, Cat.Y

Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

National legislation

SARA 311/312 Hazards : Aspiration hazard

CERCLA Reportable

Quantity

: This material does not contain any components with a CERCLA

RQ.

SARA 302 Reportable

Quantity

: This material does not contain any components with a SARA

302 RQ.

SARA 302 Threshold

Planning Quantity

: This material does not contain any components with a section

302 EHS TPQ.

SARA 304 Reportable

Quantity

: This material does not contain any components with a section

304 EHS RQ.

SARA 313 Components : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion

Potential

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

SDS Number:100000065709 12/15

Version 1.13 Revision Date 2023-10-23

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

US State Regulations

Pennsylvania Right To Know

: 1-Hexadecene - 629-73-2

2-Butyl-1-Dodecene - 115146-98-0 2-Ethyl-1-Tetradecene - 56919-55-2 2-Hexyl-1-Decene - 13043-55-5

California Prop. 65

Components

Korea KECI

: This product does not contain any chemicals known to the State

of California to cause cancer, birth, or any other reproductive

defects.

Notification status

Europe REACH : This product is in full compliance according to REACH

regulation 1907/2006/EC.

Switzerland CH INV : On the inventory, or in compliance with the inventory

United States of America (USA) : On or in compliance with the active portion of the

TSCA TSCA inventory

Canada DSL

Australia AIIC

New Zealand NZIoC

Japan ENCS

On the inventory, or in compliance with the inventory

on the inventory, or in compliance with the inventory

on the inventory, or in compliance with the inventory

on the inventory, or in compliance with the inventory

: A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance or the exported amount does not exceed the minimum threshold quantity of the non-registered substance(s).

Philippines PICCS : On the inventory, or in compliance with the inventory Taiwan TCSI : On the inventory, or in compliance with the inventory China IECSC : On the inventory, or in compliance with the inventory


SDS Number:100000065709 13/15

Version 1.13 Revision Date 2023-10-23

SECTION 16: Other information

NFPA Classification : Health Hazard: 1

Fire Hazard: 1 Reactivity Hazard: 0



Further information

Legacy SDS Number : PE0021

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of	LD50	Lethal Dose 50%	
	Government Industrial Hygienists			
AIIC	Australian Inventory of Industrial	LOAEL	Lowest Observed Adverse Effect	
	Chemicals		Level	
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency	
NDSL	Canada, Non-Domestic	NIOSH	National Institute for Occupational	
	Substances List		Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of	
			Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health	
	Scenario Tool		Administration	
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit	
	Chemicals Association			
EINECS	European Inventory of Existing	PICCS	Philippines Inventory of	
	Chemical Substances		Commercial Chemical Substances	
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic	
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and	
			Reauthorization Act.	
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value	
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average	
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act	

SDS Number:100000065709 14/15

AlphaPlus® 1-Hexadecene

Version 1.13 Revision Date 2023-10-23

	New Chemical Substances		
KECI	Korea, Existing Chemical	UVCB	Unknown or Variable Composition,
	Inventory		Complex Reaction Products, and
			Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials
			Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

SDS Number:100000065709 15/15