

**Sulfolane - A Anhydrous**

Version 4.0

Revision Date 2024-02-14

according to GB/T 16483 and GB/T 17519

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product information**

Product Name : Sulfolane - A Anhydrous  
Material : 1126072, 1125132, 1122438, 1115722, 1114955, 1100709,  
1098522, 1093880, 1024635, 1024637, 1024641, 1024640,  
1024644, 1024636, 1024639, 1024638, 1032498, 1024634

Use : Solvent

Company : Chevron Phillips Chemical Company LP  
Specialty Chemicals  
10001 Six Pines Drive  
The Woodlands, TX 77380

Local : Chevron Phillips Chemicals (Shanghai) Corporation  
Room 1810-1812, Shanghai Mart,  
2299 Yan An Road (W),  
Shanghai, PRC 200336  
Tel: (86-21) 22157200

**Emergency telephone:****Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

**Transport:**

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Gifflinjen): +45 8212 1212

Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

**Sulfolane - A Anhydrous**

Version 4.0

Revision Date 2024-02-14

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)  
 Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Greece: (0030) 2107793777 (24 hours/day, 7 days/week)  
 Hungary: +36-80-201-199 (24 hours/day, 7 days/week)  
 Iceland: 543 2222 (24 hours/day, 7 days/week)  
 Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico “Agostino Gemelli”, Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico “Umberto I” Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera “Antonio Cardarelli” Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera “Papa Giovanni XXIII” Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;  
 Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)  
 Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Lithuania: +370 (85) 2362052  
 Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)  
 Malta: +356 2395 2000  
 The Netherlands: NVIC: +31 (0)88 755 8000  
 Norway: 22 59 13 00 (24 hours/day, 7 days/week)  
 Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Portugal: CIAV phone number: +351 800 250 250  
 Romania: +40213183606  
 Slovakia: +421 2 5477 4166  
 Slovenia: Phone number: 112  
 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)  
 Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group  
 E-mail address : SDS@CPChem.com  
 Website : www.CPChem.com

**SECTION 2: Hazards identification****Classification of the substance or mixture**

**GHS Classification and Labeling: Follow GB 13690, GB 15258 and GB 30000.2 to GB 30000.29 (GHS 2011)**

**Emergency Overview****Danger**

**Form:** liquid    **Physical state:** liquid    **Color:** Clear    **Odor:** Mild

**Hazards** : Harmful if swallowed. May damage fertility or the unborn child.  
 May cause damage to organs through prolonged or repeated exposure.

**Classification**

**H** : Acute toxicity, Category 4, Oral  
**R** Reproductive toxicity, Category 1B

**Sulfolane - A Anhydrous**

Version 4.0

Revision Date 2024-02-14



Specific target organ toxicity - repeated exposure, Category 2,  
Immune system

**Labeling**

Symbol(s)



Signal Word

: Danger

Hazard Statements

: H302: Harmful if swallowed.  
H360: May damage fertility or the unborn child.  
H373: May cause damage to organs (Immune system) through  
prolonged or repeated exposure.

Precautionary Statements

: **Prevention:**  
P201: Obtain special instructions before use.  
P202: Do not handle until all safety precautions have been  
read and understood.  
P260: Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.  
P264: Wash skin thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P280: Wear protective gloves/ protective clothing/ eye  
protection/ face protection.  
**Response:**  
P301 + P312 + P330: IF SWALLOWED: Call a POISON  
CENTER/ doctor if you feel unwell. Rinse mouth.  
P308 + P313: IF exposed or concerned: Get medical advice/  
attention.  
**Storage:**  
P405: Store locked up.  
**Disposal:**  
P501: Dispose of contents/ container to an approved waste  
disposal plant.

**SECTION 3: Composition/information on ingredients**

Synonyms

: Tetramethylene Sulfone  
Sulfolane Anhydrous  
Tetrahydrothiophene 1,1-dioxide

Molecular formula

: C<sub>4</sub>H<sub>8</sub>SO<sub>2</sub>

Chemical name	CAS-No. / EINECS-No.	Concentration [wt%]
Sulfolane	126-33-0	99 - 100

**SECTION 4: First aid measures**

General advice

: Move out of dangerous area. Show this material safety data

**Sulfolane - A Anhydrous**

Version 4.0

Revision Date 2024-02-14

- sheet to the doctor in attendance.
- If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
- In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
- If swallowed : Induce vomiting immediately and call a physician. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

**Notes to physician**

- Symptoms : No data available.
- Risks : No data available.
- Treatment : No data available.

**SECTION 5: Firefighting measures**

- Flash point : 166°C (331°F)  
Method: closed cup
- Autoignition temperature : No data available
- Unsuitable extinguishing media : High volume water jet.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Fire and explosion protection : Normal measures for preventive fire protection.
- Hazardous decomposition products : Carbon oxides. Sulfur oxides.

**SECTION 6: Accidental release measures**

- Personal precautions : Use personal protective equipment.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid

**Sulfolane - A Anhydrous**

Version 4.0

Revision Date 2024-02-14

binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

**SECTION 7: Handling and storage****Handling**

Advice on safe handling : Do not breathe vapors/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

**Storage**

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Use : Solvent

**SECTION 8: Exposure controls/personal protection****Chevron Phillips Chemical Company LP**

Components	Basis	Value	Control parameters	Note
Sulfolane	Manufacturer	TWA	0.37 ppm,	

Not applicable

**Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as: A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe

**Sulfolane - A Anhydrous**

Version 4.0

Revision Date 2024-02-14

the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

- Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Protective suit. Safety shoes.
- Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

**SECTION 9: Physical and chemical properties****Information on basic physical and chemical properties****Appearance**

- Form : liquid
- Physical state : liquid
- Color : Clear
- Odor : Mild

**Safety data**

- Flash point : 166°C (331°F)  
Method: closed cup
- Lower explosion limit : No data available
- Upper explosion limit : No data available
- Oxidizing properties : No
- Autoignition temperature : No data available
- Molecular formula : C<sub>4</sub>H<sub>8</sub>SO<sub>2</sub>
- Molecular weight : 120.18 g/mol
- pH : Not applicable
- Freezing point : 26°C (79°F)
- Pour point : No data available
- Boiling point/boiling range : 282-288°C (540-550°F)
- Vapor pressure : 1.14 MMHG  
at 37.8°C (100.0°F)
- Relative density : 1.26  
at 30 °C (86 °F)

**Sulfolane - A Anhydrous**

Version 4.0

Revision Date 2024-02-14

Density	: 1.26 G/ML
Water solubility	: Miscible
Partition coefficient: n-octanol/water	: log Pow: 0 at 20°C (68°F)
Viscosity, kinematic	: No data available
Relative vapor density	: 3 (Air = 1.0)
Evaporation rate	: 1
Percent volatile	: > 99 %
Conductivity	: No data available

**SECTION 10: Stability and reactivity**

<b>Reactivity</b>	: Stable under recommended storage conditions.
<b>Chemical stability</b>	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
<b>Possibility of hazardous reactions</b>	
<b>Hazardous reactions</b>	: Hazardous reactions: Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	: No data available.
<b>Materials to avoid</b>	: May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
<b>Hazardous decomposition products</b>	: Carbon oxides Sulfur oxides
<b>Other data</b>	: No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information**

<b>Sulfolane - A Anhydrous</b>	
<b>Acute oral toxicity</b>	: Acute toxicity estimate: 505.05 mg/kg Method: Calculation method
<b>Acute inhalation toxicity</b>	
Sulfolane	: LC50: > 12000 mg/m <sup>3</sup> Exposure time: 4 h

**Sulfolane - A Anhydrous**

Version 4.0

Revision Date 2024-02-14

Species: Rat  
Sex: male and female  
Test atmosphere: vapor  
An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.

**Acute dermal toxicity**

Sulfolane : LD50: > 2,000 mg/kg  
Species: Rat  
Method: Directive 67/548/EEC, Annex V, B.3.

**Skin irritation**

Sulfolane : No skin irritation

**Eye irritation**

Sulfolane : No eye irritation

**Sensitization**

Sulfolane : Did not cause sensitization on laboratory animals.

**Repeated dose toxicity**

Sulfolane : Species: Rat, male  
Sex: male  
Application Route: oral gavage  
Dose: 60, 200, 700 mg/kg bw/day  
Exposure time: 28 d  
Number of exposures: daily  
NOEL: 60 mg/kg  
Target Organs: Kidney



**Sulfolane - A Anhydrous**

Version 4.0

Revision Date 2024-02-14

Species: Rat, female  
 Sex: female  
 Application Route: oral gavage  
 Dose: 60, 200, 700 mg/kg bw/day  
 Exposure time: 28 d  
 Number of exposures: Daily  
 NOEL: 200 mg/kg  
 Lowest observable effect level: 700 mg/kg

Species: Rat  
 Application Route: Inhalation  
 Dose: 2.8, 4.0, 20 mg/m<sup>3</sup>  
 Exposure time: 90-110 days  
 Number of exposures: 23 hrs/d, 7d/wk  
 NOEL: 20 mg/m<sup>3</sup>

Species: Guinea pig  
 Application Route: Inhalation  
 Dose: 4.0, 20, 159, 200 mg/m<sup>3</sup>  
 Exposure time: 90-110 days  
 Number of exposures: 23 hrs/d, 7 d/wk  
 NOEL: 159 mg/m<sup>3</sup>  
 Target Organs: Lungs, Blood, Liver

Species: Rat, male  
 Sex: male  
 Application Route: oral (drinking water)  
 Dose: 2.1, 8.8, 35, 131.7 mg/kg/d  
 Exposure time: 13 wk  
 Number of exposures: Daily  
 NOEL: 8.8 mg/kg  
 Method: OECD Test Guideline 408  
 Target Organs: Kidney

Species: Rat, female  
 Sex: female  
 Application Route: oral (drinking water)  
 Dose: 2.9, 10.6, 42, 191.1 mg/kg/d  
 Exposure time: 13 wk  
 Number of exposures: Daily  
 NOEL: 2.9 mg/kg  
 Method: OECD Test Guideline 408  
 Target Organs: Immune system

Species: Rat, male and female  
 Sex: male and female  
 Application Route: oral gavage  
 Dose: 80, 200, 500 mg/kg  
 Exposure time: 100 d  
 Number of exposures: Daily  
 NOEL: 200 mg/kg  
 Method: OECD Test Guideline 443  
 Target Organs: Immune system

**Genotoxicity in vitro**

Sulfolane

: Test Type: Ames test  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 471

**Sulfolane - A Anhydrous**

Version 4.0

Revision Date 2024-02-14

Result: negative

Test Type: Mouse lymphoma assay  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Sister Chromatid Exchange Assay  
Metabolic activation: with and without metabolic activation  
Result: negative

Test Type: Chromosome aberration test in vitro  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

Test Type: Mouse lymphoma assay  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 490  
Result: negative

**Reproductive toxicity**

Sulfolane

: Species: Rat  
Sex: female  
Application Route: oral gavage  
Dose: 60, 200, 700 mg/kg  
Number of exposures: Daily  
Test period: 2 wk pre mating to lactation D4  
Method: OECD Guideline 421  
NOAEL Parent: 200 mg/kg bw/day  
NOAEL F1: 60 mg/kg bw/day  
Decrease birth index and number of pups

Species: Rat  
Sex: male  
Application Route: oral gavage  
Dose: 80, 200, 500 mg/kg/d  
Number of exposures: Daily  
Method: OECD Test Guideline 443  
NOAEL Parent: 200 mg/kg/d  
NOAEL F1: 200 mg/kg/d  
reduced fertility in male

Species: Rat  
Sex: female  
Application Route: oral gavage  
Dose: 80, 200, 500 mg/kg/d  
Number of exposures: Daily  
Method: OECD Test Guideline 443  
NOAEL Parent: 200 mg/kg/d  
NOAEL F1: 200 mg/kg/d  
Decrease birth index and number of pups

**Developmental Toxicity**

Sulfolane

: Species: Rat  
Application Route: oral gavage  
Dose: 60, 200, 700 mg/kg

**Sulfolane - A Anhydrous**

Version 4.0

Revision Date 2024-02-14

Number of exposures: Daily  
 Test period: 2 wk pre mating to lactation D4  
 NOAEL Teratogenicity: 60 mg/kg bw/day  
 NOAEL Maternal: 200 mg/kg bw/day

Species: Rat  
 Application Route: oral gavage  
 Dose: 100, 200, 500 mg/kg/day  
 Number of exposures: Daily  
 Test period: GD 1 - 19  
 Method: OECD Guideline 414  
 NOAEL Teratogenicity: 200 mg/kg  
 NOAEL Maternal: 100 mg/kg  
 May damage the unborn child.

**Sulfolane - A Anhydrous  
Aspiration toxicity**

: No aspiration toxicity classification.

**Acute effects**

Sulfolane : Harmful if swallowed.

**CMR effects**

Sulfolane : Carcinogenicity: Not available  
 Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.  
 Reproductive toxicity: Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

**Sulfolane - A Anhydrous  
Further information**

: No data available.

**SECTION 12: Ecological information****Toxicity to fish**

Sulfolane : LC50: > 100 mg/l  
 Exposure time: 96 h  
 Species: *Oryzias latipes* (Orange-red killifish)  
 static test Method: OECD Test Guideline 203

**Toxicity to daphnia and other aquatic invertebrates**

Sulfolane : EC50: 852 mg/l  
 Exposure time: 48 h  
 Species: *Daphnia magna* (Water flea)  
 static test Method: OECD Test Guideline 202

**Toxicity to algae**

Sulfolane : EC50: 500 mg/l  
 Exposure time: 72 h  
 Species: *Pseudokirchneriella subcapitata* (green algae)

**Sulfolane - A Anhydrous**

Version 4.0

Revision Date 2024-02-14

Method: OECD Test Guideline 201

NOEC: 171 mg/l

Exposure time: 72 h

Species: Pseudokirchneriella subcapitata (green algae)

Method: OECD Test Guideline 201

**Biodegradability**

Sulfolane : Result: Not readily biodegradable.  
10.1 %  
Testing period: 14 d  
Method: OECD Test Guideline 301C

**Bioaccumulation**

Sulfolane : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): < 1.3  
This material is not expected to bioaccumulate.

**Mobility**

Sulfolane : Groundwater contamination is possible.

**Results of PBT assessment**

Sulfolane : Non-classified vPvB substance, Non-classified PBT substance

**Additional ecological information**

: This material is not expected to be harmful to aquatic organisms.

No data available

**Ecotoxicology Assessment**

Short-term (acute) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

Long-term (chronic) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

**SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

**Sulfolane - A Anhydrous**

Version 4.0

Revision Date 2024-02-14

Contaminated packaging : Empty remaining contents. Dispose of as unused product.  
Do not re-use empty containers.

**SECTION 14: Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**Maritime transport in bulk according to IMO instruments**

**SECTION 15: Regulatory information****Notification status**

Europe REACH : This product is in full compliance according to REACH

SDS Number:100000014122

13/15

**Sulfolane - A Anhydrous**

Version 4.0

Revision Date 2024-02-14

	regulation 1907/2006/EC.
Switzerland CH INV	: On the inventory, or in compliance with the inventory
United States of America (USA) TSCA	: On or in compliance with the active portion of the TSCA inventory
Canada DSL	: All components of this product are on the Canadian DSL
Australia AIIC	: On the inventory, or in compliance with the inventory
New Zealand NZIoC	: On the inventory, or in compliance with the inventory
Japan ENCS	: On the inventory, or in compliance with the inventory
Korea KECI	: All substances in this product were registered, notified to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was included on CPChem's notifications or if the Importer of Record themselves notified the substances.
Philippines PICCS	: On the inventory, or in compliance with the inventory
Taiwan TCSI	: On the inventory, or in compliance with the inventory
China IECSC	: On the inventory, or in compliance with the inventory

**SECTION 16: Other information****Further information**

Legacy SDS Number : 34190

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances

**Sulfolane - A Anhydrous**

Version 4.0

Revision Date 2024-02-14

MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate