

# Marlex® 9708S Polyethylene

Version 1.6

Revision Date 2024-06-06

According to Regulation (EC) No. 1907/2006, Regulation (EC) No. 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

#### Product information

Product Name	:	Marlex® 9708S Polyethylene
Material	:	1106456, 1106455, 1106454, 1106453, 1106452, 1106451,
		1106450

## **EC-No.Registration number**

Chemical name	CAS-No.	Legal Entity
	EC-No.	Registration number
	Index No.	
Ethylene	74-85-1	Chevron Phillips Chemical Company LP
	200-815-3	01-2119462827-27-0004
	601-010-00-3	
Ethylene	74-85-1	Chevron Phillips Chemicals International NV
	200-815-3	01-2119462827-27-0271
	601-010-00-3	
1-Hexene	592-41-6	Chevron Phillips Chemical Company LP
	209-753-1	01-2119475505-34-0005
1-Hexene	592-41-6	Chevron Phillips Chemicals International NV
	209-753-1	01-2119475505-34-0021

1.2

Relevant identified uses of the substance or mixture and uses advised against

1.3	Relevant Identified Uses Supported	:	Manufacture of plastics products
1.5	Details of the supplier of	the sa	afety data sheet
	Company	:	Chevron Phillips Chemical Company LP 10001 Six Pines Drive The Woodlands, TX 77380
	Local	:	Chevron Phillips Chemicals International N.V. Airport Plaza (Stockholm Building) Leonardo Da Vincilaan 19 1831 Diegem
SDS	S Number:100000100288		1/14

# Marlex® 9708S Polyethylene

Version 1.6

Revision Date 2024-06-06

Belgium

SDS Requests: (800) 852-5530 Responsible Party: Product Safety Group Email:sds@cpchem.com

1.4

#### **Emergency telephone:**

#### Health:

866.442.9628 (North America) 1.832.813.4984 (International) Transport: CHEMTREC 800.424.9300 or 703.527.3887(int'l) Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090 Mexico CHEMTREC 01-800-681-9531 (24 hours) South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600 Argentina: +(54)-1159839431 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week) Belgium: 070 245 245 (24 hours/day, 7 days/week) Bulgaria: +359 2 9154 233 Croatia: +3851 2348 342 (24 hours/day, 7 days/week) Cyprus: 1401 Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402 Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Finland: 0800 147 111 09 471 977 (24 hours/day) France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Greece: (0030) 2107793777 (24 hours/day, 7 days/week) Hungary: +36-80-201-199 (24 hours/day, 7 days/week) Iceland: 543 2222 (24 hours/day, 7 days/week) Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME - Policlinico "Agostino Gemelli", Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME - Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico "Umberto I" Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera "Antonio Cardarelli" Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA - IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO - Azienda Ospedaliera "Papa Giovanni XXIII" Tel. 800 883 300; POISON CENTER VERONA - Azienda Ospedaliera Universitaria integrata Tel. 800 011 858: Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.) Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Lithuania: +370 (85) 2362052 Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week) Malta: +356 2395 2000 The Netherlands: NVIC: +31 (0)88 755 8000 Norway: 22 59 13 00 (24 hours/day, 7 days/week) Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Portugal: CIAV phone number: +351 800 250 250 Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112 SDS Number:100000100288 2/14

# Marlex® 9708S Polyethylene

Version 1.6

Revision Date 2024-06-06

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week) Sweden: 112 – ask for Poisons Information

Responsible Department	:	Product Safety and Toxicology Group
E-mail address	:	SDS@CPChem.com
Website	:	www.CPChem.com

MEDICAL APPLICATION CAUTION: Do not use this material in medical applications involving permanent implantation in the human body or permanent contact with internal body fluids or tissues fluids or tissues.

Do not use this material in medical applications involving brief or temporary implantation in the human body or contact with internal body fluids or tissues unless the material has been provided directly from Chevron Phillips Chemical Company LP or its legal affiliates under an agreement which expressly acknowledges the contemplated use.

Chevron Phillips Chemical Company LP and its legal affiliates makes no representation, promise, express warranty or implied warranty concerning the suitability of this material for use in implantation in the human body or in contact with internal body fluids or tissues.

# **SECTION 2: Hazards identification**

#### 2.1

Classification of the substance or mixture REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

## 2.2

# Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

## 2.3

Other hazards Results of PBT and vPvB assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.	/
Endocrine disrupting properties	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 a levels of 0.1% or higher.	-

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 - 3.2 Substance or Mixture

Hazardous ingredients

SDS Number:100000100288

Ma	rlex® 9708S Poly	vethvlene		SA	AFETY DATA SHEE
	sion 1.6	younyiono		Revis	sion Date 2024-06-0
	Chemical name	CAS-No. EC-No. Index No.	Classification (REGULATION (EC) No 1272/2008)	Concentration [wt%]	Specific Conc. Limits, M-factors and ATEs
	Polyethylene Hexene Copolymer	25213-02-9		95 - 100	
Ľ	Contains no hazardous i	ngredients acc	cording to GHS. :		
SEC	CTION 4: First aid measure	ures			
1.1	Description of first-aid	measures			
	If inhaled	fume	e to fresh air in case of ac s from overheating or co a physician.		
	In case of skin contact	imme	e molten material gets on ediate medical attention. erial from the skin or use s	Do not try to pe	el the solidified
	In case of eye contact		e case of contact with eye ater and seek medical ad		ately with plenty
	If swallowed	: Do n	ot induce vomiting withou	ut medical advice	9.
4.2	Most important sympto Notes to physician	oms and effec	ts, both acute and dela	yed	
	Symptoms	: No d	ata available.		
4.3	Risks Indication of any imme		ata available. attention and special t	reatment neede	ed
	Treatment	: No d	ata available.		
SEC	TION 5: Firefighting me	easures			
	Flash point	: No d	ata available		
	Autoignition temperature	e : Nod	ata available		
5.1	Extinguishing media				
	Suitable extinguishing media	Foar foggi appli surfa creat extin	er. Water mist. Dry chem n. If possible, water shound ng nozzle since this is a cation of high velocity water ace layer. Avoid the use of the a dust cloud and the rist guishing measures that a mstances and the surrou	uld be applied as surface burning ater will spread th of straight strean sk of a dust explo are appropriate to	a spray from a material. The burning ns that may osion. Use b local
5.2	Special hazards arising	g from the su	bstance or mixture		
SDS	S Number:100000100288	6	4/1	4	

Vor	arlex® 9708S Polyeth rsion 1.6	וער	Revision Date 2024-06-0
	Specific hazards during fire fighting	:	Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on floors and ledges.
5.3			
	Advice for firefighters Special protective equipment for fire-fighters	:	Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary.
	Further information	:	This material will burn although it is not easily ignited.
	Fire and explosion protection	:	Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
	Hazardous decomposition products	:	Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
SEC	CTION 6: Accidental release	me	asures
6.1	Personal precautions, prot	ecti	ve equipment and emergency procedures
	Personal precautions	:	Sweep up to prevent slipping hazard. Avoid breathing dust. Avoid dust formation.
5.2	Environmental precautions	5	
	Environmental precautions	:	Do not contaminate surface water. Prevent product from entering drains.
6.3	Environmental precautions Methods and materials for Methods for cleaning up	: cor :	entering drains.
	Methods and materials for	: cor :	entering drains.
	<b>Methods and materials for</b> Methods for cleaning up	:	entering drains. <b>Atainment and cleaning up</b> Clean up promptly by sweeping or vacuum. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with
	<b>Methods and materials for</b> Methods for cleaning up Additional advice	:	entering drains. <b>Atainment and cleaning up</b> Clean up promptly by sweeping or vacuum. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with
6.4	Methods and materials for Methods for cleaning up Additional advice Reference to other sections	: : s	entering drains. tainment and cleaning up Clean up promptly by sweeping or vacuum. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). For personal protection see section 8. For disposal
6.4 SE(	Methods and materials for Methods for cleaning up Additional advice Reference to other sections	: : : ge	entering drains. tainment and cleaning up Clean up promptly by sweeping or vacuum. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). For personal protection see section 8. For disposal
6.3 6.4 <u>SE(</u> 7.1	Methods and materials for Methods for cleaning up Additional advice Reference to other sections Reference to other sections CTION 7: Handling and stora Precautions for safe handli	: : : ge	entering drains. tainment and cleaning up Clean up promptly by sweeping or vacuum. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). For personal protection see section 8. For disposal

			ene
Ver	Irlex® 9708S Polyeth	ıyı	
	sion 1.6		Revision Date 2024-06-06
			Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient. At elevated temperatures (>350°F, >177°C), polyethylene can release vapors and gases, which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. These substances may include acetaldehyde, acetone, acetic acid, formic acid, formaldehyde and acrolein. Based on animal data and limited epidemiological evidence, formaldehyde has been listed as a carcinogen. Following all recommendations within this SDS should minimize exposure to thermal processing emissions.
	Advice on protection against fire and explosion	:	Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
7.2	Conditions for safe storage	e, ir	cluding any incompatibilities
	Storage		
	Requirements for storage areas and containers	:	Keep in a dry place. Keep in a well-ventilated place.
	Advice on common storage	:	Do not store together with oxidizing and self-igniting products.
	German storage class	:	Combustible Solids
7.3			
	<b>Specific End Use</b> Use	:	Manufacture of plastics products
SEC		per	· · ·
SEC	Use	: per	· · ·
	Use	per	· · ·
	Use	per	· · ·
<u>SE(</u>	Exposure controls Engineering measures Consider the potential hazard activities, and other substand personal protective equipmer exposure to harmful levels of recommended. The user sho	ds c es nt. this	· · ·
	Exposure controls Engineering measures Consider the potential hazard activities, and other substand personal protective equipmer exposure to harmful levels of recommended. The user sho	ds c es nt. this pulc on is	f this material (see Section 2), applicable exposure limits, job in the work place when designing engineering controls and selecting If engineering controls or work practices are not adequate to preven s material, the personal protective equipment listed below is I read and understand all instructions and limitations supplied with s usually provided for a limited time or under certain circumstances.
	CTION 8: Exposure controls Exposure controls Engineering measures Consider the potential hazard activities, and other substance personal protective equipmer exposure to harmful levels of recommended. The user sho the equipment since protection	ds c es nt. this pulc on is	f this material (see Section 2), applicable exposure limits, job in the work place when designing engineering controls and selecting of engineering controls or work practices are not adequate to preven s material, the personal protective equipment listed below is I read and understand all instructions and limitations supplied with s usually provided for a limited time or under certain circumstances.

larlex® 9708S Polye	ethylene
ersion 1.6	Revision Date 2024-06-0
	known, or other circumstances where air-purifying respirators may not provide adequate protection. Dust safety masks are recommended when the dust concentration is excessive.
Eye protection	: Use of safety glasses with side shields for solid handling is good industrial practice. If this material is heated, wear chemical goggles or safety glasses with side shields or a face shield. If there is potential for dust, use chemical goggles.
Skin and body protection	: At ambient temperatures use of clean and protective clothing is good industrial practice. If the material is heated or molten, wear thermally insulated, heat-resistant gloves that are able to withstand the temperature of the molten product. If this material is heated, wear insulated clothing to prevent skin contact if engineering controls or work practices are not adequate.
ECTION 9: Physical and che	· · · · · · · · · · · · · · · · · · ·
1	· · · · · · · · · · · · · · · · · · ·
1	emical properties
1 Information on basic phy	emical properties
1 Information on basic phy Appearance Form Physical state Color Odor	ysical and chemical properties    Pellets  Solid  Opaque Mild to no odor
1 Information on basic phy Appearance Form Physical state Color Odor Odor Odor Threshold	ysical and chemical properties    Pellets  Solid  Opaque Mild to no odor

- Upper explosion limit: Not applicableAutoignition temperature: No data available
- Thermal decomposition: Low molecular weight hydrocarbons, alcohols, aldehydes,<br/>acids and ketones can be formed during thermal processing.
- Molecular weight
   : Not applicable

   pH
   : Not applicable
- Melting point/range : 90-140°C (194-284°F)
- Freezing pointNot applicableInitial boiling point and boiling<br/>range<br/>Vapor pressure: Not applicable

SDS Number:100000100288

7/14

# Marlex® 9708S Polyethylene

Relative density Density Water solubility		Not applicable 0,91 - 0,97 g/cm3 Please refer to the Technical Data Sheet (TDS) for more detailed information relating to the nominal physical properties, including density, of this polyethylene resin grade.
	:	Please refer to the Technical Data Sheet (TDS) for more detailed information relating to the nominal physical
Water solubility		
	:	negligible
Partition coefficient: n- octanol/water	:	No data available
Solubility in other solvents	:	No data available
/iscosity, dynamic	:	Not applicable
/iscosity, kinematic	:	Not applicable
Relative vapor density	:	Not applicable
Evaporation rate	:	Not applicable
<b>Other information</b> Conductivity	:	No data available
FION 10: Stability and reactive	∕ity	
Reactivity	:	This material is considered non-reactive under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Chemical stability	:	This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous read	ctio	ns
Conditions to avoid	:	Avoid prolonged storage at elevated temperature.
Materials to avoid	:	Avoid contact with strong oxidizing agents.
Thermal decomposition	:	Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
Hazardous decomposition		Normal combustion forms carbon dioxide, water vapor and
	<pre>/iscosity, dynamic /iscosity, kinematic Relative vapor density ivaporation rate Other information Conductivity ION 10: Stability and reactiv Reactivity Chemical stability Possibility of hazardous reac Conditions to avoid Materials to avoid</pre>	<pre>/iscosity, dynamic : /iscosity, kinematic : Relative vapor density : Adaptication rate : Dther information Conductivity : ION 10: Stability and reactivity Reactivity : Chemical stability : Possibility of hazardous reactio Conditions to avoid : Materials to avoid : </pre>

larlex® 9708S Polyeth	SAFETY DATA SHEE
ersion 1.6	Revision Date 2024-06-0
	acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
Other data	: No decomposition if stored and applied as directed.
ECTION 11: Toxicological inform	nation
I.1 Information on toxicological	effects
Marlex® 9708S Polyethylene Acute oral toxicity	
Marlex® 9708S Polyethylene Acute inhalation toxicity	
Marlex® 9708S Polyethylene Acute dermal toxicity	
Marlex® 9708S Polyethylene Skin irritation	: No skin irritation
Marlex® 9708S Polyethylene Eye irritation	: No eye irritation
Marlex® 9708S Polyethylene Sensitization	: Did not cause sensitization on laboratory animals.
Marlex® 9708S Polyethylene Aspiration toxicity Toxicology Assessment	: No data available.
Marlex® 9708S Polyethylene Specific Target Organ Toxicity (Single Exposure)	: Remarks: No adverse effects expected
Marlex® 9708S Polyethylene Specific Target Organ Toxicity (Repeated Exposure)	: Remarks: No adverse effects expected
Marlex® 9708S Polyethylene CMR effects	<ul> <li>Carcinogenicity: No adverse effects expected Mutagenicity: No adverse effects expected Reproductive toxicity: No adverse effects expected</li> </ul>
I.2 DS Number:100000100288	9/14

Marlex® 9708S Polyeth	SAFETY DATA SHEE
Version 1.6	Revision Date 2024-06-0
Information on other hazard	
Marlex® 9708S Polyethylene	
	thermal processing (>350°F, >177°C) polyolefins can release vapors and gases (aldehydes,ketones and organic acids) which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. Generally these irritant effects are all transitory. However, prolonged exposure to irritating off-gases can lead to pulmonary edema. Formaldehyde (an aldehyde) has been classified as a carcinogen based on animal data and limited epidemiological evidence.
Endocrine disrupting properties	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
SECTION 12: Ecological informa	tion
12.1 Toxicity	
Ecotoxicity effects	
Toxicity to fish	: Not a hazardous substance or mixture.
12.2 Persistence and degradabili	ty
Biodegradability	: This material is not expected to be readily biodegradable.
12.3 Bioaccumulative potential Elimination information (persis	tence and degradability)
Bioaccumulation	: Does not bioaccumulate.
12.4 Mobility in soil	
Mobility	: The product is insoluble and floats on water.
12.5	
Results of PBT and vPvB as Results of PBT assessment	
12.6 Endocrine disrupting prope	rties
Endocrine disrupting properties	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation
SDS Number:100000100288	10/14

lylene
Revision Date 2024-06-0
(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
: This material is not expected to be harmful to aquatic organisms., Fish or birds may eat pellets which may obstruct their digestive tracts.
: This material is not expected to be harmful to aquatic organisms.
: This material is not expected to be harmful to aquatic organisms.

## 13.1

#### Waste treatment methods

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

## **SECTION 14: Transport information**

# 14.1 - 14.7

#### Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)** NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

## IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

SDS Number:100000100288

11/14

# Marlex® 9708S Polyethylene

Version 1.6

Revision Date 2024-06-06

IATA (INTERNATIONAL AIR TE NOT REGULATED AS A HA TRANSPORTATION BY THIS	ZARDOUS MATERIAL OR DANGEROUS GOODS FOR							
	<b>EROUS GOODS BY ROAD (EUROPE))</b> ZARDOUS MATERIAL OR DANGEROUS GOODS FOR S AGENCY.							
DANGEROUS GOODS (EUROP								
NOT REGULATED AS A HAZ TRANSPORTATION BY THIS	ZARDOUS MATERIAL OR DANGEROUS GOODS FOR S AGENCY.							
OF DANGEROUS GOODS BY	ZARDOUS MATERIAL ÓR DANGEROUS GOODS FOR							
	Maritime transport in bulk according to IMO instruments							
SECTION 15: Regulatory information	on							
15.1 Safety, health and environmen National legislation	Safety, health and environmental regulations/legislation specific for the substance or mixture							
the European Parliament and of	Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)							
Water hazard class (Germany)	nwg not water endangering							
15.2								
Major Accident Hazard	: 96/82/EC Update: 2003 Directive 96/82/EC does not apply							
Notification status Europe REACH Switzerland CH INV United States of America (USA) TSCA Canada DSL	<ul> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>On or in compliance with the active portion of the TSCA inventory</li> <li>All components of this product are on the Canadian</li> </ul>							
Other AIIC New Zealand NZIoC Japan ENCS Korea KECI	<ul> <li>DSL</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>A substance(s) in this product was not registered,</li> </ul>							
SDS Number:100000100288	12/14							

riex® 9708	S Polyethylene			
sion 1.6				Revision Date 2024-06
		by CPC Importa permitte themsel amount	them accordin tion or manufed provided the lves notified to does not exc	red, or exempted from registration ng to K-REACH regulations. acture of this product is still ne Korean Importer of Record has he substance or the exported seed the minimum threshold egistered substance(s).
Philippines PIC China IECSC Taiwan TCSI	CS :	On the i	inventory, or	n compliance with the inventory n compliance with the inventory n compliance with the inventory
TION 16: Other	information			
Fourth on in four	41			
Further informa	ition			
Significant chang previous version		on are higl	hlighted in the	e margin. This version replaces all
The information	in this SDS pertains on	ly to the p	roduct as shi	oped.
information and guidance for safe not to be conside specific material	belief at the date of its p e handling, use, proces ered a warranty or qual	publicatior ssing, stora lity specific ot be valid	n. The informa age, transpor cation. The in I for such mat	the best of our knowledge, ation given is designed only as a tation, disposal and release and is formation relates only to the terial used in combination with any
		ons and a		d in the safety data sheet
	American Conference of		LD50	Lethal Dose 50%
	Government Industrial Hy Australian Inventory of Ind		LOAEL	Lowest Observed Adverse Effect

	Government Industrial Hygienists		
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZloC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration	PRNT	Presumed Not Toxic

# Marlex® 9708S Polyethylene

# SAFETY DATA SHEET

# Version 1.6

Revision Date 2024-06-06

GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate