

Marlex® 7109L Polyethylene

Version 1.1

Revision Date 2024-08-01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information Product Name Material	: Marlex® 7109L Polyethylene : 1129141, 1129140, 1129138, 1129137
Company	: 10001 Six Pines Drive The Woodlands, TX 77380
Emergency telephone:	
Asia: CHEMWATCH (Mexico CHEMTREC (South America SOS-C Argentina: +(54)-1159 EUROPE: BIG +32.14 Austria: VIZ +43 1 406 Belgium: 070 245 245 Bulgaria: +359 2 9154 Croatia: +3851 2348 3 Cyprus: 1401 Czech Republic: Toxic Denmark: Danish Pois Estonia: BIG +32.14.5 Finland: 0800 147 111 France: ORFILA numl Germany: BIG +32.14 Greece: (0030) 21077 Hungary: +36-80-201- Iceland: 543 2222 (24	national) .9300 or 703.527.3887(int'l) (+612 9186 1132) China: 0532 8388 9090 01-800-681-9531 (24 hours) Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600 0839431 4.584545 (phone) or +32.14583516 (telefax) 6 43 43 (24 hours/day, 7 days/week) 5 (24 hours/day, 7 days/week)
S Number:100000106467	1/13

SAFETY DATA SHEET

Version 1.1

Revision Date 2024-08-01

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME - Policlinico "Agostino Gemelli", Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME - Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico "Umberto I" Tel. +39 06 4997 8000; POISON CENTER FOGGIA - Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera "Antonio Cardarelli" Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA - IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO - Azienda Ospedaliera "Papa Giovanni XXIII" Tel. 800 883 300; POISON CENTER VERONA - Azienda Ospedaliera Universitaria integrata Tel. 800 011 858: Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.) Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Lithuania: +370 (85) 2362052 Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week) Malta: +356 2395 2000 The Netherlands: NVIC: +31 (0)88 755 8000 Norway: 22 59 13 00 (24 hours/day, 7 days/week) Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Portugal: CIAV phone number: +351 800 250 250 Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week) Sweden: 112 - ask for Poisons Information : Product Safety and Toxicology Group Responsible Department : SDS@CPChem.com E-mail address Website www.CPChem.com : MEDICAL APPLICATION CAUTION: Do not use this material in medical applications involving permanent implantation in the human body or permanent contact with internal body fluids or tissues fluids or tissues. Do not use this material in medical applications involving brief or temporary implantation in the human body or contact with internal body fluids or tissues unless the material has been provided directly from Chevron Phillips Chemical Company LP or its legal affiliates under an agreement which expressly acknowledges the contemplated use. Chevron Phillips Chemical Company LP and its legal affiliates makes no representation, promise, express warranty or implied warranty concerning the suitability of this material for use in implantation in the human body or in contact with internal body fluids or tissues. **SECTION 2: Hazards identification** Classification of the substance or mixture This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Classification

: Combustible dust

Labeling

SDS Number:100000106467

Marlex® 7109L Polyethylene

While this production further process concentration Potential Health Effects Physical Hazards Pellets may cause Mechanical process concentrations in temperatures may inhalation Inhalation Repeated exposs respiratory irritati Furnes generate irritation of the up Skin Skin Contact with the significant irritatio Contact with the response. If this material is Thermal burns m discolorations, so discolorations, so function. Not expected to Thermal burns m discolorations for the up Symptoms of the up Sympt	Revision Date 2024-08-0 pustible dust concentrations in air. uct may not be a combustible dust as sold, ing or handling may form combustible dust n air.		
Hazard Statements May form com While this pro- concentration Potential Health Effects Physical Hazards Pellets may cause Mechanical pro- concentrations in temperatures may respiratory irritati Fumes generate irritation of the up Skin Skin Contact with the response. If this material is Thermal burns m 	uct may not be a combustible dust as sold, ing or handling may form combustible dust		
While this production further process concentration Potential Health Effects Physical Hazards Pellets may cause Mechanical process concentrations in temperatures may memperatures may further process respiratory irritation of the up significant irritation of the up some significant irritation. Not expected to the response. If this material is Thermal burns m discolorations, so the up some significant irritation. Not expected to the test of the up at the significant irritation of the up at the significant irritation. Not expected to the up at the significant irritation of the up at the significant is the signis the signis the significant is the significant is the s	uct may not be a combustible dust as sold, ing or handling may form combustible dust		
Physical Hazards : Pellets may cause Mechanical procession in temperatures may cause Mechanical procession concentrations in temperatures may cause Mechanical procession of the up significant irritation of the contact with the response. If this material is Thermal burns may discolorations, so the expected to a Thermal burns may cause is symptoms of the up solution of this is symptoms of the up solution of the up at the output of the equal to 0.1% is in the maximum carcinogen in the procession of the up solution on ingredient of the equal to 0.1% is in the by NTP. SECTION 3: Composition/information on ingredient of the equal to 0.1% is in the polyethylene Hexene Copolymer			
Inhalation : Repeated exposites respiratory irritation of the up significant is the significant is the up significant is the significant irritation of the up significant is the signi			
Inhalation : Repeated exposing respiratory irritation of the up significant irritation of the up significant irritation of the up significant irritation contact with the significant irritation contact with the response. If this material is Thermal burns m discolorations, so Thermal burns m discolorations, so the section. Not expected to the transmission of the up symptoms of the up	e a slip hazard on hard surfaces. ssing may form combustible dust air and thermal processing at elevated		
Skin : Contact with the significant irritation of the up significant with the significant irritation contact with the response. If this material is Thermal burns m discolorations, set is contact with the action. Not expected to the thermal burns m lngestion Eyes : Contact with the action. Not expected to the	r generate formaldehyde. re to dust from this material may cause		
Eyes If this material is Thermal burns m discolorations, so Not expected to a Thermal burns m Ingestion : Contact with the action. Not expected to a Thermal burns m Ingestion : Ingestion of this overexposure Carcinogenicity: IARC No ingredient of the equal to 0.1% is id by NTP. NTP No ingredient of the equal to 0.1% is id 	per respiratory tract. kin is not expected to cause prolonged or		
Ingestion : Ingestion of this Symptoms of : No data available Overexposure : No ingredient of the equal to 0.1% is in human carcinogen IARC No ingredient of the equal to 0.1% is in human carcinogen NTP No ingredient of the equal to 0.1% is in human carcinogen SECTION 3: Composition/information on ingredient Component CAS-N Polyethylene Hexene Copolymer 25213-0	neated, thermal burns may result from contact. ay include pain or feeling of heat, elling, and blistering. eyes may cause irritation due to the abrasive ause prolonged or significant eye irritation.		
Overexposure Carcinogenicity: IARC No ingredient of the equal to 0.1% is in human carcinogen NTP No ingredient of the equal to 0.1% is in the equal to 0.1%	ay result if heated material contacts eye. roduct is not a likely route of exposure.		
IARC No ingredient of the equal to 0.1% is in human carcinoger. NTP No ingredient of the equal to 0.1% is in by NTP. SECTION 3: Composition/information on ingredient Component CAS-N Polyethylene Hexene Copolymer 25213-0			
NTP No ingredient of the equal to 0.1% is identified in the equal to 0.1% is identified by NTP. SECTION 3: Composition/information on ingredient Component CAS-N Polyethylene Hexene Copolymer 25213-0			
NTP No ingredient of the equal to 0.1% is independent of the equal to 0.1% is independent by NTP. SECTION 3: Composition/information on ingredient Component CAS-N Polyethylene Hexene Copolymer 25213-0	is product present at levels greater than or entified as probable, possible or confirmed by IARC		
ComponentCAS-NPolyethylene Hexene Copolymer25213-0	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen		
ComponentCAS-NPolyethylene Hexene Copolymer25213-0	S		
Polyethylene Hexene Copolymer 25213-0			
	9		
SECTION 4: First aid measures	-9 99 - 100		
	in case of accidental inhalation of dust or neating or combustion. If symptoms persist,		
DS Number:100000106467	3/13		

rlav® 71001 Palvatk		SAFETY DATA SHE
Irlex® 7109L Polyeth sion 1.1	iyi	Revision Date 2024-08
In case of skin contact	:	If the molten material gets on skin, quickly cool in water. Seek immediate medical attention. Do not try to peel the solidified material from the skin or use solvents or thinners to dissolve it.
In case of eye contact	:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
If swallowed	:	Do not induce vomiting without medical advice.
Notes to physician		
Symptoms	:	No data available.
Risks	:	No data available.
Treatment	:	No data available.
CTION 5: Firefighting measu	res	
Flash point	:	No data available
Autoignition temperature	:	No data available
Suitable extinguishing media	:	Water. Water mist. Dry chemical. Carbon dioxide (CO2). Foam. If possible, water should be applied as a spray from a fogging nozzle since this is a surface burning material. The application of high velocity water will spread the burning surface layer. Avoid the use of straight streams that may create a dust cloud and the risk of a dust explosion. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific hazards during fire fighting	:	Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on floors and ledges.
Special protective equipment for fire-fighters	:	Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	This material will burn although it is not easily ignited.
Fire and explosion protection	:	Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Hazardous decomposition products	:	Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
CTION 6: Accidental release	me	asures
Porconal processitions		Swoon up to provent elipping bezord Avaid breathing duct
Personal precautions S Number:100000106467	•	Sweep up to prevent slipping hazard. Avoid breathing dust. 4/13

rlex® 7109L Polyeth	nvl	SAFETY DATA SHI
sion 1.1	ıyı	Revision Date 2024-08
		Avoid dust formation.
Environmental precautions	:	Do not contaminate surface water. Prevent product from entering drains.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum.
Additional advice	:	Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
CTION 7: Handling and stora	ge	
Handling		
Advice on safe handling	:	Use good housekeeping for safe handling of the product. Keep out of water sources and sewers. Spilled pellets may create a slipping hazard. Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient. At elevated temperatures (>350°F, >177°C), polyethylene can release vapors and gases, which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. These substances may include acetaldehyde, acetone, acetic acid, formic acid, formaldehyde and acrolein. Based on animal data and limited epidemiological evidence, formaldehyde has been listed as a carcinogen. Following all recommendations within this SDS should minimize exposure to thermal processing emissions.
Advice on protection against fire and explosion	:	Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Storage		
Requirements for storage areas and containers	:	Keep in a dry place. Keep in a well-ventilated place.
Advice on common storage	:	Do not store together with oxidizing and self-igniting products.
CTION 8: Exposure controls	per	sonal protection
	-	ntrol parameters

US				
Components	Basis	Value	Control parameters	Note
Nuisance Dust	OSHA Z-3	TWA	15 mg/m3	Total dust
	OSHA Z-3	TWA	5 mg/m3	(respirable dust)
SDS Number:100000106467			5/13	

Marlex® 7109L Polyethylene

Version 1.1

Revision Date 2024-08-01

Control as Particulate Not Otherwise Classified (PNOC). The ACGIH Guideline* for respirable dust is 3.0 mg/m3 and 10.0 mg/m3 for total dust. The OSHA PEL for respirable dust is 5.0 mg/m3 and 15.0 mg/m3 for total dust. This value is for inhalable (total) particulate matter containing no asbestos and < 1.0% crystalline silica. **Engineering measures** Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances. Personal protective equipment Respiratory protection No respiratory protection is normally required. If heated : material generates vapor or fumes that are not adequately controlled by ventilation, wear an appropriate respirator. Use the following elements for air-purifying respirators: Organic Vapor and Formaldehyde. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection. Dust safety masks are recommended when the dust concentration is excessive. Eye protection Use of safety glasses with side shields for solid handling is good industrial practice. If this material is heated, wear chemical goggles or safety glasses with side shields or a face shield. If there is potential for dust, use chemical goggles. Skin and body protection At ambient temperatures use of clean and protective clothing is : good industrial practice. If the material is heated or molten, wear thermally insulated, heat-resistant gloves that are able to withstand the temperature of the molten product. If this material is heated, wear insulated clothing to prevent skin contact if engineering controls or work practices are not adequate. **SECTION 9: Physical and chemical properties** Information on basic physical and chemical properties Appearance : Pellets Form solid Physical state : Color : Opaque Mild to no odor Odor Odor Threshold : No data available

Safety data

SDS Number:100000106467

Flash point : No data available

Lower explosion limit: Not applicableUpper explosion limit: Not applicable

6/13

Version 1.1	Revision Date 2024-08-01
Autoignition temperature	: No data available
Thermal decomposition	: Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
рН	: Not applicable
Melting point/range	: 90-140°C (194-284°F)
Freezing point	Not applicable
Initial boiling point and boiling	: Not applicable
range Vapor pressure	: Not applicable
Relative density	: Not applicable
Density	: 0.91 - 0.97 g/cm3 Please refer to the Technical Data Sheet (TDS) for more detailed information relating to the nominal physical properties, including density, of this polyethylene resin grade.
Water solubility	: negligible
Partition coefficient: n- octanol/water	: No data available
Solubility in other solvents	: No data available
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Relative vapor density	: Not applicable
Evaporation rate	: Not applicable
Conductivity	: No data available
SECTION 10: Stability and reactiv	ity
	.,

Reactivity	: This material is considered non-reactive under normal ambient and anticipated storage and handling conditions of temperature and pressure.	
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.	
Possibility of hazardous reactions		
SDS Number:100000106467	7/13	

-lov@ 71001 Dolucth	SAFETY DATA SHI
rlex® 7109L Polyethy sion 1.1	Viene Revision Date 2024-08
Hazardous reactions	: Hazardous reactions: None known.
Conditions to avoid	: Avoid prolonged storage at elevated temperature.
Materials to avoid	: Avoid contact with strong oxidizing agents.
Thermal decomposition	: Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
Hazardous decomposition products	: Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
Other data	: No decomposition if stored and applied as directed.
TION 11: Toxicological inforr	nation
Marlex® 7109L Polyethylene Acute oral toxicity	: Presumed Not Toxic
Marlex® 7109L Polyethylene Acute inhalation toxicity	
Marlex® 7109L Polyethylene Acute dermal toxicity	: Presumed Not Toxic
Marlex® 7109L Polyethylene Skin irritation	: No skin irritation
Marlex® 7109L Polyethylene Eye irritation	: No eye irritation
Marlex® 7109L Polyethylene Sensitization	: Did not cause sensitization on laboratory animals.
Marlex® 7109L Polyethylene Further information	: This product contains POLYMERIZED OLEFINS. During thermal processing (>350°F, >177°C) polyolefins can release vapors and gases (aldehydes,ketones and organic acids) which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. Generally these irritant effects are all transitory. However, prolonged exposure to irritating off-gases can lead to pulmonary edema. Formaldehyde (an aldehyde) has been classified as a carcinogen based on animal data and limited epidemiological evidence.
Number:100000106467	8/13

Version 1.1

Revision Date 2024-08-01

SECTION 12: Ecological information

Toxicity to fish	: Not applicable
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available
Biodegradability	: This material is not expected to be readily biodegradable.
Elimination information (persis	tence and degradability)
Bioaccumulation	: Does not bioaccumulate.
Mobility	: The product is insoluble and floats on water.
Additional ecological information	: This material is not expected to be harmful to aquatic organisms., Fish or birds may eat pellets which may obstruct their digestive tracts.
Ecotoxicology Assessment	
Short-term (acute) aquatic hazard	: This product has no known ecotoxicological effects.
Long-term (chronic) aquatic hazard	: This product has no known ecotoxicological effects.

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

SDS Number:100000106467

Marlex® 7109L Polyethylene

ersion 1.1	Revision Date 2024-08-0
US DOT (UNITED STATES NOT REGULATED AS A TRANSPORTATION BY	S DEPARTMENT OF TRANSPORTATION) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR 7 THIS AGENCY.
	NAL MARITIME DANGEROUS GOODS) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR Y THIS AGENCY.
	AIR TRANSPORT ASSOCIATION) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR Y THIS AGENCY.
	ANGEROUS GOODS BY ROAD (EUROPE)) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR 7 THIS AGENCY.
RID (REGULATIONS CON DANGEROUS GOODS (EU	ICERNING THE INTERNATIONAL TRANSPORT OF UROPE))
NOT REGULATED AS A TRANSPORTATION BY	A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR (THIS AGENCY.
	EMENT CONCERNING THE INTERNATIONAL CARRIAGE
	A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR
•	k according to IMO instruments
CTION 15: Regulatory infor	mation
National legislation	
SARA 311/312 Hazards	: Combustible dust
CERCLA Reportable Quantity	: This material does not contain any components with a CERCLA RQ.
SARA 302 Reportable Quantity	: This material does not contain any components with a SARA 302 RQ.
SARA 302 Threshold Planning Quantity SARA 304 Reportable Quantity	 No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. This material does not contain any components with a section
Quantity	304 EHS RQ.
S Number:100000106467	

rlex® 7109L Polyeth	SAFETY DATA SHE
sion 1.1	Revision Date 2024-08
SARA 313 Components	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
Clean Air Act	
Potential Class II	oduct neither contains, nor was manufactured with a Class I or ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR opt. A, App.A + B).
This product does not contain Act Section 112 (40 CFR 61).	any hazardous air pollutants (HAP), as defined by the U.S. Clean A
	any chemicals listed under the U.S. Clean Air Act Section 112(r) for n (40 CFR 68.130, Subpart F).
This product does not contain Intermediate or Final VOC's (4	any chemicals listed under the U.S. Clean Air Act Section 111 SOC 40 CFR 60.489).
US State Regulations	
Pennsylvania Right To Know	: No components are subject to the Pennsylvania Right to Know Act.
California Prop. 65 Components	: This product, as shipped, does not contain any carcinogens or reproductive toxins presently known by the State of California to cause cancer or reproductive toxicity at a level of exposure subject to the requirements of California Proposition 65.
Notification status Europe REACH	: This product is in full compliance according to REACH
United States of America (US) TSCA Canada DSL	 regulation 1907/2006/EC. A) : On or in compliance with the active portion of the TSCA inventory : All components of this product are on the Canadian
Australia AIIC New Zealand NZIoC Japan ENCS Korea KECI	 DSL On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still
	permitted provided the Korean Importer of Record has themselves notified the substance or the exported

SAFETY DATA SHEET

Version 1.1

Revision Date 2024-08-01


amount does not exceed the minimum threshold quantity of the non-registered substance(s).

Philippines PICCS Taiwan TCSI	On the inventory, or in compliance with the inventoryOn the inventory, or in compliance with the inventory
Philippines PICCS China IECSC	On the inventory, or in compliance with the inventoryOn the inventory, or in compliance with the inventory

SECTION 16: Other information

NFPA Classification

: Health Hazard: 0 Fire Hazard: 1 Reactivity Hazard: 0



Further information

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ACGIH	Key or legend to abbreviations and a American Conference of	LD50	Lethal Dose 50%
ACGIH	Government Industrial Hygienists	LDSU	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and

SDS Number:100000106467

Marlex® 7109L Polyethylene

Version 1.1

Revision Date 2024-08-01

			Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

SDS Number:100000106467

13/13