

**Methyl Mercaptan**

Version 1.5

Revision Date 2024-09-17

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product information**

Product Name : Methyl Mercaptan
Material : 1121915, 1080456, 1026775, 1026821, 1021561, 1026822,
1026826, 1026825, 1028622

Use : Chemical intermediate

Company : Chevron Phillips Chemical Company LP
Specialty Chemicals
10001 Six Pines Drive
The Woodlands, TX 77380

Emergency telephone:**Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Gifflinjen): +45 8212 1212

Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week)

Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Methyl Mercaptan

Version 1.5

Revision Date 2024-09-17

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico “Agostino Gemelli”, Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico “Umberto I” Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera “Antonio Cardarelli” Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera “Papa Giovanni XXIII” Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000

Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606

Slovakia: +421 2 5477 4166

Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group
 E-mail address : SDS@CPChem.com
 Website : www.CPChem.com

SECTION 2: Hazards identification**Classification of the substance or mixture**

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Classification

: Flammable gases, Category 1
 Gases under pressure, Liquefied gas
 Acute toxicity, Category 3, Inhalation

Labeling

Symbol(s)



Signal Word

: Danger

Hazard Statements

: H220: Extremely flammable gas.
 H280: Contains gas under pressure; may explode if heated.
 H331: Toxic if inhaled.

Precautionary Statements

: **Prevention:**

Methyl Mercaptan

Version 1.5

Revision Date 2024-09-17

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
 P271 Use only outdoors or in a well-ventilated area.
Response:
 P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
 P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
 P381 Eliminate all ignition sources if safe to do so.
Storage:
 P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.
 P410 + P403 Protect from sunlight. Store in a well-ventilated place.
Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Carcinogenicity:**IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3: Composition/information on ingredients

Synonyms : MESH
 Methyl Mercaptan-D
 Thiomethane
 MM
 MESH-D
 Methane Thiol
 MeSH 2
 Methyl Mercaptan 2

Molecular formula : CH₃SH

Component	CAS-No.	Weight %
Methyl Mercaptan	74-93-1	100

May contain trace hydrogen sulfide below 0.2 wt%.

SECTION 4: First aid measures

General advice : Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

Methyl Mercaptan

Version 1.5

Revision Date 2024-09-17

- If inhaled : Call a physician or poison control center immediately. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear.
- In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5: Firefighting measures

- Flash point : -56°C (-69°F)
- Autoignition temperature : No data available
- Suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemical.
- Unsuitable extinguishing media : High volume water jet.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
- Fire and explosion protection : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.
- Hazardous decomposition products : Sulfur oxides.

SECTION 6: Accidental release measures

- Personal precautions : Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Methyl Mercaptan

Version 1.5

Revision Date 2024-09-17

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 7: Handling and storage**Handling**

Advice on safe handling : Do not breathe vapors/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Storage

Requirements for storage areas and containers : Prevent unauthorized access. No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Use : Chemical intermediate

SECTION 8: Exposure controls/personal protection**Ingredients with workplace control parameters****US**

Components	Basis	Value	Control parameters	Note
Methyl Mercaptan	ACGIH	TWA	0.5 ppm,	
	OSHA Z-1	C	10 ppm, 20 mg/m3	
	OSHA Z-1-A	TWA	0.5 ppm, 1 mg/m3	
Hydrogen Sulfide	ACGIH	TWA	1 ppm,	
	ACGIH	STEL	5 ppm,	
	OSHA Z-2	CEIL	20 ppm,	
	OSHA Z-2	Peak	50 ppm,	
	OSHA Z-1-A	TWA	10 ppm, 14 mg/m3	
	OSHA Z-1-A	STEL	15 ppm, 21 mg/m3	

Immediately Dangerous to Life or Health Concentrations (IDLH)

Substance name	CAS-No.	Control parameters	Update
Methyl Mercaptan	74-93-1	Immediately Dangerous to Life or Health Concentration Value 150 parts per million	1995-03-01

Methyl Mercaptan

Version 1.5

Revision Date 2024-09-17

Biological exposure indices**US**

Substance name	CAS-No.	Control parameters	Sampling time	Update
Methyl Mercaptan	74-93-1	Methemoglobin: 1.5 % Hb Nonspecific (In blood) Background () Semi-quantitative () See notice of Intended Changes (NIC) () Adopted values or notations enclosed are those for which changes are proposed in the NIC ()	During or at the end of the shift	2020-02-01

Engineering measures

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

- Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:. Full-Face Supplied-Air Respirator. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Eye wash bottle with pure water.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Footwear protecting against chemicals.
- Hygiene measures : Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties**

SDS Number:100000013972

6/15

Methyl Mercaptan

Version 1.5

Revision Date 2024-09-17

Appearance

Form : Compressed gas
Physical state : Gaseous
Color : Colorless
Odor : Rotten eggs
Odor Threshold : Not applicable

Safety data

Flash point : -56°C (-69°F)

Lower explosion limit : 3.9 %(V)

Upper explosion limit : 21.8 %(V)

Oxidizing properties : No

Autoignition temperature : No data available

Molecular formula : CH₃SH

pH : Not applicable

Pour point : No data available

Boiling point/boiling range : 4.5-7.5°C (40.1-45.5°F)

Vapor pressure : 42.50 PSI
at 37.8°C (100.0°F)

Relative density : 0.875
at 15.6 °C (60.1 °F)

Density : No data available

Water solubility : Slightly soluble

Viscosity, kinematic : Not applicable

Relative vapor density : 1.66
at 15.6°C (60.1°F)
(Air = 1.0)

Evaporation rate : > 1

Percent volatile : > 99 %

SECTION 10: Stability and reactivity

Reactivity : Stable under recommended storage conditions.

Methyl Mercaptan

Version 1.5

Revision Date 2024-09-17

- Chemical stability** : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
- Possibility of hazardous reactions**
- Hazardous reactions** : Hazardous reactions: Hazardous polymerization does not occur.
Hazardous reactions: Vapors may form explosive mixture with air.
- Conditions to avoid** : Heat, flames and sparks.
- Materials to avoid** : May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
- Hazardous decomposition products** : Sulfur oxides
- Other data** : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information**Acute inhalation toxicity**

Methyl Mercaptan : LC50: 675 ppm
Exposure time: 4 h
Species: Rat
Test atmosphere: gas
Method: OECD Test Guideline 403

Sensitization

Methyl Mercaptan : Does not cause skin sensitization.
Information given is based on data obtained from similar substances.

Repeated dose toxicity

Methyl Mercaptan : Species: Rat, male
Sex: male
Application Route: Inhalation
Dose: 0, 2, 17, 57 ppm
Exposure time: 13 wk
Number of exposures: 7 h/d, 5 d/wk
NOEL: 0.033 mg/l 17 ppm
Lowest observable effect level: 0.118 mg/l 57 ppm
Method: OECD Guideline 413
Target Organs: Liver

Methyl Mercaptan

Version 1.5

Revision Date 2024-09-17

Species: Rat, male
Sex: male
Application Route: oral gavage
Dose: 5, 15, 45 mg/kg
Exposure time: 8 wk
Number of exposures: once/d, 7 d/wk
NOEL: 15 mg/kg
Lowest observable effect level: 45 mg/kg
Method: OECD Guideline 422
Target Organs: Blood
Information given is based on data obtained from similar substances.

Species: Rat, female
Sex: female
Application Route: oral gavage
Dose: 5, 15, 45 mg/kg
Exposure time: 9 wk
Number of exposures: once/d, 7 d/wk
NOEL: 15 mg/kg
Lowest observable effect level: 45 mg/kg
Method: OECD Guideline 422
Target Organs: Blood
Information given is based on data obtained from similar substances.

Genotoxicity in vitro

Methyl Mercaptan : Test Type: Ames test
Result: negative

Genotoxicity in vivo

Methyl Mercaptan : Test Type: Mouse micronucleus assay
Result: negative

Reproductive toxicity

Methyl Mercaptan : Species: Rat
Sex: female
Application Route: oral gavage
Dose: 0, 5, 15, 45 mg/kg
Number of exposures: daily
Test period: 8-9 wks
Method: OECD Guideline 422
NOAEL Parent: 45 mg/kg
Information given is based on data obtained from similar substances.

Methyl Mercaptan

Version 1.5

Revision Date 2024-09-17

Species: Rat
 Sex: male
 Application Route: oral gavage
 Dose: 0, 5, 15, 45 mg/kg
 Number of exposures: daily
 Test period: 8 wks
 Method: OECD Guideline 422
 NOAEL Parent: 45 mg/kg
 Information given is based on data obtained from similar substances.

Developmental Toxicity

Methyl Mercaptan : Species: Rat
 Application Route: oral gavage
 Dose: 0, 5, 15, 45 mg/kg
 Number of exposures: daily
 Test period: 8-9 wks
 NOAEL Teratogenicity: 45 mg/kg
 NOAEL Maternal: 45 mg/kg
 Information given is based on data obtained from similar substances.

Species: Rat
 Application Route: oral gavage
 Dose: 0, 5, 15, 45 mg/kg
 Number of exposures: daily
 Test period: 8 wks
 NOAEL Teratogenicity: 45 mg/kg
 NOAEL Maternal: 45 mg/kg
 Information given is based on data obtained from similar substances.

Methyl Mercaptan Aspiration toxicity : No aspiration toxicity classification.

Methyl Mercaptan Further information : No data available.

SECTION 12: Ecological information**Toxicity to fish**

Methyl Mercaptan : LC50: 1.8 mg/l
 Exposure time: 96 h
 Species: Danio rerio (Zebra Fish)
 Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates

Methyl Mercaptan : EC50: 1.32 - 2.46 mg/l
 Exposure time: 48 h
 Species: Daphnia magna (Water flea)
 Information given is based on data obtained from similar

Methyl Mercaptan

Version 1.5

Revision Date 2024-09-17

substances.

Toxicity to algae

Methyl Mercaptan : ErC50: 15 mg/l
 Exposure time: 72 h
 Species: Pseudokirchneriella subcapitata (green algae)
 Information given is based on data obtained from similar substances.

EbC50: 6.3 mg/l
 Exposure time: 72 h
 Species: Pseudokirchneriella subcapitata (green algae)
 Information given is based on data obtained from similar substances.

Biodegradability

Methyl Mercaptan : Result: Readily biodegradable.
 64 %
 Testing period: 28 d
 Information given is based on data obtained from similar substances.

Additional ecological information : Very toxic to aquatic life with long lasting effects.

Ecotoxicology Assessment**Short-term (acute) aquatic hazard**

Methyl Mercaptan : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard

Methyl Mercaptan : Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

Methyl Mercaptan

Version 1.5

Revision Date 2024-09-17

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN1064, METHYL MERCAPTAN, 2.3 (2.1), TOXIC INHALATION HAZARD ZONE C, MARINE POLLUTANT, (METHYL MERCAPTAN), RQ (METHYL MERCAPTAN)

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN1064, METHYL MERCAPTAN, 2.3 (2.1), (-56 °C c.c.), MARINE POLLUTANT, (METHYL MERCAPTAN)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN1064, 2.3: NOT PERMITTED FOR TRANSPORT

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN1064, METHYL MERCAPTAN, 2.3 (2.1), (B/D), ENVIRONMENTALLY HAZARDOUS, (METHYL MERCAPTAN)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

263, UN1064, METHYL MERCAPTAN, 2.3 (2.1), ENVIRONMENTALLY HAZARDOUS, (METHYL MERCAPTAN)

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN1064, METHYL MERCAPTAN, 2.3 (2.1), ENVIRONMENTALLY HAZARDOUS, (METHYL MERCAPTAN)

Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information**National legislation**

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
Gases under pressure
Acute toxicity (any route of exposure)

Methyl Mercaptan

Version 1.5

Revision Date 2024-09-17

CERCLA Reportable
Quantity : 100 lbs

Methyl Mercaptan

SARA 302 Reportable
Quantity : 100 lbs

Methyl Mercaptan

SARA 302 Threshold
Planning Quantity :

Methyl Mercaptan 74-93-1 500 lbs

SARA 304 Reportable
Quantity : 100 lbs

Methyl Mercaptan 74-93-1 100 lbs

SARA 313 Components : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

: Methyl Mercaptan - 74-93-1

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

US State Regulations

Pennsylvania Right To Know

Methyl Mercaptan

Version 1.5

Revision Date 2024-09-17

: Methyl Mercaptan - 74-93-1

California Prop. 65
Components


: This product, as shipped, does not contain any carcinogens or reproductive toxins presently known by the State of California to cause cancer or reproductive toxicity at a level of exposure subject to the requirements of California Proposition 65.

Notification status

Europe REACH	:	Not in compliance with the inventory
Switzerland CH INV	:	Not in compliance with the inventory
United States of America (USA) TSCA	:	On or in compliance with the active portion of the TSCA inventory
Canada DSL	:	All components of this product are on the Canadian DSL
Australia AIC	:	On the inventory, or in compliance with the inventory
New Zealand NZIoC	:	On the inventory, or in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Korea KECI	:	A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance or the exported amount does not exceed the minimum threshold quantity of the non-registered substance(s).
Philippines PICCS	:	On the inventory, or in compliance with the inventory
Taiwan TCSI	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory

SECTION 16: Other information

NFPA Classification : Health Hazard: 3
Fire Hazard: 3
Reactivity Hazard: 0

**Further information**

Legacy SDS Number : 646280

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the

Methyl Mercaptan

Version 1.5

Revision Date 2024-09-17

specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate