

# Synfluid® PAO 10 cSt

Version 1.12 Revision Date 2025-04-02

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product information**

Product Name : Synfluid® PAO 10 cSt Material : 1125444, 1079875, 1079675

Use : Synthetic Lubricants

Company : Chevron Phillips Chemical Company LP

10001 Six Pines Drive The Woodlands, TX 77380

### **Emergency telephone:**

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week) Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Italy: POISON CENTER MILÂN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico "Agostino Gemelli", Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico "Umberto I" Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera "Antonio Cardarelli" Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera "Papa Giovanni XXIII" Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;

SDS Number:100000100615

1/12

# Synfluid® PAO 10 cSt

Version 1.12 Revision Date 2025-04-02

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371

67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000 Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24

hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

### Classification

Not a hazardous substance or mixture.

#### Labeling

Not a hazardous substance or mixture.

## Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

# **SECTION 3: Composition/information on ingredients**

Synonyms : Polyalphaolefin

PAO

Molecular formula : Polymer

Component	CAS-No.	Weight %
1-Decene Homopolymer Hydrogenated	68037-01-4	100

Contains no hazardous ingredients according to GHS.

SDS Number:100000100615 2/12

# Synfluid® PAO 10 cSt

Version 1.12 Revision Date 2025-04-02

#### **SECTION 4: First aid measures**

General advice : No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical

advice. If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses. Protect unharmed eye. If eye

irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to

an unconscious person. If symptoms persist, call a physician.

## **SECTION 5: Firefighting measures**

Flash point : 271°C (520°F)

Autoignition temperature : 369°C (696°F)

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during fire

fighting

: Standard procedure for chemical fires. Use extinguishing

measures that are appropriate to local circumstances and the

surrounding environment.

Special protective

equipment for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Standard procedure for chemical fires. Use extinguishing

measures that are appropriate to local circumstances and the

surrounding environment.

Fire and explosion

protection

Normal measures for preventive fire protection.

Hazardous decomposition

products

Carbon oxides.

## **SECTION 6: Accidental release measures**

Personal precautions : Use personal protective equipment. Ensure adequate

ventilation. Evacuate personnel to safe areas. Material can

create slippery conditions.

Environmental precautions : No special environmental precautions required.

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in

suitable, closed containers for disposal.

## **SECTION 7: Handling and storage**

#### Handling

SDS Number:100000100615 3/12

# Synfluid® PAO 10 cSt

Version 1.12 Revision Date 2025-04-02

Advice on safe handling : For personal protection see section 8. Smoking, eating and

drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

## Storage

Requirements for storage areas and containers

: Electrical installations / working materials must comply with the

technological safety standards.

Advice on common storage No materials to be especially mentioned.

Use Synthetic Lubricants

# SECTION 8: Exposure controls/personal protection

#### **Engineering measures**

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

#### Personal protective equipment

Respiratory protection If ventilation or other engineering controls are not adequate to

> maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved

respirator may be appropriate.

Hand protection The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there

is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Choose body protection according to the amount and

> concentration of the substance and the task performed at the work place. Appropriate PPE may include:. Lightweight

protective clothing.

Hygiene measures : General industrial hygiene practice.

# **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

SDS Number:100000100615 4/12

# Synfluid® PAO 10 cSt

Version 1.12 Revision Date 2025-04-02

**Appearance** 

Physical state : liquid

: Clear, Colorless Color

Odor : Odorless

Odor Threshold : No data available

Safety data

Flash point : 271°C (520°F)

Lower explosion limit : Not applicable

Upper explosion limit : Not applicable

Oxidizing properties : no

: 369°C (696°F) Autoignition temperature

Molecular formula : Polymer

Molecular weight : Varies

pΗ : Not applicable

Boiling point/boiling range : 430°C (806°F)

Vapor pressure : 0.10 MMHG

at 232°C (450°F)

Relative density : 0.83

at 15.6 °C (60.1 °F)

Density : 0.835 g/cm3

at 15.6°C (60.1°F)

Water solubility : Soluble in hydrocarbon solvents; insoluble in water.

Partition coefficient: n-

octanol/water

: No data available

: 60.3 cSt

Viscosity, kinematic

at 40°C (104°F)

Relative vapor density : 10

(Air = 1.0)

Evaporation rate : 3

# **SECTION 10: Stability and reactivity**

Reactivity : Stable at normal ambient temperature and pressure.

SDS Number:100000100615 5/12

# Synfluid® PAO 10 cSt

Version 1.12 Revision Date 2025-04-02

**Chemical stability** : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

Possibility of hazardous reactions

**Hazardous reactions** : Further information: Stable under recommended storage

conditions., No hazards to be specially mentioned.

Conditions to avoid : No data available.

Materials to avoid

Hazardous decomposition

products

: No data available. : Carbon oxides

Other data : No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

Synfluid® PAO 10 cSt

Acute oral toxicity : LD50 Oral: > 5,000 mg/kg

Species: Rat

Synfluid® PAO 10 cSt

Acute inhalation toxicity : LC50: > 5.2 mg/l

Exposure time: 4 h Species: Rat

Test atmosphere: dust/mist

Synfluid® PAO 10 cSt

Acute dermal toxicity : LD50: > 2,000 mg/kg

Species: Rabbit

Synfluid® PAO 10 cSt

Skin irritation : No skin irritation

Synfluid® PAO 10 cSt

Eye irritation : No eye irritation

Sensitization

1-Decene Homopolymer

Hydrogenated

: Did not cause sensitization on laboratory animals.

Repeated dose toxicity

1-Decene Homopolymer

Hydrogenated

: Species: Rat

**Application Route: Oral** 

Dose: 0, 8000, 20000, 50000 ppm

Exposure time: 28 day Number of exposures: daily

NOEL: 6,245 mg/kg

SDS Number:100000100615 6/12

# Synfluid® PAO 10 cSt

Version 1.12 Revision Date 2025-04-02

Method: OECD Test Guideline 407

Species: Rat

Application Route: oral gavage Dose: 0, 1000, 7000, 50000 ppm Exposure time: 13 weeks Number of exposures: daily NOEL: 4,159.4 mg/kg

Method: OCED Guideline 408

Synfluid® PAO 10 cSt

**Genotoxicity in vitro** : Remarks: No adverse effects expected, Information given is

based on data obtained from similar substances.

Synfluid® PAO 10 cSt Genotoxicity in vivo

: Remarks: No adverse effects expected, Information given is

based on data obtained from similar substances.

Synfluid® PAO 10 cSt Carcinogenicity

: Remarks: This information is not available.

Reproductive toxicity

1-Decene Homopolymer

Hydrogenated

: Species: Rat

Sex: male and female

Application Route: oral gavage Dose: 0, 100, 500, 1000 mg/kg Number of exposures: daily Test period: 10 weeks

Method: OECD Test Guideline 415 NOAEL Parent: 1,000 mg/kg

**Developmental Toxicity** 

1-Decene Homopolymer Hydrogenated : Animal testing did not show any effects on fetal development. Information given is based on data obtained from similar

substances.

**Aspiration toxicity** 

1-Decene Homopolymer

Hydrogenated

**Toxicology Assessment** 

: No aspiration toxicity classification.

Synfluid® PAO 10 cSt CMR effects

: Carcinogenicity:

Not classifiable as a human carcinogen.

Mutagenicity:

Animal testing did not show any mutagenic effects.

7/12

Teratogenicity:

no developmental effects Reproductive toxicity: No toxicity to reproduction

SDS Number:100000100615

# Synfluid® PAO 10 cSt

Version 1.12 Revision Date 2025-04-02

Synfluid® PAO 10 cSt

**Further information** : No data available.

# **SECTION 12: Ecological information**

**Ecotoxicity effects** 

**Toxicity to fish** : LL50: > 1,000 mg/l

Exposure time: 96 h

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates

: EL50: > 1,000 mg/l Exposure time: 48 h

> Species: Daphnia magna (Water flea) static test Method: OECD Test Guideline 202

Toxicity to algae : NOELR: 1,000 mg/l

Exposure time: 72 h

Species: Scenedesmus capricornutum (fresh water algae)

static test Method: OECD Test Guideline 201

Biodegradability : This material is not expected to be readily biodegradable.

Expected to be inherently biodegradable.

Elimination information (persistence and degradability)

Bioaccumulation : This material is not expected to bioaccumulate.

Mobility : No data available

Results of PBT assessment

1-Decene Homopolymer

Hydrogenated

: Non-classified PBT substance, Non-classified vPvB substance

Additional ecological

information

: No data available

# **Ecotoxicology Assessment**

Short-term (acute) aquatic

hazard

: This material is not expected to be harmful to aquatic

organisms.

Long-term (chronic) aquatic

hazard

This material is not expected to be harmful to aquatic

organisms.

# **SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

SDS Number:100000100615 8/12

# Synfluid® PAO 10 cSt

Version 1.12 Revision Date 2025-04-02

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

## **SECTION 14: Transport information**

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

## **US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

### IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

## IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

## ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

# RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

# ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

## Maritime transport in bulk according to IMO instruments

SDS Number:100000100615 9/12

# Synfluid® PAO 10 cSt

Version 1.12 Revision Date 2025-04-02

# **SECTION 15: Regulatory information**

## **National legislation**

SARA 311/312 Hazards : No SARA Hazards

**CERCLA Reportable** 

Quantity

: This material does not contain any components with a CERCLA

RQ.

SARA 302 Reportable

Quantity

: This material does not contain any components with a SARA

302 RQ.

SARA 302 Threshold Planning Quantity

SARA 304 Reportable

Quantity

: This material does not contain any components with a section

302 EHS TPQ.

: This material does not contain any components with a section

304 EHS RQ.

SARA 313 Components : This material does not contain any chemical components with

> known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

Ozone-Depletion Potential

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

## **US State Regulations**

Pennsylvania Right To Know

SDS Number:100000100615 10/12

# Synfluid® PAO 10 cSt

Version 1.12 Revision Date 2025-04-02

: 1-Decene Homopolymer Hydrogenated - 68037-01-4

California Prop. 65 Components : This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive

defects.

#### **Notification status**

TSCA

Europe REACH : This product is in full compliance according to REACH

regulation 1907/2006/EC.

Switzerland CH INV : On the inventory, or in compliance with the inventory

United States of America (USA) : On or in compliance with the active portion of the

TSCA inventory

Canada DSL : All components of this product are on the Canadian

DSL

Australia AIIC : On the inventory, or in compliance with the inventory
New Zealand NZIoC : On the inventory, or in compliance with the inventory
Japan ENCS : On the inventory, or in compliance with the inventory
Korea KECI : All substances in this product were registered, notified

All substances in this product were registered, notified to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was

included on CPChem's notifications or if the Importer of


Record themselves notified the substances.

Philippines PICCS : On the inventory, or in compliance with the inventory Taiwan TCSI : On the inventory, or in compliance with the inventory China IECSC : On the inventory, or in compliance with the inventory

#### **SECTION 16: Other information**

NFPA Classification : Health Hazard: 0

Fire Hazard: 1 Reactivity Hazard: 0



# **Further information**

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SDS Number:100000100615 11/12

# Synfluid® PAO 10 cSt

Version 1.12 Revision Date 2025-04-02

k	ey or legend to abbreviations and a	cronyms used	d in the safety data sheet
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

12/12